

National Ocean Service PRODUCT INFORMATION GUIDE

NOAA-NOS Technical Services Publication
External Affairs Staff
January 1984 (Third Edition)

U.S. Department of Commerce
Malcolm Baldrige, Secretary

National Oceanic and Atmospheric Administration
John V. Byrne, Administrator

Ocean Services and Coastal Zone Management
Paul M. Wolff, Assistant Administrator

PREFACE

The National Ocean Service (NOS), a part of the National Oceanic and Atmospheric Administration (NOAA), has historically undertaken significant scientific endeavors relating to the land and water environment of the United States and is a major contributor of hydrographic and oceanographic data in the coastal and Great Lakes regions of the Nation. Because of this historical and vital involvement in the geodetic and oceanic activities of the Nation, NOS management desires to continue to improve the information it furnishes to fulfill the needs of those organizations engaged in economic and scientific activities in the coastal zone.

Today, NOS is in the vanguard of Federal institutions whose missions in the decades ahead will affect the posture of our Nation's scientific advances. Timely and accurate data and information to the user community are essential to insure that NOS products and services are fulfilling the user's needs and that there is an understanding of the mission and functions of the NOS.

This edition of the *National Ocean Service Product Information Guide* is a major revision of the National Ocean Survey Products and Services Handbook, May 1982 (2nd edition). The primary headings include: Geodetic Services, Oceanography, Marine Charting Services, Aeronautical Charting Services, Coastal Zone Management and Marine Operations. The intent is to provide the user of this guide with a graphic representation of the product, illustrating the type of information contained in the text. A price list has been included in the Appendix to provide approximate cost information. As prices are apt to change at any time without notice, the user is advised to contact the appropriate office for further information on prices. An alphabetical index has also been provided for easy reference.

CONTENTS

Preface	iii
Message from the Administrator	v
Geodetic Services	1-1
Horizontal Geodetic Information—Latitude, Longitude, Azimuth	1-2
Vertical Geodetic Information—Elevations	1-3
Indexes to Horizontal and Vertical Geodetic Control Information— Geodetic Network Diagrams	1-4
Gravimetric Information	1-5
Astronomic Information—Latitude, Longitude, Azimuth, and Deflection of the Vertical	1-6
Satellite Radio Surveying Information—Earth Centered Coordinate Locations	1-7
Calibration Standards for Distance Measuring Instruments	1-8
Computer Programs for Geodetic Applications	1-9
Federal Geodetic Specifications—Survey Specifications and Data Base Formats	1-10
Crustal Movement Information	1-11
Polar Motion Information	1-12
Geodetic Literature and Records Archival Services	1-13
Geodetic Products and Services Information	1-14
NGS Extension Service—Technology Transfer and Consultation	1-15
Special Purpose Geodetic Surveys	1-16
Oceanography	2-1
Tide Observation Station Lists	2-2
Tides, 6-Minute Heights	2-3
Tides, Hourly Heights	2-4
Tides, Time and Heights of High and Low Waters	2-5
Near Real-Time and Real-Time Heights	2-6
Tides, Monthly Mean Summaries	2-7
Tidal Bench Mark Sheets with Tidal Datums	2-8
Frequency and Duration Analysis of Tidal Waters	2-9
Tidal Zoning (Area Prediction Factors)	2-10
Tide Station Ocean Temperature and Density	2-11
Oceanographic Expert Consultation and Tidal Special Services	2-12
Circulatory Survey Data	2-13
Estuarine and Coastal Circulation Data Analysis	2-14
Tidal Current Diagrams	2-15
Tidal Current Charts	2-16
Tidal Current Tables	2-17
Tide Tables	2-18
Supplemental Tide Predictions—Anchorage, Nikishka, Seldovia, and Valdez, Alaska	2-19
Telemetered Water Level Data—Great Lakes	2-20
Hourly Water Levels—Great Lakes	2-21
Daily Mean Water Levels—Great Lakes	2-22
Great Lakes 7-Day Water Levels	2-23
Hydrograph of Monthly Mean Levels of the Great Lakes	2-24
Great Lakes Data: Monthly Mean Elevations and Monthly Mean Discharge	2-25
Monthly Precipitation Summary—Great Lakes Basin	2-26
Monthly Mean Flow Diversions, Great Lakes	2-27
Great Lakes Water Levels—Annual Summary	2-28
Great Lakes Annual Maximum and Minimum Levels	2-29
Great Lakes Water Levels—1860-1980	2-30
Bench Mark Descriptions and International Great Lakes Datum Elevations	2-31
Northeast Monitoring Program on the Health of the Northeast Coastal Waters of the United States	2-32

Physical Oceanographic and Sediment Quality Data (Cruise Reports)	2-33
User's Guide	2-34
Management-Oriented Analysis and Syntheses Reports	2-35
Regional and Disciplinary Synthesis Reports	2-35
Environmental Atlases and Supporting Data Bases	2-36
Public Information and Education Publications	2-36
National Marine Pollution Plan: Federal Plan	2-37
National Marine Program: Agency Program	2-37
National Marine Pollution Program: Catalog	2-38
Special Publications—Marine Pollution	2-38
Marine Charting Services	3-1
Conventional Nautical Charts	3-2
Small-Craft Nautical Charts	3-3
International Nautical Charts	3-4
Nautical Training (TR) Charts	3-5
Nautical Updating Service	3-6
Nautical Chart Symbols and Abbreviations (Chart No. 1)	3-7
Distances Between United States Ports	3-8
U.S. Coast Pilots	3-9
Local Notice to Mariners	3-10
Notice to Mariners	3-11
Marine Weather Services Charts	3-12
Bathymetric Maps	3-13
Topographic-Bathymetric Maps	3-14
Storm Evacuation Maps	3-15
Offshore Mineral Leasing Area Maps	3-16
Territorial and Contiguous Zone Maps	3-17
Geophysical Maps	3-18
Shoreline Movement Studies	3-19
Dates of Latest Editions—Nautical Charts	3-20
Nautical Chart Catalogs 1 through 4 and Map and Chart Catalog 5	3-21
Ocean Survey Sheets (OSS)	3-22
Plotting Sheets for General Bathymetric Charts of the Oceans	3-23
Aerial Photographs	3-24
Hydrographic Surveys	3-26
Topographic Surveys and Planimetric Shoreline Maps	3-28
Descriptive Reports	3-29
Graphic Depth Records	3-30
Sounding Volumes	3-31
Automated Wreck and Obstruction Information System	3-32
Coastal Mapping Handbook 1978	3-33
A History of Flying and Photography in the Photogrammetry Division of the National Ocean Survey, 1919-1979	3-33
Aeronautical Charting Services	4-1
Visual Flight Rules/Instrument Flight Rules (VFR/IFR) Wall Planning Chart	4-2
Flight Case Planning Chart	4-3
Sectional Aeronautical Charts	4-4
Visual Flight Rules (VFR) Terminal Area Charts	4-5
World Aeronautical Charts (WAC)	4-6
U.S. Gulf Coast (VFR) Aeronautical Chart	4-7
Visual Flight Rules (VFR) Helicopter Chart	4-8
Visual Aeronautical Chart Symbols	4-9
Enroute Low Altitude Charts	4-10
Enroute Low Altitude Area Charts	4-11
Enroute High Altitude Charts	4-12
Standard Instrument Departure (SID) Charts	4-13
Standard Terminal Arrival (STAR) Charts	4-14
Alaska Terminal Flight Information Publication	4-15
Supplement Alaska	4-16
Chart Supplement Pacific	4-17

Instrument Approach Procedure Charts.....	4-18
Airport Diagrams	4-19
Airport/Facility Directory	4-20
Airport Obstruction Charts	4-21
Dates of Latest Editions—Aeronautical Charts	4-22
Catalog of Aeronautical Charts.....	4-23
Radar Video Maps	4-24
Controller Charts	4-25
Controller Chart Supplement.....	4-26
North Atlantic Route Charts.....	4-27
Minimum Safe Altitude Warning (MSAW) System	4-28
Air Traffic Control Systems Command Center Charts	4-29
Search and Rescue (SAR) Charts.....	4-30
Gulf of Mexico and Caribbean Planning Chart	4-31
Coastal Zone Management	5-1
Biennial Report	5-2
Coastal Zone Management: An Annotated Bibliography	5-3
CZM Information Exchange.....	5-4
State Brochures (OCRM)	5-5
General Information Brochures	5-6
Management Plans—Estuarine.....	5-7
General Information Brochures—Estuarine	5-8
Biennial Report—Marine Sanctuary	5-9
Program Development Plan—Marine Sanctuary	5-10
Management Plans—Marine Sanctuary	5-11
General Information Brochures—Marine Sanctuary	5-12
Biennial Report—Deep Seabed Mining.....	5-13
Annual Report—Ocean Thermal Energy Conversion	5-14
Wave Data and Statistics	5-15
Marine Operations	6-1
Description of the NOAA Fleet	6-2
Oceanographic Research, Ship Support	6-8
NOAA Diving Office	6-9
Appendices	7-1
Acronyms and Abbreviations	7-3
Price List	7-13
Index	7-13

GEODETIC SERVICES

The NOS Office of Charting and Geodetic Services, National Geodetic Survey (NGS) Division, is responsible for developing and maintaining the National Geodetic Reference System, as defined by the National Networks of Geodetic Control. These networks consist of approximately three-quarters of a million precisely positioned points, known as geodetic control points. These points provide the common base of reference to correlate longitude, latitude, elevation, scale, and orientation throughout the Nation for communication, transportation, and defense systems; boundary and property surveys and land records systems; public utilities; mapping and charting; and a variety of other scientific and engineering applications.

NGS conducts field surveys and research and development activities to improve the collection and dissemination of geodetic data, as well as to improve the understanding of dynamic Earth processes. NGS also provides Federal leadership in developing specifications and standards for conducting geodetic surveys, and the development and application of new surveying instrumentation. It assists State, county, and municipal agencies through a variety of cooperative programs.

**HORIZONTAL GEODETIC INFORMATION—
LATITUDE, LONGITUDE, AND AZIMUTH**
Office of Charting and Geodetic Services

Issuance: Upon availability, normally upon completion of adjustments of a survey project and subsequent processing in the National Geodetic Survey Data Base.

Users: Land surveyors; engineering consultants; regional planning groups; and national mapping and charting agencies; military and utilities.

For information, write or call: Chief, National Geodetic Information Center, National Geodetic Survey Division, National Ocean Service, NOAA, 6001 Executive Boulevard, Rockville, Md. 20852 (301-443-8631).



Horizontal Control Survey.

Published *Horizontal Geodetic Information* consists of geographic positions (latitude and longitude), State Plane Coordinates, Universal Transverse Mercator, coordinates, azimuths, and descriptive location information for approximately 250,000 stations in the horizontal control networks of the conterminous United States, Alaska, Hawaii, and Puerto Rico. Most data are derived from precise field surveys using conventional triangulation, traverse, and trilateration methods. The surveys are adjusted to either the North American Datum (NAD) of 1927, Old Hawaiian Datum, or Puerto Rican Datum. Most horizontal control products are presented in booklet form for 30' x 30' quadrangle areas, or for congested areas, 15' or 7-1/2' quadrangle areas. In some areas of Alaska, data are in 1° x 1° units due to the sparsity of control. The 30-minute quadrangles are identified by a six-digit number, successively depicting degrees of latitude, longitude, and quadrants of 1° quadrangle.

Coordinate data are also available on magnetic tape, microfilm, or microfiche. Complete control station information is available on these media for limited areas of the country.

Horizontal geodetic data in manuscript form are available for the projects recently adjusted but not yet published. They contain position and descriptive information similar to that found in the published data and are issued by survey project.

VERTICAL GEODETIC INFORMATION— ELEVATIONS


Office of Charting and Geodetic Services

Issuance: Upon availability, normally issued upon completion of a survey project and subsequent processing.

Users: Federal and State mapping, surveying, and transportation agencies, local flood plain and coastal zone management agencies, and coastal and offshore boundary determination programs.

For information, write or call: Chief, National Geodetic Information Center, National Geodetic Survey Division, National Ocean Service, NOAA, 6001 Executive Boulevard, Rockville, Md. 20852 (301-443-8631).

Published *Vertical Geodetic Information* consists of absolute elevations above the National Geodetic Vertical Datum (NGVD) of 1929 (formerly Sea Level Datum of 1929) and location descriptions for over 500,000 bench marks in the Nation's vertical control network. The data are derived from leveling observations in the field that have been adjusted to NGVD. For areas of considerable crustal motion, several elevations may be shown for each bench mark for different years of observation. Most Vertical Control Information is presented in quadrangle booklets using the same system described under "Horizontal Geodetic Information." Some Vertical Control Data are still published in the old format organized by State level lines and are available only by complete county coverage. Vertical Control Data for adjusted but unpublished projects are available in manuscript form on a project basis.




Vertical Control Survey.

**INDEXES TO HORIZONTAL AND VERTICAL
GEODETIC CONTROL INFORMATION—
GEODETIC NETWORK DIAGRAMS**
Office of Charting and Geodetic Services

Issuance: As requested; they are revised and updated at irregular intervals.

Users: Land surveyors, engineering consultants, and surveying and mapping agencies at the Federal, State, and local levels.

For information, write or call: Chief, National Geodetic Information Center, National Geodetic Survey Division, National Ocean Service, NOAA, 6001 Executive Boulevard, Rockville, Md. 20852 (301-443-8631).



Geodetic Control Diagram of Hawaii.

Indexes to horizontal and vertical geodetic control information, commonly referred to as *Geodetic Network Diagrams*, depict horizontal and/or vertical geodetic control points. Control points are monuments of known position (horizontal) or elevation (vertical), or both, forming a network by which map details are fixed in their correct position. The diagrams consist of the following series:

The *Geodetic Control Diagram* depicts at a scale of 1/250,000 both horizontal and vertical control for areas of 1° latitude by 2° longitude that were established by the National Oceanic and Atmospheric Administration (NOAA), the U.S. Geological Survey (USGS), and other Federal, State, and local agencies for which data have been accepted for publication by NGS. The diagrams show monumented stations, and certain positioned features, artificial or natural. Lines depict actual observations.

Alaska Geodetic Control Diagrams are depicted at a scale of 1/500,000 and use photo-reduced World Aeronautical Chart bases. A replacement series using NOS Sectional Charts as the base is in production.

The *Triangulation Diagram* is issued for each State and depicts horizontal control established or adjusted by NOAA. The triangulation diagrams show monumented points and positioned features, artificial or natural. Measured angles and distances are depicted.

The *Triangulation Diagram* for coastal areas of the conterminous United States, Alaska, Hawaii, and Puerto Rico use nautical chart bases to depict horizontal and vertical control. Triangulation diagrams using various bases at larger scales, supplement the above diagrams in areas where geodetic control is congested such as metropolitan and coastal areas.

The *Index Map of Control Leveling* is issued for each State and depicts vertical control established or adjusted by NGS. These leveling diagrams show first- and second-order level lines established in the State.

Two diagrams depict horizontal and vertical geodetic control network status. They are updated annually to depict the entire network for the conterminous U.S. and Alaska.

GRAVIMETRIC INFORMATION

Office of Charting and Geodetic Services

Issuance: As requested.

Users: Geologists, Federal, and State surveying and mapping agencies and geophysical prospectors.

For information, write or call: Chief, National Geodetic Information Center, National Geodetic Survey Division, National Ocean Service, NOAA, 6001 Executive Boulevard, Rockville, Md. 20852 (301-443-8631).

Gravimetric Information is produced to show the local acceleration of gravity. The intensity of gravity can be predicted for any location within the continental United States. These predicted values are available for a user's specific location and elevation. Gravity data are available for any selected area in the form of punched cards, printed output, and magnetic tape. Individual station values and descriptions are presently unavailable.

Current gravity data include the following information for each 1° x 1° subdivision ("block"): position, elevation, observed adjusted gravity value, free air and bouger anomalies, and the terrain correction.

SUPER BLOCK NO. 114 LOCAL BLOCK NO. 1487

RECORD ADDRESS	LAT DEGS	WLOH DEGS	ELEV(METERS) PRIME SECOND	OBS. GRAV MGALX1000SIG	FAA(MGALS) SIG	BA(MGALS) SIG	TERR. CORR (MGALS) SIG	SRCE T CODE	AG F P	STAT ID
1080199	48.517	103.060	709.4	0.0	2738100	20.30 1.00	-59.00 1.00	0.0 0.0	5183 1	1 0 0 296
1080198	48.605	103.060	699.5	0.0	2750900	22.10 1.00	-56.10 1.00	0.0 0.0	5183 1	1 0 0 295
1080095	48.692	103.059	700.6	0.0	2761700	25.50 1.00	-52.80 1.00	0.0 0.0	5183 1	1 0 0 294
1077844	48.879	103.465	683.4	0.0	2774700	16.30 1.00	-60.10 1.00	0.0 0.0	5115 1	1 0 0 293
1077843	48.779	103.157	709.6	0.0	2763600	22.30 1.00	-57.00 1.00	0.0 0.0	5115 1	1 0 0 292
1077840	48.765	103.443	635.2	0.0	2776600	13.70 1.00	-57.30 1.00	0.0 0.0	5115 1	1 0 0 291
1077838	48.982	103.442	609.3	0.0	2799200	8.80 1.00	-59.30 1.00	0.0 0.0	5115 1	1 0 0 290
1077837	48.894	103.004	592.5	0.0	2809300	21.50 1.00	-44.70 1.00	0.0 0.0	5115 1	1 0 0 289
1077836	48.967	103.179	581.3	0.0	2809000	11.30 1.00	-53.70 1.00	0.0 0.0	5115 1	1 0 0 288
1077789	48.663	103.318	695.6	0.0	2756100	20.90 1.00	-56.80 1.00	0.0 0.0	5115 1	1 0 0 287
933628	48.561	103.232	711.0	0.0	2760000	29.20 2.00	-50.20 2.00	0.0 0.0	4086 1	10 0 0 286
933622	48.561	103.076	693.2	0.0	2761300	25.70 2.00	-52.00 2.00	0.0 0.0	4086 1	10 0 0 285
933601	48.879	103.485	694.2	0.0	2771000	22.70 2.00	-54.90 2.00	0.0 0.0	4086 1	10 0 0 284
933600	48.776	103.482	636.6	0.0	2791800	18.90 2.00	-52.30 2.00	0.0 0.0	4086 1	10 0 0 283
933599	48.675	103.449	603.6	0.0	2779600	24.00 2.00	-50.20 2.00	0.0 0.0	4086 1	10 0 0 282
933598	48.983	103.419	601.1	0.0	2814200	11.80 2.00	-55.30 2.00	0.0 0.0	4086 1	10 0 0 281
933597	48.778	103.332	627.3	0.0	2791700	15.70 2.00	-54.40 2.00	0.0 0.0	4086 1	10 0 0 280
933596	48.982	103.266	598.6	0.0	2806500	11.80 2.00	-53.40 2.00	0.0 0.0	4086 1	10 0 0 279
933595	48.881	103.312	678.3	0.0	2777300	12.40 2.00	-54.40 2.00	0.0 0.0	4086 1	10 0 0 278
933594	48.705	103.319	678.3	0.0	2769800	23.60 2.00	-52.20 2.00	0.0 0.0	4086 1	10 0 0 277
933593	48.645	103.317	698.0	0.0	2769800	27.60 2.00	-50.40 2.00	0.0 0.0	4086 1	10 0 0 276
933592	48.981	103.112	576.0	0.0	2829600	19.60 2.00	-44.80 2.00	0.0 0.0	4086 1	10 0 0 275
933591	48.778	103.200	708.6	0.0	2776000	25.20 2.00	-54.00 2.00	0.0 0.0	4086 1	10 0 0 274
933590	48.675	103.186	687.3	0.0	2772600	24.40 2.00	-52.40 2.00	0.0 0.0	4086 1	10 0 0 273
933589	48.880	103.109	612.2	0.0	2812300	22.60 2.00	-45.90 2.00	0.0 0.0	4086 1	10 0 0 272
933588	48.778	103.067	723.7	0.0	2780900	34.70 2.00	-46.20 2.00	0.0 0.0	4086 1	10 0 0 271
933587	48.763	103.068	721.8	0.0	2780100	34.60 2.00	-46.00 2.00	0.0 0.0	4086 1	10 0 0 270
933586	48.720	103.056	710.2	0.0	2778500	33.30 2.00	-46.10 2.00	0.0 0.0	4086 1	10 0 0 269
933585	48.676	103.012	698.6	0.0	2776800	31.90 2.00	-46.10 2.00	0.0 0.0	4086 1	10 0 0 268
933584	48.560	103.342	693.1	0.0	2772200	28.70 2.00	-48.70 2.00	0.0 0.0	4086 1	10 0 0 267
933583	48.546	103.489	644.3	0.0	2772200	22.20 2.00	-49.80 2.00	0.0 0.0	4086 1	10 0 0 266
933582	48.885	103.010	595.0	0.0	2808100	22.00 1.00	-44.40 1.00	0.0 0.0	3578 1	1 3 0 265
933581	48.912	103.317	600.5	0.0	2795800	9.00 1.00	-58.00 1.00	0.0 0.0	3578 1	1 3 0 264
219276	48.908	103.488	684.3	0.0	2776500	15.80 1.00	-60.50 1.00	0.0 0.0	3557 1	1 3 0 263
217758	48.937	103.267	587.0	0.0	2800400	7.00 1.00	-58.40 1.00	0.0 0.0	1528 1	1 3 0 262
24187	48.938	103.005	579.7	0.0	2816900	21.30 1.00	-43.40 1.00	0.0 0.0	1528 1	1 3 0 261
24186	48.938	103.048	579.7	0.0	2814600	19.00 1.00	-45.60 1.00	0.0 0.0	1528 1	1 3 0 260
24185	48.938	103.289	589.8	0.0	2798500	6.10 1.00	-59.70 1.00	0.0 0.0	1528 1	1 3 0 259
24184	48.937	103.114	581.3	0.0	2809900	14.80 1.00	-50.10 1.00	0.0 0.0	1528 1	1 3 0 258
24183	48.937	103.179	503.1	0.0	2805400	10.90 1.00	-54.10 1.00	0.0 0.0	1528 1	1 3 0 257
24182	48.908	103.395	617.5	0.0	2790000	8.70 1.00	-60.20 1.00	0.0 0.0	1528 1	1 3 0 256
24181	48.908	103.442	674.2	0.0	2778300	14.50 1.00	-60.70 1.00	0.0 0.0	1528 1	1 3 0 255
24180	48.908	103.464	675.7	0.0	2778800	15.50 1.00	-60.00 1.00	0.0 0.0	1528 1	1 3 0 254
24179	48.908	103.486	688.8	0.0	2775800	16.50 1.00	-60.40 1.00	0.0 0.0	1528 1	1 3 0 253
24178	48.908	103.377	632.5	0.0	2780700	10.00 1.00	-60.50 1.00	0.0 0.0	1528 1	1 3 0 252
24177	48.908	103.421	663.2	0.0	2795000	13.50 1.00	-59.90 1.00	0.0 0.0	1528 1	1 3 0 251
24176	48.908	103.311	593.8	0.0	2808500	6.30 1.00	-50.10 1.00	0.0 0.0	1528 1	1 3 0 250
24174	48.923	103.114	581.3	0.0	2790100	14.70 1.00	-60.60 1.00	0.0 0.0	1528 1	1 3 0 249
24173	48.923	103.377	621.8	0.0	2787600	8.80 1.00	-60.40 1.00	0.0 0.0	1528 1	1 3 0 248
24172	48.923	103.399	635.5	0.0		10.50 1.00				

ASTRONOMIC INFORMATION—LATITUDE, LONGITUDE, AZIMUTH, AND DEFLECTION OF THE VERTICAL

Office of Charting and Geodetic Services

Issuance: As requested.

Users: Federal mapping and surveying agencies; State and local surveying agencies; and private surveying firms and engineering consultants.

For information, write or call: Chief, National Geodetic Information Center; National Geodetic Survey Division, National Ocean Service, NOAA, 6001 Executive Boulevard, Rockville, Md. 20852 (301-443-8631).

Astronomic Information includes final results of astronomic latitude, longitude, and azimuth and deflection of the vertical determination for over 2,000 stations in the United States and the U.S. possessions. Astronomic information is listed by station and by 30' quadrangle locations and is required for the transformation of data between celestial and terrestrial reference systems. In horizontal control surveys, the data often provide the project's orientation.

The printed data elements include station identifiers (QID/QSN and name), both astronomic and geodetic positions (AST/GEOD, LAT and LONG), a measure of precision (SIG), the meridian component (M.C.) and prime vertical component (P.V.C.) of the deflection of the vertical, and the elevation.

QID/QSN	ST	STATION NAME	LAT(AST/GEOD)	SIG	M.C.	PD	LONG(AST/GEOD)	SIG	P.V.C.	PD	ELEV(M)
0380772310001	VA	ACADEMY 1934	38 10 28.87	.27		1	77 16 12.21	.36		1	63.10
			38 10 29.92		- 1.05		77 16 22.56		- 8.14		
0380772310007	VA	ASTRO WEST PIER 1975	38 12 07.63	.13		4	77 22 20.52	.23		2	70.08
			38 12 06.93		0.70		77 22 25.44		- 3.86		
0360824210001	VA	BIG KNOB 1893	36 39 48.68	.50		1	0	.00		0	962.00
			36 39 52.48		- 3.80		82 30 21.76		0.00		
0360771240007	VA	BOONE 1965	36 41 02.15	.27		1	77 08 47.22	.36		1	38.30
			36 41 03.78		- 1.63		77 08 52.97		- 4.61		
0380774140002	VA	BULL RUN 1871	38 52 56.38	.40		2	77 42 17.98	.69		1	419.00
			38 52 53.26		3.12		77 42 12.79		4.04		
0370802220001	VA	CAHNS 1877	37 07 00.46	.50		1	0	.00		0	1038.00
			37 07 01.57		- 1.11		80 00 56.91		0.00		
0360761110002	VA	CAPE HENRY LIGHTHOUSE OLD	36 55 30.32	.50		1	0	.00		0	0.00
			36 55 32.33		- 2.01		76 00 30.52		0.00		
0370763340004	VA	CLAREMONT 1932	37 11 57.43	.27		1	76 59 32.46	.36		1	35.40
			37 11 58.81		- 1.38		76 59 43.75		- 8.99		
0380782120001	VA	CLARK ERDL 1957	38 18 43.72	.26		1	78 00 06.61	.40		1	324.20
			38 18 44.14		- 0.42		78 00 06.43		0.14		
0380782120005	VA	CLARK MTN 1871	38 18 39.55	.50		1	0	.00		0	329.70
			38 18 40.76		- 1.21		78 00 11.69		0.00		
0370764340065	VA	COLUMBUS 2 1966	37 41 24.65	.27		1	76 53 18.43	.36		1	38.30
			37 41 28.73		- 4.08		76 53 25.36		- 5.44		
			0 11.91	.27		1	76 51 58.72	.38		1	38.10
			0 13.82		- 1.91		76 52 04.75		- 4.79		
			78.84	.27		1	77 29 42.61	.40		1	140.00
			1.06		- 1.22		77 29 45.01		- 1.88		
			5.10	.27		1	77 02 58.87	.39		1	35.03
			5.85		- 0.75		77 03 06.44		- 6.06		

SATELLITE RADIO SURVEYING INFORMATION—EARTH CENTERED COORDINATE LOCATIONS

Office of Charting and Geodetic Services

Issuance: As requested, normally issued upon completion of adjustment of a survey and subsequent entry into a data base file. Revised and updated at irregular intervals.

Users: Federal mapping and surveying agencies, State and local surveying agencies; and private surveying firms and engineering consultants.

For information, write or call: Chief, Gravity, Astronomy, and Space Geodesy Branch, National Geodetic Survey Division, National Ocean Service, NOAA, 6001 Executive Boulevard, Rockville, Md. 20852 (301-443-8171).

Satellite Radio Surveying Information includes three-dimensional results of satellite Doppler surveys and will include the results of surveys using the Global Positioning System after the system becomes operational. The data consist of point positions in the form of geocentric positions (X,Y,Z) and geodetic coordinates (latitude, longitude, and ellipsoidal height). Relative positions in the form of vector base lines (DX, DY, DZ) are available for simultaneously observed points. Data for transforming satellite positional data to other datums (and vice versa) are also available. These other datums include the North American Datum (NAD) of 1927, the predicted NAD 1983 system, and the World Geodetic System (WGS) of 1972. The data are derived from satellite radio observations performed with geodetic tracking receivers.

***** GEODETTIC SUMMARY - DOPPLER SATELLITE OBSERVATION STATION *****									
DATE: 09/08/82									
***** LOCAL DATUM COORDINATES *****					***** STATION INFORMATION *****				
HORIZONTAL FROM TERRESTRIAL OBS					STAMPING ON MARK				
LATITUDE N 38 12 6.9291					ASTRO WEST PIER 1975				
LONGITUDE W 77 22 25.4372					CITY OR TOWN				
DATUM NAD 1927					CORBIN				
ELLIPSOID CLARKE 1866					COUNTRY				
ORDER SECOND-TRIANG					UNITED STATES				
SURVEYED BY NGS					STATE/PROV/TERR				
DATA LOCATION NGIC, NGS, C18					VA				
***** TRANSFORMED DOPPLER COORDINATES *****					***** OCCUPATION INFORMATION *****				
WGS 1972 COORDINATES					PERIOD OF OCCUPATION				
LATITUDE N 38 12 7.2574					7/21/75 THRU 7/26/75				
LONGITUDE E 282 37 35.0486					OCC LENGTH				
ELLIPSOID HT (M) 32.44 M.					6 DAYS				
GEOID HEIGHT (M) -37.6 M.					OBSERVED BY				
DATUM SHIFT (LOCAL MINUS WGS 72)					BLM				
DELTA X 23.77 M.					***** EQUIPMENT *****				
DELTA Y -160.20 M.					GEOCEIVER				
DELTA Z -180.05 M.					S/H				
***** ARCHIVAL INFORMATION *****					ECCENTRICITIES (M.)				
CAHIER ACCESSION NUM DS 81					055 M= .000 E= .000 U= .637				
SHELF MARK 863					SATS OBSERVED: 30190 30200 0 0 0				
MICROFILM REEL NUM					***** REDUCTION INFORMATION *****				
ITEM					REDUCED BY DATE				
1. STATION OCCUPATION REPORT					NGS 3/ 1/77				
2. DESCRIPTION, RECOVERY NOTES, ETC					PROGRAM REJECTION FACTOR				
3. ADJUSTED GEODETTIC CONTROL DATA					NGS-02 3.0 SIGMA				
4. SURVEY SKETCH					***** PASSES *****				
5. STATION SITE SKETCH					INPUT USED				
6. PICTURE POINT IDENTIFICATION					39 37				
7. SITE PHOTOGRAPHS					RESIDUAL				
8. ASTRO COORDINATES					RMS				
9. GRAVITY OBSERVATIONS					CUTOFF ANGLES				
10. OBSTRUCTION SURVEY					TIMING BIAS				
11. STATION OBSERVATION LOGS					RMS				
REMARKS:					PASSES				
***** REMARKS *****					INPUT USED				
VERIFICATION:					759 715				
***** SATELLITE DOPPLER *****					OBSERVATIONS				
***** POINT-POSITION COORDINATES *****					DEGREES OF FREEDOM				
AT STATION MARK					674				
COORDINATES					TIMING BIAS				
EST ERR (1 SIG)					RMS				
X					uS. uS.				
1097028.88 M.					.78 M.				
Y					.21 M.				
-4897252.69 M.					.98 M.				
Z					.54 M.				
3923111.78 M.					.72 M.				
LATITUDE N 38 12 7.2805					.90 M.				
LONGITUDE E 282 37 34.7886									
ELLIPSOID HT (M) 27.99 M.									
GEOID HT (M=N-ELEV) -42.1 M.									
ELLIPSOID: UGS 1966					COORDINATE				
A = 6378145.0 M.					SYSTEM				
1/F = 298.25					NUL-90				
					GRAVITY				
					MODEL				
					NUL-10E				

CALIBRATION STANDARDS FOR DISTANCE MEASURING INSTRUMENTS Office of Charting and Geodetic Services

Issuance: As requested.

Users: State and local surveying and mapping agencies, academia, private surveying firms, and surveying associations.

For information on establishing new base lines, contact: Chief, Plans and Resources Staff, (301-443-8218).

For information on existing base lines, contact: Chief, National Geodetic Information Center, (301-443-8631). The address for these NGS offices is: National Geodetic Survey Division, National Ocean Service, NOAA, 6001 Executive Boulevard, Rockville, Md. 20852.

Calibration Standards for Distance Measurement Instruments are provided by Calibration Base Lines (CBLs). They are established for the Nation's surveying profession to provide a means to detect constant and scale errors in measuring instruments. Nearly 200 CBL sites have been established by cooperative cost-sharing arrangements between NGS and State and local agencies, universities, and surveying associations. The cooperating organization installs the base line monuments and assists the NGS field party with measuring. A CBL configuration consists of three to five monuments within 1,400 meters positioned with accuracies approaching one part per million. Available CBL data include the adjusted distances between monuments, a description of the CBL monuments, and how they are reached. These data are organized by State. Instructions on how to use or establish a CBL are also available.

US DEPARTMENT OF COMMERCE - NOAA
NOS - NATIONAL GEODETIC SURVEY
ROCKVILLE MD 20852 - APRIL 30, 1982

CALIBRATION BASE LINE DATA
BASE LINE DESIGNATION: VIRGINIA TECH
PROJECT ACCESSION NUMBER: 615787

ROAD 240802
VIRGINIA
ROCKFORD COUNTY

LIST OF ADJUSTED DISTANCES (APRIL 12, 1982)

FROM STATION	ELEV. (M) TO STATION	ELEV. (M)	ADJ. DIST. (M) HORIZONTAL	ADJ. DIST. (M) MARK - MARK	STD ERROR
0	649.385 150	647.452	599.9893	150.0133	
0	649.385 430	643.902	429.9545	429.9894	
0	649.385 1000	639.379	999.9778	999.9879	
0	649.385 1400	641.796	1399.9879	1399.9885	
150	647.452 430	643.902	279.9536	279.9761	
150	647.452 1000	639.379	849.9370	849.9763	
150	647.452 1400	641.796	1249.9870	1249.9798	
430	643.902 1000	639.379	569.9833	570.0012	
430	643.902 1400	641.796	970.0131	970.0194	
1000	639.379 1400	641.796	400.0286	400.0369	

DESCRIPTION OF VIRGINIA TECH BASE LINE
YEAR MEASURED: 1981
CHIEF OF PARTY: WJR

THE BASE LINE IS LOCATED ABOUT 10.6 KM (6.6 MI) NORTH OF CHRISTIANBURG AND ON THE SOUTH SIDE OF BLACKSBURG AT THE VIRGINIA TECH AIRPORT ALONG THE SOUTH WEST SIDE OF THE NORTHWEST-SOUTHEAST RUNWAY.

TO REACH THE 0 METER POINT FROM THE VIRGINIA TECH AIRPORT CONTROL OFFICE, BEAR RIGHT AND FOLLOW TAXIWAY FOR 0.16 KM (0.1 MI) TO MAIN RUNWAY, TURN RIGHT AND FOLLOW RIGHT SIDE OF RUNWAY FOR 0.32 KM (0.2 MI) TO THE 430 METER POINT 150 FEET SOUTHWEST OF EDGE OF RUNWAY, CONTINUE ALONG RUNWAY FOR 0.24 KM (0.15 MI) TO THE 150 METER POINT 150 FEET SOUTHWEST OF RUNWAY, CONTINUE ALONG RUNWAY FOR 0.16 KM (0.1 MI) TO THE END OF RUNWAY AND THE 0 METER POINT 150 FEET SOUTHWEST OF EDGE OF RUNWAY, TO REACH THE 1000 AND 1400 METER POINTS START MILEAGE BACK WHERE TAXIWAY MEETS MAIN RUNWAY, GO ON LEFT SIDE OF MAIN RUNWAY FOR 0.32 KM (0.2 MI) TO THE 1000 METER POINT 150 FEET SOUTHWEST OF EDGE OF RUNWAY, CONTINUE ALONG RUNWAY, BEAR LEFT AND CONTINUE WESTERLY ACROSS RAILROAD GRADE FOR 1.3 KM (0.8 MI) TO THE 1400 METER POINT.

THE 0 METER POINT IS A STANDARD NGS DISK SET INTO THE TOP OF A ROUND CONCRETE MONUMENT 50.8 CM (20 IN) IN DIAMETER WITH THE GROUND LOCATED 46.88 M (153.8 FT) SW FROM THE SOUTH MOST CORNER OF THE SOUTHEAST END OF RUNWAY, AND 45.7 (150.0 FT) SW FROM THE SOUTHWEST EDGE OF RUNWAY. THE 1400 METER POINT IS A STANDARD NGS DISK SET INTO THE TOP OF CONCRETE MONUMENT 50.8 CM (20 IN) IN DIAMETER RECESSED 6 CM (2 IN) BELOW THE GROUND LOCATED 62.70 M (206.0 FT) SE FT HIGH CONCRETE ASTRO PILLAR, 62.18 M (204.0 FT) SW FROM THE SOUTHWEST CORNER OF THE SOUTHEAST SET OF RUNWAY LANTHNS, AND 39.38 M (129.2 FT) NW FROM AN ABANDON RAILROAD GRADE. THE BASE LINE MARKS HAVE NOT BEEN STAMPED AT THE 150, 430, 1000, AND 1400 METER POINTS HAVE CENTER PUNCH HOLES, NOT CROSSES.

THE BASE LINE IS A NORTHWEST-SOUTHEAST LINE WITH THE 0 METER POINT ON THE SOUTHEAST END. IT IS MADE UP OF THE 0, 430, 1000, AND 1400 METER POINTS.

FOR SITE ACCESS CONTACT MR. BILL BYRNE, AIRPORT MANAGER, POST OFFICE BOX 903, BLACKSBURG, VA. 24060 TELEPHONE 961-6281.

THIS BASE LINE WAS ESTABLISHED IN CONJUNCTION WITH THE CIVIL ENGINEERING DEPARTMENT AT VIRGINIA TECH. FOR FURTHER INFORMATION CONTACT, CIVIL ENGINEERING DEPARTMENT, VIRGINIA POLYTECHNIC INSTITUTE AND STATE UNIVERSITY, BLACKSBURG VIRGINIA 24061. TELEPHONE (703) 961-7147.

COMPUTER PROGRAMS FOR GEODETIC APPLICATIONS

Office of Charting and Geodetic Services

Issuance: As requested.

Users: Land surveyors, engineers, educators, and surveying and mapping agencies at the Federal, State, and local levels, both government and private.

For information, write or call: Chief, National Geodetic Information Center, National Geodetic Survey Division, National Ocean Service, NOAA, 6001 Executive Boulevard, Rockville, Md. 20852 (301-443-8623).

Computer Programs for Geodetic Applications are available on 9-track tapes. These are written in FORTRAN, ASSEMBLY, or PL1 for use on IBM main-frame computers. Source code and available documentation are included. In addition, geodetic application programs are available for the HP41CV and HP97 desk top computers.

Program	Purpose
TRAV10	To adjust a horizontal geodetic network using observation equations and the method of least squares.
TRAVERSE	To adjust a plane coordinate traverse using condition equations and the method of least squares.
UTMDIR	To compute Universal Transverse Mercator (UTM) coordinates from geodetic positions.
UTMINV	To compute geodetic positions from Universal Transverse Mercator coordinates (UTM).
DIRECT	To compute the geodetic position of a station, given the azimuth and distance from another station.
INVERSE	To compute the distance between two stations, and the forward and back azimuths, given the latitude and longitude for each station.
GPPCGP	To compute state plane coordinates from geodetic positions or vice versa.
VERT02	To adjust a vertical angle survey network using observation equations and the method of least squares.
SPCUTM	To compute UTM coordinates from state plane coordinates.
HAVAGO	To adjust a horizontal and vertical geodetic observation. The program adjusts 18 kinds of observations by the method of variation of parameters in three-dimensions.
LASSO	Subroutines to make it easier for application programmers to use several existing subroutines for forming and solving very large, sparse sets of normal equations. It provides a method of reordering, solving, and computing a portion of the inverse for sparse matrices.
OBSEXAM	To edit horizontal observation data in NGS input format (Blue Book).
OBSDECK	To prepare data from a horizontal project in NGS input format (Blue Book), to input for programs TRAV10 and VERT02.
FIXIF	To provide mass changes to horizontal observation data in NGS input format (Blue Book).
OBSEDIT	To edit vertical observation data in NGS input format (Blue Book).
LEVEL1	To adjust vertical observation data using the method of least squares.

**FEDERAL GEODETIC SPECIFICATIONS—
SURVEY SPECIFICATIONS AND
DATA BASE FORMATS**
Office of Charting and Geodetic Services


Issuance: As requested.

Users: Federal, State, and local surveying agencies and private companies.

For information, write or call: Chief, Plans and Resources Staff, National Geodetic Survey Division, National Ocean Service, NOAA, 6001 Executive Boulevard, Rockville, Md. 20852 (301-443-8218).

Federal Geodetic Specifications are established by the interagency Federal Geodetic Control Committee (FGCC). Geodetic survey specifications for the United States are contained in two FGCC publications: *Classification, Standards of Accuracy, and General Specifications of Geodetic Control Surveys* (1974) and *Specifications to Support Classification, Standards of Accuracy, and General Specifications of Geodetic Control Surveys* (1980). A third FGCC publication—*Input Formats and Specifications of the National Geodetic Survey Data Base*—is a user's guide, which gives instructions and specifications for submitting geodetic survey data for entry into the NGS Data Base and their subsequent adjustment and processing for publication by the NGS Data Base Management System.

These publications are provided to Federal, State, and local agencies and private surveying organizations that produce and use geodetic control data.



CRUSTAL MOVEMENT INFORMATION


Office of Charting and Geodetic Services

Issuance: As required.

Users: The U.S. Geological Survey; the U.S. Department of Housing and Urban Development; and other organizations concerned with earthquake hazards and flooding in land subsidence areas.

For information, write or call: Chief, National Geodetic Information Center, National Geodetic Survey Division, National Ocean Service, NOAA, 6001 Executive Boulevard, Rockville, Md. 20852 (301-443-8631).

Crustal movement information is the records of data gathered from special surveys NGS has performed to quantify and delineate movements of the Earth's crust, plus associated investigations by the NOS Research and Development Laboratory. NGS has periodically conducted horizontal and vertical control and gravimetric surveys to measure changes in the Earth's crust at stations in areas of seismic activity, regional uplift, and land subsidence. The leveling profile library, contains all historic leveling data for active areas, i.e., California and Houston, Texas. The crustal movement information obtained from these surveys is essential to Federal programs in earthquake hazards reduction, nuclear site safety, geothermal energy development, geodetic control network maintenance, and basic ongoing research in the Earth sciences.



POLAR MOTION INFORMATION
Office of Charting and Geodetic Services

Issuance: As requested.

Users: Bureau International de l'Heure (BLH), the International Polar Motion Service, the National Aeronautic and Space Administration, U.S. Geological Survey, and other national and international scientific organizations.

For information, write or call: Chief, Geodetic Research and Development Laboratory, National Geodetic Survey Division, National Ocean Service, NOAA, 6001 Executive Boulevard, Rockville, Md. 20852 (301-443-8423).

The *POLARIS* (POLar-motion Analysis by Radio Interferometric Surveying) network monitors the location of the Earth's axis of rotation using the method of Very Long Baseline Interferometry (VLBI). Observed are extragalactic radio sources to determine polar motion and universal time. Estimates of the X and Y components of the position of the pole, and formal uncertainties are tabulated according to observational dates. Currently, the nominal interval between entries is 1 week. The *POLARIS* Earth orientation information has applications in high accuracy satellite and space geodesy, geodynamics research, and climatology.

Date			X	σ_x	Y	σ_y	UT1-UTC	σ_{UT1}
y	m	d						
82	1	7	-79.2	2.0	389.8	---	.00306	.00015
82	1	14	-64.4	2.0	400.7	---	-.01246	.00015
82	1	20	-51.3	2.1	409.2	---	-.02717	.00017
82	1	28	-46.3	3.0	417.0	---	-.03828	.00023
82	2	2	-36.0	2.7	422.1	---	-.04866	.00023
82	2	11	-5.6	1.6	429.7	---	-.06812	.00012
82	2	18	6.9	2.0	434.5	---	-.08390	.00017
82	2	25	23.1	3.0	437.4	---	-.09816	.00026
82	3	4	44.8	2.8	439.7	---	-.11739	.00024
82	3	11	77.9	2.7	440.0	---	-.13446	.00023
82	3	25	92.2	2.4	435.4	---	-.16445	.00019
82	3	30	131.0	4.2	432.7	---	-.18070	.00037
82	4	8	111.1	2.7	425.6	---	-.20140	.00024
82	4	14	141.2	2.8	420.9	---	-.21872	.00024
82	4	27	146.0	4.4	404.3	---	-.25001	.00039
82	5	4	181.4	2.1	393.7	---	-.27074	.00017
82	5	11	199.8	2.3	381.1	---	-.28854	.00019
82	5	18	200.3	1.9	366.5	---	-.30080	.00015
82	6	3	226.1	2.3	326.9	---	-.33850	.00019
82	6	8	234.8	2.9	312.0	---	-.34869	.00025

1982 Polar Motion Parameter Determinations
from VLBI Observations.

**GEODETTIC LITERATURE AND RECORDS
ARCHIVAL SERVICES**
Office of Charting and Geodetic Services


Issuance: As requested.

Users: Federal and State agencies, academia, and scientific organizations.

For information, write or call: Chief, National Geodetic Information Center, National Geodetic Survey Division, National Ocean Service, NOAA, 6001 Executive Boulevard, Rockville, Md. 20852 (301-443-8316).

Geodetic Literature and Records Archival Services are available through the National Geodetic Information Center, Geodetic Reference Services Group (GRSG), which maintains a geodetic library. Included are National Geodetic Survey technical reports and memoranda, the publication media for much of the work of the NGS Research and Development Laboratory. The Coast and Geodetic Survey Special Publication series, and other literature concerning geodetic surveying and geodesy are also available. Many of these publications are available to the public for a nominal charge.

In addition, the GRSG catalogs current and archival geodetic records, arranges for retrieval of these records, and researches historic geodetic data upon specific request from NGS users, other agencies, and the public.



GEODETIC PRODUCTS AND SERVICES INFORMATION


Office of Charting and Geodetic Services

Issuance: As requested.

Users: Land surveyors, engineers, surveying educators, surveying and mapping agencies at the Federal, State, and local levels.

For information, write or call: National Geodetic Information Center, National Geodetic Survey Division, National Ocean Service, NOAA, 6001 Executive Boulevard, Rockville, Md. 20852 (301-443-8631).

The *Geodetic Products and Services Information* program provides geodetic data users with public information materials which describe the geodetic data and services available and how they are obtained. These materials include: an automatic mailing service agreement, a geodetic data price and fact sheet, *The NOAA Geodetic News*, a publications listing and price booklet, and various brochures and pamphlets describing NGS functions and services.




**NGS EXTENSION SERVICE—TECHNOLOGY
TRANSFER AND CONSULTATION**
Office of Charting and Geodetic Services

Issuance: As requested.

Users: Federal, State, and local survey agencies.

For information, write or call: Chief, Plans and Resources Staff, National Geodetic Survey Division, National Ocean Service, NOAA, 6001 Executive Boulevard, Rockville, Md. 20852 (301-443-8218).

NGS Extension Service assists State and local governments in performing supplemental geodetic control surveys. The service includes the Mark Maintenance and State Geodetic Advisor Programs. The arrangements for extension services vary according to the requirements of the State or local agency. The Mark Maintenance Program supports the NGS responsibility for establishing and assuring the accuracy and reliability of the Nation's geodetic control networks. Mark maintenance is carried out by 15 field engineers who perform operations to preserve geodetic marks. Mark maintenance engineers also provide liaison, training, and assistance to local, State, and Federal agencies. In turn, cooperation and volunteered assistance from other agencies, such as State highway departments, save marks. Some States have a Geodetic Advisor to provide liaison between the cooperating State and NGS. These States are provided instructional support in the methods and procedures to perform geodetic surveys. The advisor program operates on a cost sharing basis.



Map indicates Regional Mark Maintenance engineers (numbers) and State Geodetic Advisors (letters).

SPECIAL PURPOSE GEODETIC SURVEYS


Office of Charting and Geodetic Services

Issuance: As required.

Users: U.S. Geological Survey, U.S. Department of Defense, and other scientific and engineering Federal and State agencies.

For information, write or call: Chief, Plans and Resources Staff, National Geodetic Survey Division, National Ocean Service, NOAA, 6001 Executive Boulevard, Rockville, Md. 20852 (301-443-8218).

High precision *Special Purpose Geodetic Surveys* are conducted to support scientific and engineering projects of other agencies and institutions. The special projects usually have unique requirements, designs, and solutions. Two examples of this type of service are: (1) a special survey performed in 1978 at the University of California's Stanford Linear Accelerator at Berkeley, involving the positioning of 12 instruments to millimeter accuracy, and (2) the special resurveys of geodetic figures along the San Andreas Fault Zone in California to detect and measure crustal motion.



Vertical Control Survey at the U.S. Capitol.

TIDES, 6-MINUTE HEIGHTS


Office of Oceanography and Marine Services

Issuance: Monthly, following processing of observed tide data for each station; all tide data are processed in monthly increments and added to the station data file.

Users: Waterborne commerce, port authorities, marinas, coastal industries, marine engineering and construction firms, academia, State and Federal agencies, foreign governments, and recreational boaters.

For orders and information, write or call: Ocean Requirements and Data Analysis Division, Office of Oceanography and Marine Services, National Ocean Service, NOAA, 6001 Executive Boulevard, Rockville, Md. 20852 (301-443-8467).

Tides, 6-Minute Heights are the compilations of the recorded height in hundredths of feet of the water level for every 6 minutes of each day at tide observation stations. Heights are referenced to a datum. Monthly records of these data are on file for 8,000 tide stations along the U.S. coast, dating back to 1834 for some stations; 120 stations have monthly summaries for more than 100 years; annual summaries are also available. Data for stations maintained in the National Tide Control Network are available on digital magnetic tape. Data for a substantial number of stations not in the network (i.e., installed since 1965) are also available on digital magnetic tape. A large number of stations installed for a short period in support of hydrographic surveys are not digitized, but the data are available in hand-tabulated form.



Typical NOS Tide Station.

TIDE HOURLY HEIGHTS


Office of Oceanography and Marine Services

Issuance: Monthly, following processing of observed tide data for each station; all tide data are processed in monthly increments and added to the station data file.

Users: Waterborne commerce, port authorities, marinas, coastal industries, marine engineering and construction firms, academia, State and Federal agencies, foreign governments, and recreational boaters.

For orders and information, write or call: Ocean Requirements and Data Analysis Division, Office of Oceanography and Marine Services, National Ocean Service, NOAA, 6001 Executive Boulevard, Rockville, Md. 20852 (301-443-8467).

Tide Hourly Heights are the records of the height of the water level (in feet) on the hour for each hour of each day at tide observation stations. All heights are referenced to a datum. Also, the Office of Oceanography and Marine Services prepares monthly reports and annual summaries of the height of the tide and has records on file for 8,000 tide stations, with data for approximately 200 new stations being added each year. In addition, these files contain monthly records from some stations dating back to 1834 and monthly summaries for 120 stations dating back over 100 years. The records for stations in the National Tide Observation Network (NTON) are available on either hard copy or digital magnetic tape. Records for a substantial number of stations not in the NTON are also available in digital magnetic tape. A large number of stations installed for a short period are not digitized, but data are available in hand-tabulated form.



Tide Gage.

TIDES, TIME AND HEIGHTS OF HIGH AND LOW WATERS

Office of Oceanography and Marine Services

Issuance: Monthly, following processing of observed tide data for each station; all tide data are processed in monthly increments and added to the station data files.

Users: Waterborne commerce, recreational boaters, port authorities, marinas, coastal industries, marine engineering and construction firms, universities, foreign governments, and Federal agencies.

For orders and information, write or call: Ocean Requirements and Data Analysis Division, Office of Oceanography and Marine Services, National Ocean Service, NOAA, 6001 Executive Boulevard, Rockville, Md. 20852 (301-443-8467).

Time and Heights of High and Low Water data are the records of the time and heights (in feet) of high tide and low tide recorded each day at tide observation stations located at various sites along the coasts of the United States. Lists of exact locations are available. Two high and two low tides are recorded each tidal day for stations with semidiurnal tides, which predominate throughout the world. One high tide and one low tide are recorded each day for stations with diurnal tides. All of these heights are referenced to a datum. Furthermore, the Office prepares monthly reports and annual summaries of high and low tides and adds records from 200 new stations to its files each year. In addition to maintaining current files of recorded high and low tides, the Office has maintained files for recorded monthly tide data from some stations since 1834, as well as summary tide records for 120 stations for over 100 years. The records for stations in the National Tide Observation Network are available in digital magnetic tape; data for a substantial number of stations not in the network (i.e., installed since 1965) are also available on digital magnetic tape. Data for a large number of stations installed for a short period in support of hydrographic surveys are not digitized, but the data are available in hand-tabulated form.

NEAR REAL-TIME AND REAL-TIME TIDE HEIGHTS

Office of Oceanography and Marine Services

Issuance: Near real-time upon demand to NOS headquarters. Real-time automatically disseminated to users every 6 minutes.

Users: U.S. Coast Guard, National Weather Service, U.S. Army Corps of Engineers, private shipping interests, and State and local agencies involved in flooding, coastal erosion landslides, dredging, and maritime commerce.

For information, write or call: Ocean Requirements and Data Analysis Division, Office of Oceanography and Marine Services, National Ocean Service, NOAA, 6001 Executive Boulevard, Rockville, Md. 20852 (301-443-8807).

Near Real-Time and Real-Time Tide Heights is a program in which tide heights are measured and converted into digital signals at 6-minute intervals for telemetry through telephone lines and satellites to selected offices with receiving units. NOS has equipped and is operating 11 tide stations under this program and is in the process of installing telemetry instrumentation on primary stations in the National Tide Observation Network (NTON), and on selected stations in areas requiring real-time monitoring. The signals from these stations, telemetered at present to NOS, meet specific user needs, which range from near-continuous telemetry to random short-term transmissions. The data include unedited measured tide heights to the nearest 10th of a foot for a tide station, the time of measurement, onsite observer input, quality control parameters, and the station identification.


TIDES, MONTHLY MEAN SUMMARIES Office of Oceanography and Marine Services

Issuance: Annually, following processing of 12 months of tide data for each station in the National Tide Observation Network (NTON).

Users: Waterborne commerce, port authorities, marinas, coastal industries, marine engineering and construction firms, academia, State and Federal agencies, and foreign governments.

For orders and information, write or call: Ocean Requirements and Data Analysis Division, Office of Oceanography and Marine Services, National Ocean Service, NOAA, 6001 Executive Boulevard, Rockville, Md. 20852 (301-443-8467).

Tides, Monthly Mean Summaries are records of the average monthly and yearly water level height. These include monthly and yearly averages for mean tide level, mean sea level, diurnal tide level, mean higher high water, mean high water, mean low water, mean lower low water, mean range, diurnal mean range, Greenwich mean high water time intervals, and Greenwich mean low water time intervals. Summary tide records are maintained for approximately 200 past and present stations in the National Tide Observation Network (NTON).



TIDAL BENCH MARK SHEETS WITH TIDAL DATUMS

Office of Oceanography and Marine Services

Issuance: As requested.

Users: Federal, State, and local agencies, engineering and survey firms, marine construction firms, insurance companies, dredging and salvaging companies, academia, waterborne commerce, and foreign government.

For orders and information, write or call: Ocean Requirements and Data Analysis Division, Office of Oceanography and Marine Services, National Ocean Service, NOAA, 6001 Executive Boulevard, Rockville, Md. 20852 (301-443-8467).

Tidal Bench Mark Sheets with Tidal Datums include identification number, name, State, and geographic position of the station; description and elevation of each bench mark referred to chart datum; summary of additional tidal datums referenced to the area's charted datum; number and period of tidal series, which is the basis of elevation information; relationship of National Geodetic Vertical Datum of 1929 to charted datum for stations connected to the National Geodetic Network; highest and lowest water levels observed or estimated to be the nearest half foot above or below charted datum; and datums computed from 19-year tide observations and short-term equivalents for the National Tidal Datum Epoch presently in use. Tide data are on file for 3,500 tide stations along the U.S. coasts, and data for approximately 200 new stations are added to the file each year. An index of the stations is available.

FREQUENCY AND DURATION ANALYSIS OF TIDAL WATERS

Office of Oceanography and Marine Services

Issuance: As requested.

Users: These data, originally developed for use by the U.S. Environmental Protection Agency and the U.S. Army Corps of Engineers in quantifying the definition and classification of wetlands and for use in issuing permit applications, are now also used by Federal and State agencies, private engineering and construction firms, and the courts.

For orders and information, write or call: Ocean Requirements and Data Analysis Division, Office of Oceanography and Marine Services, National Ocean Service, NOAA, 6001 Executive Boulevard, Rockville, Md. 20852 (301-443-8467).

Frequency and Duration of Tidal Inundations is a summary report of a detailed statistical analysis of historic records of tide action at NOS tide stations. This analysis may be performed relative to either high or low waters. The report shows the frequency and duration of inundation of every 10th foot of elevation over a period of years. Results of the analysis are reported in five tabular columns: (1) elevations above station datum in feet and meters at increments of every 10th of a foot over the total range of water level at the station; (2) frequency of inundation—the number of times the water level has equaled or exceeded each incremental elevation for a period of the analysis; (3) percent frequency of inundation—the number of inundations in item 2, expressed as a percentage of the total number of inundations occurring in the period of the analysis; (4) duration of inundation—the total hours at which the water level remained at or exceeded each incremental height for the period of the analysis; and (5) percent duration of inundation—the number of hours in item 4, expressed as a percentage of the total number of hours in the period of the analysis. This new service was started in 1979, involving the analysis of long term tide data for each NOS tide station. Reports are added to the station data file as they are completed.


TIDAL ZONING
(AREA PREDICTION FACTORS)
Office of Oceanography and Marine Services

Issuance: As requested.

Users: Federal and private hydrographic surveys, marine research, offshore oil and gas operations, dredging and ocean mining, and modeling of global tides.

For orders and information, write or call: Ocean Requirements and Data Analysis Division, Office of Oceanography and Marine Services, National Ocean Service, NOAA, 6001 Executive Boulevard, Rockville, Md. 20852 (301-443-8467).

Tidal Zoning (Area Tide Prediction Factors) is a new category of tide data that provides the **tidal corrections** for predicting height and time over **large areas** of United States and Caribbean coastal and **Continental Shelf** waters. These corrections when **applied to the** tide predictions for a control tide station **determine** the predicted time and height of the tides **over the** area. These computations are based on **tide behavior** at tide station locations and are prepared **by NOS** on request.



Office of Oceanography and Marine Services

For orders and information, write or call: Tidal Datum Section, Office of Oceanography and Marine Services, National Ocean Service, NOAA, 6001 Executive Boulevard, Rockville, Md. 20852 (301-443-8467).

Oceanographic Expert Consultation is provided on request basis. This includes the certification of observed and predicted tidal data for court evidence and legal documents. Expert witness testimony may be obtained in special cases after clearance through the Office of General Counsel. *Tidal special services* includes development of harmonic constants for prediction of tide, long-term tidal mean and extreme data analysis, and technical advice on methods for conducting tide surveys.

to sign the foregoing certificate, is now, and was at the time of signing, Chief, Tidal Datum
Section of Tides and Water Levels Branch, Office of Oceanography and Marine Services
 and that strength and credit should be given his certificate as such.

For the SECRETARY OF COMMERCE:

Certifying Officer

CIRCULATORY SURVEY DATA

Office of Oceanography and Marine Services

Issuance: As requested.

Users: Federal, State, and local agencies; marine engineering and transportation firms, academia, and waterborne commerce.

For orders and information, write or call: Office of Ocean Requirements and Data Analysis Division, Office of Oceanography and Marine Services, National Ocean Service, NOAA, 6001 Executive Boulevard, Rockville, Md. 20852 (301-443-8501).

Circulatory Survey Data include measurements of water currents, tides, temperature, and salinity structures; meteorological parameters; and other associated data, such as dissolved oxygen and waves. These data, available as computer printout or on magnetic tape, are available as: (1) processed and edited data; (2) harmonic and non-harmonic constants; (3) general, spectral and rotary current graphic plots; (4) tabulations of salinity, temperature, and density; and (5) cross-sectional and time-contouring of salinity, temperature, and density. These data may be used as input for oceanographic research and numerical hydrodynamic models and determinants and/or indicators for decisions and operations in the coastal zone, such as sewage disposal, pollution control, location and design of offshore structures, and shoreline erosion studies and control.

**ESTUARINE AND COASTAL
CIRCULATION DATA ANALYSIS**
Office of Oceanography and Marine Services

Issuance: Varies, following processing and analysis of field survey data for an estuarine or coastal area.

Users: Federal and State agencies; engineering and construction firms; port authorities; research groups; and academia.

For information, write or call: Ocean Requirements and Data Analysis Division, Office of Oceanography and Marine Services, National Ocean Service, NOAA, 6001 Executive Boulevard, Rockville, Md. 20852 (301-443-8501).

Estuarine and Coastal Circulation data have been performed on the field circulation of which date back to 1844. Information on the current in most estuarine and coastal areas of the United States from observation periods of several months. Data analysis of these surveys has been compiled into National Oceanographic Survey Reports and/or National Oceanographic Survey Reports. Generally, the NOS Oceanographic Survey Reports provide a description of the employed instrumentation and the acquired data, the status of the analysis, and examples of the content of the Technical Reports. The complexity of the water body and the author in emphasizing certain aspects. The following Oceanographic Survey Reports are available: Tide and Current Observations from 1965 through 1967 in Block Island Sound, and Tri-County Circulatory Survey 1963; Puget Sound Circulatory Survey; and Cook Inlet Circulatory Survey 1973-75. Recent Technical Reports include: Dynamics in the Strait of Juan de Fuca; Circulation and Hydrodynamics in the Fear River, N.C.; and The Residual Currents of Hurricane Belle, August 1976.

TIDAL CURRENT DIAGRAMS


Office of Oceanography and Marine Services

Issuance: Annually.

Users: Waterborne commerce, military, construction and engineering firms, and recreational boaters.

For orders and information, write or call: Distribution Branch, National Ocean Service, NOAA, Riverdale, Md. 20737 (301-436-6990).

Tidal Current Diagrams, a series of 12 monthly diagrams with available coverage limited to selected areas, such as Long Island and Block Island Sound, Boston Harbor, Upper Chesapeake Bay, and New York Harbor, are used with corresponding *Tidal Current Charts* to facilitate the determination of tidal current predictions in the area. Each diagram represents graphically the predicted tidal current at the reference station for the area shown on the *Tidal Current Chart* and specifies which chart to use and what correction value to apply to the speeds shown on the chart to calculate the tidal current for a specific date and time.



**TELEMETERED WATER LEVEL DATA,
GREAT LAKES**
Office of Oceanography and Marine Services

Issuance: Biweekly or as requested.

Users: Federal and State agencies, Canadian Government, and construction and power companies.

For orders and information, write or call: Ocean Requirements and Data Analysis Division, Office of Oceanography and Marine Services, National Ocean Service, NOAA, 6001 Executive Boulevard, Rockville, Md. 20852 (301-443-8443).

Telemetered Water Level Data, Great Lakes, is a compilation of provisional up-to-date telemetered water level data, hourly values, and daily mean in feet received from 23 key stations located around the Great Lakes. The elevations are referred to the International Great Lakes Datum (1955).

INTERROGATION OF TELEMETER GAGE:

1982 HOURLY ELEVATIONS AND DAILY MEANS IN FEET, IGLD(1955)

Gage no. 5014: Harbor Beach, Michigan on Lake Huron
Gage constant is 587.26 ft.

Hour	10 Sep	11 Sep	12 Sep	13 Sep	14 Sep	15 Sep
0100		578.73	578.80	578.74	578.70	578.92
0200		578.74	578.78	578.73	578.73	578.98
0300		578.72	578.82	578.72	578.73	578.89
0400		578.73	578.80	578.69	578.82	578.84
0500		578.70	578.77	578.71	578.81	578.83
0600		578.74	578.79	578.67	578.78	578.78
0700		578.72	578.77	578.71	578.74	578.81
0800		578.75	578.81	578.75	578.78	578.81
0900	578.86	578.74	578.79	578.74	578.83	578.82
1000	578.85	578.73	578.84	578.77	578.90	578.88
1100	578.91	578.76	578.78	578.71	578.85	578.77
1200	578.87	578.76	578.85	578.75	578.97	578.84
1300	578.90	578.77	578.82	578.65	578.94	578.69
1400	578.86	578.78	578.80	578.73	578.99	578.65
1500	578.85	578.77	578.82	578.74	578.94	578.68
1600	578.86	578.79	578.79	578.76	579.01	578.79
1700	578.82	578.82	578.77	578.77	578.99	
1800	578.84	578.85	578.80	578.73	579.02	
1900	578.80	578.82	578.80	578.76	579.02	
2000	578.77	578.80	578.77	578.72	579.02	
2100			578.83	578.73	579.05	
			578.77	578.74	579.02	
			578.77	578.72	579.12	
			578.80	578.79	578.99	
			578.80	578.73	578.91	578.81
			5 zero			

ings: 578.88 ft.

ie
not in consecutive readings

HOURLY WATER LEVELS, GREAT LAKES

Office of Oceanography and Marine Services

Issuance: Monthly or as requested.

Users: Federal and State agencies, the Canadian Government, and construction and power companies.

For orders and information, write or call: Ocean Requirements and Data Analysis Division, Office of Oceanography and Marine Services, National Ocean Service, NOAA, 6001 Executive Boulevard, Rockville, Md. 20852 (301-443-8443).

Hourly Water Levels, Great Lakes, is a tabulation of hourly water level data in feet for each of 54 gages located around the Great Lakes. The data include the mean water level elevation in feet for each day of the month at a gage, the mean value for the month, and the maximum and minimum levels for the month. The elevations are referred to the International Great Lakes Datum (1955). Monthly records are on file for each water level gage, with some records dating back to 1960. Furthermore, annual summaries and an index of stations are available.

U.S. Department of Commerce
NOAA, NDB Rockville, Maryland
Great Lakes Water Levels, C234

DECEMBER 1981
WATER LEVELS IN FEET
IGLD (1955)

Station 9018 :
Marquette Coast Guard, Marquette, Michigan on Lake Superior D1, #8

EST	17	18	19	20	21	22	23	24	
0100	600.22	600.35	600.39	600.15	599.89	600.04	600.12	600.03	
0200	600.21	600.43	600.29	600.14	599.93	600.04	600.15	599.94	
0300	600.28	600.43	600.30	600.16	599.97	599.99	600.10	600.03	
0400	600.32	600.48	600.32	600.09	599.90	600.00	600.19	600.06	
0500	600.23	600.40	600.21	600.06	599.95	600.03	599.90	600.07	
0600	600.25	600.40	600.26	600.06	599.94	600.08	600.19	600.10	
0700	600.25	600.31	600.19	600.01	599.97	600.13	600.20	600.13	
0800	600.27	600.33	600.29	600.12	600.03	600.07	600.02	600.06	
0900	600.33	600.39	600.27	600.01	600.01	600.10	600.05	600.02	
1000	600.31	600.37	600.26	600.12	600.08	600.04	599.99	600.02	
1100	600.29	600.36	600.23	600.05	599.97	600.05	600.03	600.00	
1200	600.31	600.42	600.21	599.98	600.03	600.04	600.09	600.07	
1300	600.27	600.40	600.20	599.99	600.03	600.05	600.04	600.02	
1400	600.25	600.36	600.21	600.01	600.04	600.14	600.03	600.14	
1500	600.27	600.36	600.17	599.97	600.05	600.12	600.04	600.03	
1600	600.29	600.27	600.14	599.96	600.06	600.16	600.05	600.05	
1700	600.29	600.33	600.28	600.00	600.06	600.18	600.05	600.10	
1800	600.35	600.37	600.14	599.87	599.98	600.11	600.05	599.92	
1900	600.40	600.43	600.18	599.93	600.08	600.12	600.03	600.10	
2000	600.44	600.37	600.18	599.87	600.08	600.01	600.01	600.07	
2100	600.44	600.32	600.13	599.91	600.12	600.09	600.01	600.19	
2200	600.40	600.31	600.10	599.99	600.13	600.12	600.15	600.22	
2300	600.30	600.32	600.10	599.94	600.11	600.13	599.95	600.12	
2400	600.34	600.27	600.18	599.99	600.13	599.99	599.95	600.07	
MEAN	600.30	600.37	600.22	600.02	600.02	600.08	600.06	600.06	
EST	25	26	27	28	29	30	31		
0100	600.02	600.10	600.02	600.03	600.08	600.02	600.21	MONTHLY	
0200	600.03	600.05	600.07	600.02	600.15	600.08	600.11	MAXIMUM	
0300	599.97	600.10	600.10	600.06	600.13	600.02	600.08	600.61	
0400	600.08	600.11	600.15	600.11	600.18	600.06	599.98	1300/01	
0500	600.09	600.10	600.06	600.13	600.11	600.01	599.94		
0600	600.06	600.14	600.12	600.11	600.10	600.04	599.94		
0700	600.16	600.05	599.99	600.10	600.14	600.03	599.91	MONTHLY	
0800	600.00	600.00	600.03	600.14	600.10	600.00	600.02	MINIMUM	
0900	600.02	600.07	600.01	600.16	600.09	600.05	600.08	599.87	
1000	600.02	600.02	600.07	600.19	600.11	600.01	600.11	1800/30	
1100	600.14	600.10	600.12	600.19	600.15	600.10	600.06		
1200	600.26	600.14	600.07	600.19	600.10	600.01	600.10		
1300	600.18	600.10	600.13	600.16	600.06	600.08	599.98	MONTHLY	
1400	600.26	600.11	600.06	600.15	600.09	600.11	600.25	MEAN	
1500	600.19	600.06	600.08	600.17	600.10	599.92	600.19	600.21	
1600	600.04	599.99	600.05	600.12	600.05	600.07	600.12		
1700	600.06	599.93	600.00	600.15	600.08	599.98	600.26		
1800	600.01	600.04	600.07	600.04	600.09	599.87	600.17		
1900	600.15	600.08	600.06	600.17	600.06	599.96	600.36		
2000	600.13	600.06	600.09	600.19	600.08	599.94	600.23	P =	
2100	600.28	600.16	600.09	600.17	600.06	600.05	600.42	partial	
2200	600.22	600.08	600.04	600.17	600.08	599.94	600.41	record	
2300	600.10	600.13	599.98	600.21	600.11	599.93	600.23		
2400	600.10	600.03	600.00	600.12	600.10	600.11	600.39		
MEAN	600.11	600.07	600.06	600.14	600.10	600.02	600.15		

**DAILY MEAN WATER LEVELS,
GREAT LAKES**
Office of Oceanography and Marine Services

Issuance: Monthly.

Users: Federal and State agencies, Canadian Government, and construction and power companies.

For orders and information, write or call: Ocean Requirements and Data Analysis Division, Office of Oceanography and Marine Services, National Ocean Service, NOAA, 6001 Executive Boulevard, Rockville, Md. 20852 (301-443-8443).

Daily Mean Water Levels, Great Lakes, is a tabulation of daily average water level data in feet for each of 54 gages located around the Great Lakes. The elevations are referenced to the International Great Lakes Datum (1955). Records are on file for each water level gage, and a data summary sheet is available.

U.S. Department of Commerce
NOAA, NOS Rockville, Maryland
Great Lakes Water Levels, C234

1981 Daily Mean Water Levels
Water Levels in Feet, IGLD (1955)
D4,f2

Station 3020 : Buffalo Harbor, Buffalo, New York on Lake Erie

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	570.94	570.38	571.16	571.36	571.61	571.58	571.94	572.07	571.78	572.23	571.59	571.06
2	571.43	571.23	571.38	571.10	571.66	571.68	572.03	572.08	571.84	572.28	571.59	572.35
3	571.02	571.14	571.24	571.20	571.54	571.76	572.14	572.08	571.77	571.95	571.45	571.53
4	571.48	570.61	571.02	571.18	571.59	571.97	572.21	572.26	572.10	571.82	571.54	571.22
5	571.35	570.45	570.97	571.46	571.65	571.84	572.21	572.31	572.11	571.91	571.62	571.46
6	571.23	570.51	571.21	571.36	571.54	572.05	572.25	571.99	571.91	572.80	572.56	571.40
7	571.51	570.36	571.33	571.07	571.57	571.93	572.32	572.00	571.95	572.82	572.01	571.57
8	570.81	570.64	571.17	571.06	571.50	571.90	572.35	572.19	572.29	571.75	571.79	571.69
9	570.85	570.46	571.21	571.22	571.66	572.22	572.49	572.26	572.17	571.52	571.38	571.64
10	570.79	570.15	571.20	571.04	571.51	572.18	572.30	572.11	572.61	571.27	571.55	571.57
11	570.69	570.93	571.31	571.06	571.65	572.08	572.26	572.28	572.04	571.32	571.66	571.37
12	570.66	570.77	571.36	570.25	572.22	571.96	572.19	572.21	572.08	571.16	571.21	571.24
13	570.48	570.38	571.28	571.01	571.94	571.90	572.35	572.28	571.87	571.43	571.30	571.37
14	570.43	570.40	571.36	571.59	571.54	572.01	572.11	572.18	572.08	571.57	571.29	571.23
15	570.42	570.39	571.48	571.42	571.74	572.15	572.11	572.36	571.67	571.76	571.27	571.27
16	570.59	570.43	571.09	571.30	571.94	572.32	572.09	572.04	571.36	571.57	571.41	571.60
17	570.65	570.46	571.52	571.41	571.71	572.29	572.14	571.89	571.66	571.45	571.63	570.82
18	570.63	570.46	571.17	571.58	571.66	572.12	572.11	571.79	571.87	573.49	571.73	571.56
19	570.47	570.54	571.17	571.39	571.70	572.14	572.08	571.69	572.43	572.28	571.13	571.61
20	570.31	570.80	571.34	571.32	571.81	571.93	572.23	571.74	572.07	572.20	572.31	571.63
21	570.40	570.82	571.12	571.24	571.87	572.11	572.17	571.76	571.50	571.11	572.39	571.76
22	570.79	570.62	570.99	571.22	571.87	572.74	572.05	571.82	571.55	571.10	571.97	571.19
23	570.44	570.82	571.04	571.53	571.74	572.39	571.91	572.04	571.69	571.79	571.53	571.60
24	570.40	571.13	571.13	571.94	571.71	572.25	571.91	571.88	571.85	571.43	571.16	572.44
25	570.29	571.13	571.14	571.74	571.82	572.69	572.07	571.62	571.72	571.44	571.27	571.62
26	570.73	571.00	571.00	571.56	571.76	572.47	572.18	571.69	571.79	571.30	571.22	571.01
				571.53	571.61	572.24	572.13	571.61	572.54	571.36	572.91	571.92
				571.38	571.74	572.20	572.16	571.62	572.29	571.45	572.02	571.24
				571.83	571.79	572.27	572.17	571.76	571.66	571.27	571.59	571.60
30	570.38		571.30	571.67	571.83	572.13	572.13	571.89	571.43	571.37	571.22	571.50
31	570.31		571.09		571.91		572.00	571.82		571.48		571.10
MEAN	570.70	570.69	571.20	571.33	571.72	572.12	572.15	571.98	571.92	571.73	571.64	571.49
MAX.	572.25	572.56	572.26	572.70	572.74	574.57	573.14	573.54	573.87	575.74	575.72	574.46
MIN.	2000/04	1500/02	1000/17	1200/14	1300/12	1300/22	1600/26	0900/15	1700/19	1300/18	0500/27	1900/27
	570.08	569.77	570.57	569.61	571.00	571.40	571.56	571.19	570.34	570.50	569.68	569.93
	2400/31	1300/10	1000/05	1100/12	0400/11	1600/01	2400/21	0300/25	2200/21	0400/22	0400/20	0500/23

* Indicates Less than 90% of the Hourly Data Available.
/ Indicates No Data.

ANNUAL MEAN: 571.56

GREAT LAKES 7-DAY WATER LEVELS
Office of Oceanography and Marine Services

Issuance: Weekly.

Users: Federal and State agencies, the Canadian Government, and power companies.

For orders and information, write or call: Ocean Requirements and Data Analysis Division, Office of Oceanography and Marine Services, National Ocean Service, NOAA, 6001 Executive Boulevard, Rockville, Md. 20852 (301-443-8443).

Great Lakes 7-Day Water Levels is a tabulation of the latest 7-day daily average water level data in feet and meters for 13 selected gages in the Great Lakes. Records are available back to 1969.

U.S. Department of Commerce
NOAA/NOS Rockville, Maryland
Great Lakes Water Levels, C234

GREAT LAKES 7 DAY WATER LEVELS
DAILY MEANS IN METERS (IGLD-1955)

1981	SUPERIOR			MICHIGAN-HURON			
	Duluth	Marq	Pt Iro	Har Bh	Luding	Milwau	Mack C
Dec 21	182.92	182.89	182.87	176.31	176.38	176.30	176.42
Dec 22	182.95	182.90	182.88	176.34	176.39	176.37	176.34
Dec 23	182.89	182.90	182.90	176.34	176.41	176.32	176.36
Dec 24	182.89	182.90	182.95	176.37	176.32	176.23	176.38
Dec 25	182.94	182.91	182.92	176.38	176.32	176.30	176.31
Dec 26	183.01	182.90	182.82	176.31	176.39	176.41	176.32
Dec 27	182.93	182.90	182.84	176.24	176.47	176.41	176.35
Mean	182.93	182.90	182.89	176.33	176.38	176.33	176.36
LWD	182.9	182.9	182.9	175.8	175.8	175.8	175.8

1981	ST CLAIR	ERIE		ONTARIO		
	St C S	Toledo	Cleve	Buff	Roches	Oswego
Dec 21	175.01	173.94	173.99	174.27	74.44	74.42
Dec 22	175.03	174.15	174.10	174.09	74.45	74.43
Dec 23	175.04	174.04	174.15	174.22	74.47	74.47
Dec 24	175.04	173.79	174.04	174.47	74.45	74.48
Dec 25	175.06	174.06	174.10	174.22	74.45	74.45
Dec 26	175.08	174.24	174.16	174.04	74.45	74.43
Dec 27	175.06	173.95	174.08	174.32	74.43	74.41
Mean	175.05	174.02	174.09	174.24	74.45	74.44
LWD	174.2	173.3	173.3	173.3	74.0	74.0

Provisional Data

HYDROGRAPH OF MONTHLY MEAN LEVELS OF THE GREAT LAKES


Office of Oceanography and Marine Services

Issuance: Annually.

Users: Federal and State agencies and the Canadian Government.

For orders and information, write or call: Distribution Branch, National Ocean Service, NOAA, Riverdale, Md. 20737 (301-436-6990).

Hydrograph of Monthly Mean Levels of the Great Lakes is a graphic depiction of monthly mean levels in feet for each of the Great Lakes and Lake St. Clair since 1900, with low water datums shown. All elevations are referred to the International Great Lakes Datum (1955).



**GREAT LAKES DATA: MONTHLY MEAN
ELEVATIONS AND MONTHLY MEAN
DISCHARGE**

Office of Oceanography and Marine Services

Issuance: Monthly.

Users: Federal and State agencies, the Canadian Government, and power companies.

For orders and information, write or call: Ocean Requirements and Data Analysis Division, Office of Oceanography and Marine Services, National Ocean Service, NOAA, 6001 Executive Boulevard, Rockville, Md. 20852 (301-443-8443).

Great Lakes Data: Monthly Mean Elevations and Monthly Mean Discharge is a compilation of recorded monthly mean lake elevations in feet and monthly mean discharge in cubic feet per second of the major rivers connecting the Great Lakes. NOAA compiles the monthly elevation data, and the U.S. Army Corps of Engineers compiles the discharge data.

U.S. DEPARTMENT OF COMMERCE
NOAA-NATIONAL OCEAN SURVEY
ROCKVILLE, MARYLAND

G R E A T L A K E S D A T A

<u>October 1979 Monthly Mean Elevations</u>	<u>IGLD (1955)*</u>
Lake Superior at Marquette	601.29
Lake Michigan-Huron at Harbor Beach	579.56
Lake St. Clair at St. Clair Shores	574.72
Lake Erie at Cleveland	571.68
Lake Ontario at Oswego	244.75

*Elevations are in feet above mean water level at Father Point, Quebec, International Great Lakes Datum (1955).

<u>October 1979 Monthly Mean Discharge in Cubic Feet Per Second **</u>	
St. Marys River	97,000
St. Clair River	210,000
Detroit River	214,000
Niagara River	228,000
St. Lawrence River	292,000

** Provisional Data furnished by U. S. Army Corps of Engineers

**MONTHLY PRECIPITATION SUMMARY,
GREAT LAKES BASIN**
Office of Oceanography and Marine Services

Issuance: Monthly.

Users: Federal and State agencies and the Canadian Government.

For orders and information, write or call: Ocean Requirements and Data Analysis Division, Office of Oceanography and Marine Services, National Ocean Service, NOAA, 6001 Executive Boulevard, Rockville, Md. 20852 (301-443-8443).

Monthly Precipitation Summary, Great Lakes Basin, lists the data for actual and normal precipitation in inches for the land, lake, and lake basin area for each of the Great Lakes, the amount of departure from normal, and the maximum and minimum historical values.

**MONTHLY PRECIPITATION SUMMARY
SEPTEMBER, 1979**

		MONTHLY PRECIPITATION						YEARLY PRECIPITATION TOTAL-- (Jan to Sep)				
		Sep '79 precip.	P/R Sep normal precip.	Departure from normal		Sep P/R MAX. MIN.		1979 actual	P/R normal	Departure from normal		
LAKE SUPERIOR	LAND	2.48*	3.41*	-0.93*	-27%	6.61*	1.37*	25.66*	22.64*	+3.02*	+13%	LAKE SUPERIOR
	LAKE	2.47*	3.43*	-1.02*	-29%	in	in	29.45*	23.18*	+6.27*	+27%	
	BASIN	2.47*	3.44*	-0.97*	-28%	1941	1948	27.15*	22.84*	+4.31*	+19%	
LAKE MICHIGAN	LAND	0.73*	3.45*	-2.66*	-77%	7.08*	0.73*	25.16*	24.80*	+0.36*	+1%	LAKE MICHIGAN
	LAKE	0.61*	3.35*	-2.74*	-82%	in	in	24.45*	23.70*	+0.75*	+3%	
	BASIN	0.73*	3.42*	-2.69*	-79%	1952	1979	24.94*	24.43*	+0.51*	+2%	
LAKE HURON	LAND	1.48*	3.30*	-1.82*	-55%	5.55*	1.10*	25.62*	23.36*	+2.26*	+10%	LAKE HURON
	LAKE	1.33*	3.09*	-1.76*	-57%	in	in	24.62*	22.99*	+1.63*	+7%	
	BASIN	1.43*	3.23*	-1.80*	-56%	1970	1948	25.29*	23.24*	+2.05*	+9%	
LAKE ERIE	LAND	2.43*	3.00*	-0.51*	-17%	6.93*	0.77*	27.93*	26.31*	+1.62*	+6%	LAKE ERIE
	LAKE	3.34*	3.04*	+0.30*	+30%	in	in	29.78*	25.88*	+3.90*	+15%	
	BASIN	2.87*	3.01*	-0.14*	-5%	1926	1908	28.41*	26.18*	+2.23*	+9%	
LAKE ONTARIO	LAND	4.16*	3.13*	+1.03*	+33%	6.52*	0.99*	28.55*	26.28*	+2.27*	+9%	LAKE ONTARIO
	LAKE	4.06*	2.86*	+1.20*	+42%	in	in	25.33*	24.40*	+0.93*	+4%	
	BASIN	4.14*	3.07*	+1.07*	+35%	1977	1964	27.87*	25.88*	+1.99*	+8%	
GREAT LAKES BASIN		2.07*	3.27*	-1.20*	-37%	5.41*	1.60*	26.44*	24.13*	+2.31*	+10%	
						in	in					
						1977	1948					

Note: P/R indicates Period of Record: January 1900 to present.

**MONTHLY MEAN FLOW DIVERSIONS,
GREAT LAKES**
Office of Oceanography and Marine Services

Issuance: Annually.

Users: Federal and State agencies, the Canadian Government, and power companies.

For orders and information, write or call: Ocean Requirements and Data Analysis Division, Office of Oceanography and Marine Services, National Ocean Service, NOAA, 6001 Executive Boulevard, Rockville, Md. 20852 (301-443-8443).

Monthly Mean Flow Diversions, Great Lakes, is the compilation of the data for the average amount of water diverted in hundreds of cubic feet per second from the Great Lakes at major channels. Most of this water is returned to the Great Lakes Basin; however, some of it flows outside the basin. Daily records, which record the 19 diversions, are available, together with monthly summaries. Some of these records date back to 1952.

U.S. DEPARTMENT OF COMMERCE
NOAA - NATIONAL OCEAN SURVEY

COMPILED BY: WATER LEVELS BRANCH, C234
ROCKVILLE, MARYLAND

MONTHLY MEAN DIVERSIONS
IN THE GREAT LAKES SYSTEM ABOVE CORNWALL, ONTARIO
(HUNDREDS OF CUBIC FEET PER SECOND)

DIVERSIONS - 1978	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
FROM: Hudson Bay Basin TO: Lake Superior Basin												
Ogoki Diversion	33	27	23	22	41	97	92	67	62	50	38	28
Long Lake Diversion	20	17	12	9	6	27	18	14	8	6	3	13
FROM: St. Marys River TO: St. Marys River												
Canadian Powerhouse	167	179	182	187	176	172	166	162	171	173	178	172
E. S. Company Canal	282	282	275	277	287	292	298	295	296	292	287	281
United States Powerhouse	125	125	126	119	127	128	128	128	128	127	127	128
Navigation Canals	8	8	8	5	9	11	13	13	11	9	8	6
FROM: Lake Michigan Basin TO: Mississippi River Basin												
Metro Sanitary District Chicago	4	7	16	25	17	17	30	15	19	8	2	5
Chicago Area Domestic Pumpage	15	15	15	15	16	19	18	18	18	16	15	15
FROM: Lake Erie TO: Lake Ontario												
Holland Canal	8	10	9	18	26	25	26	22	20	20	20	17
DeCaw Falls Powerhouse	65	65	71	57	50	49	47	55	68	68	64	68

GREAT LAKES WATER LEVELS— ANNUAL SUMMARY Office of Oceanography and Marine Services

Issuance: Annually.

Users: Federal and State agencies, the Canadian Government, and construction and power companies.

For orders and information, write or call: Distribution Branch, National Ocean Service, NOAA, Riverdale, Md. 20737 (301-436-6990).

Great Lakes Water Levels—Annual Summary contains Great Lakes water level gage records in both feet and meters. This publication shows, in tabular form for the calendar year, daily and monthly average levels for each gage in the network, the highest and lowest daily average level for each month, and a frequency distribution of daily average levels showing the number of times each month the recorded levels were at, or above, specific elevations. The locations of the recording water level gages are shown; an index lists the gage locations, identification numbers, and geographic coordinates.

U. S. DEPARTMENT OF COMMERCE
NOAA - NOS ROCKVILLE, MARYLAND
GREAT LAKES WATER LEVELS, C3314

MONTHLY AND ANNUAL AVERAGE ELEVATIONS
WATER LEVELS IN FEET, 1920-1955

Station 3063 : Cleveland, Ohio on Lake Erie

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL AVG
1920	569.36	568.84	568.92	569.69	570.36	570.55	570.69	570.68	570.45	570.15	570.00	569.99	569.97
1921	570.00	569.34	570.17	570.85	571.14	571.06	570.31	570.53	570.22	569.80	569.85	569.79	570.36
1922	569.56	569.22	569.44	570.37	570.78	570.31	570.78	570.54	570.36	569.94	569.48	569.17	570.05
1923	569.22	568.83	569.04	569.55	569.88	570.06	570.05	569.75	569.57	569.23	569.02	569.31	569.47
1924	569.33	569.37	569.28	569.83	570.21	570.35	570.43	570.20	570.00	569.75	569.11	568.83	569.73
1925	568.67	568.55	568.98	569.37	569.36	569.23	569.17	569.13	568.98	568.65	568.50	568.44	568.92
1926	568.10	567.36	568.08	568.86	569.22	569.23	569.25	569.35	569.48	569.76	569.52	569.51	569.03
1927	569.16	569.04	569.17	569.80	570.00	570.24	570.21	570.05	569.66	569.36	569.15	569.67	569.63
1928	569.72	569.73	569.51	569.85	570.13	570.45	570.73	570.64	570.20	569.91	569.73	569.86	570.05
1929	569.89	570.12	570.58	571.67	572.33	572.33	572.21	571.84	571.45	571.00	570.83	570.82	571.26
1930	571.42	571.27	571.63	572.02	572.00	571.73	571.54	571.08	570.63	570.30	569.85	569.71	571.11
1931	569.46	569.16	568.85	569.20	569.52	569.63	569.75	569.53	569.30	569.01	568.77	568.76	569.26
1932	569.26	569.55	569.51	569.65	569.90	569.92	569.80	569.55	569.26	568.70	568.60	568.44	569.35
1933	568.73	568.66	568.98	569.73	570.17	570.10	569.83	569.54	569.09	568.65	568.23	568.18	569.16
1934	568.01	567.68	567.65	568.20	568.43	568.46	568.46	568.36	568.23	567.95	567.60	567.53	568.05
1935	567.62	567.56	567.88	568.31	568.65	568.81	568.93	568.95	568.58	568.17	568.09	568.07	568.30
1936	567.67	567.43	568.20	568.95	569.24	569.25	569.17	568.90	568.71	568.57	568.33	568.15	568.55
1937	568.73	569.33	569.33	569.68	570.26	570.44	570.67	570.44	569.87	569.30	568.88	568.60	569.63
1938	568.62	569.06	569.50	570.16	570.23	570.35	570.35	570.34	569.37	569.67	569.23	569.06	569.71
1939	569.03	569.02	569.45	570.02	570.41	570.45	570.33	570.24	569.91	569.52	569.23	569.10	569.74
1940	568.71	568.67	568.84	569.54	569.96	570.23	570.34	570.14	570.01	569.71	569.30	569.42	569.58
1941	569.75	569.33	569.15	569.38	569.53	569.63	569.65	569.45	569.12	568.84	568.56	568.62	569.26
1942	568.47	568.76	568.95	569.93	570.24	570.61	570.59	570.52	570.27	570.02	569.89	569.78	569.84
1943	570.18	569.89	570.10	570.63	571.43	572.13	572.13	571.88	571.43	571.08	570.77	570.41	571.01
1944	569.93	569.85	569.98	570.82	571.35	571.50	571.23	570.94	570.64	570.35	570.11	569.88	570.56
1945	569.71	569.45	570.13	570.82	571.22	571.66	571.73	571.55	571.21	571.39	570.94	570.63	570.87
1946	570.65	570.28	570.60	570.81	570.94	571.44	571.53	571.15	570.73	570.35	570.04	569.74	570.69
1947	569.66	569.67	569.64	570.87	571.82	572.33	572.14	571.90	571.64	571.11	570.72	570.50	571.00
1948	570.45	570.21	570.73	571.50	571.32	571.35	571.84	571.50	571.08	570.50	570.16	570.00	570.99
1949	570.06	570.32	570.51	570.65	570.77	570.75	570.66	570.36	569.90	569.64	569.19	569.06	570.16

**GREAT LAKES ANNUAL MAXIMUM
AND MINIMUM LEVELS**
Office of Oceanography and Marine Services

Issuance: Annually, following processing of 12 months of observed Great Lakes water level data.

Users: Federal and State agencies, the Canadian Government, port authorities and marinas, shoreline industries, marine engineering and construction firms, and utility and power generating stations, and waterborne commerce.

For information and orders, write or call: Ocean Requirements and Data Analysis Division, Office of Oceanography and Marine Services, National Ocean Service, NOAA, 6001 Executive Boulevard, Rockville, Md. 20852 (301-443-8443).

Great Lakes Annual Maximum and Minimum Levels provide compilations of the historic tabulation of water level elevations during stages of highest and lowest water levels for each year at each of 54 water level gages located around the five Great Lakes. The maximum stage data include the month of highest level and the mean elevation for that month, the day of the month with the highest level and mean elevation for that day, and the day and elevation of the highest hourly level during the year; the minimum stage data include the same information but for the lowest levels. The monthly records on file are available for the 54 Great Lakes observation stations, with some records dating back to 1901. Annual summaries and an index of the stations are available.

U. S. DEPARTMENT OF COMMERCE
NOAA - NOS ROCKVILLE, MARYLAND
GREAT LAKES WATER LEVELS, C3314

MAXIMUM AND MINIMUM ELEVATIONS
WATER LEVELS IN FEET, IGLD (1955)

Station 9016 : Marquette, Michigan on Lake Superior

MAXIMUM STAGES

MINIMUM STAGES

YEAR	MAXIMUM STAGES			MINIMUM STAGES		
	MONTHLY MEAN	DAILY MEAN	INSTANTANEOUS	MONTHLY MEAN	DAILY MEAN	INSTANTANEOUS
1960	JUL 601.07	30 JUL 601.16	1 SEP 602.29	MAR 600.01	11 APR 599.78	23 APR 598.78
1961	OCT 600.57	11 SEP 600.74	30 AUG 602.05	MAR 599.75	26 MAR 599.61	6 MAR 599.05
1962	SEP 600.76	19 SEP 600.92	13 SEP 601.62	MAR 599.62	24 FEB 599.48	23 MAY 598.75
1963	AUG 600.70	12 SEP 600.87	27 SEP 601.47	MAR 599.55	15 MAR 599.46	8 MAY 598.20
1964	SEP 600.99	9 OCT 601.26	7 SEP 602.39	APR 599.52	13 APR 599.29	26 JUN 598.62
1965	OCT 600.73	23 OCT 601.03	28 JUN 601.85	MAR 599.75	27 MAR 599.65	3 MAY 598.89
1966	AUG 601.00	15 OCT 601.13	17 JUL 602.53	MAR 600.07	8 MAR 599.87	18 MAR 599.23
1967	AUG 600.99	9 AUG 601.14	17 AUG 601.73	MAR 599.89	30 MAR 599.76	30 MAR 599.02
1968	SEP 601.82	28 OCT 602.02	2 OCT 602.38	MAR 599.68	14 MAR 599.49	28 MAR 599.10
1969	AUG 601.15	10 JAN 601.30	12 JUN 601.93	DEC 600.42	25 DEC 600.21	29 NOV 599.94
1970	NOV 601.41	23 NOV 601.79	6 FEB 602.68	APR 599.78	7 APR 599.64	19 APR 599.11
1971	AUG 601.57	22 AUG 601.65	18 JUN 602.28	MAR 600.69	16 FEB 600.51	29 JAN 600.19
1972	SEP 601.57	8 OCT 601.74	17 SEP 602.29	MAR 600.62	12 APR 600.51	17 APR 599.76
1973	AUG 601.91	6 SEP 602.07	27 SEP 602.51	FEB 600.47	27 FEB 600.29	14 MAR 600.03
1974	SEP 601.90	29 SEP 602.03	6 OCT 602.60	MAR 600.53	29 MAR 600.37	2 MAR 600.06
1975	JUL 601.54	25 JUL 601.63	20 MAY 602.12	APR 600.77	28 MAR 600.65	20 MAY 600.15
1976	JUL 601.37	13 AUG 601.47	11 AUG 602.02	DEC 600.08	24 DEC 599.92	11 DEC 599.46
1977	OCT 601.39	11 NOV 601.70	11 NOV 601.99	FEB 599.60	21 FEB 599.48	4 MAR 599.20
1978	SEP 601.20	6 OCT 601.39	11 SEP 602.00	APR 600.23	9 APR 600.08	10 APR 599.56
1979						

**GREAT LAKES WATER LEVELS—
1860-1980**
Office of Oceanography and Marine Services

Issuance: Every 5 years.

Users: Federal and State agencies, the Canadian Government, and construction and power companies.

For orders and information, write or call: Distribution Branch, National Ocean Service, NOAA, Riverdale, Md. 20737 (301-436-6990).

Great Lakes Water Levels—1860-1980 contains 258 pages of figures, a map and geographical index showing the network of over 50 permanent gages, and tabular records of monthly and annual average water surface elevations for each gage for the period of its existence, as well as tables showing summaries of average and extreme levels.

U. S. DEPARTMENT OF COMMERCE
NOAA - NOS ROCKVILLE, MARYLAND
GREAT LAKES WATER LEVELS, 03114

SUMMARY OF AVERAGE AND EXTREME LEVELS
WATER LEVELS IN FEET, IGLD (1955)

Station 3063 : Cleveland, Ohio on Lake Erie

	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL AVG
MONTHLY AVERAGE FOR PERIOD 1860 THRU 1975	569.93	569.89	570.11	570.64	570.97	571.12	571.06	570.89	570.81	570.28	570.02	569.96	570.46

MONTHLY AVERAGE FOR PERIOD 1900 THRU 1975	569.74	569.72	569.95	570.51	570.82	570.96	570.92	570.73	570.44	570.12	569.84	569.78	570.29
---	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------

MONTHLY AVERAGE FOR PERIOD 1966 THRU 1975	570.87	571.04	571.30	571.70	571.91	572.04	572.02	571.82	571.53	571.16	570.99	571.13	571.46
---	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------

HIGHEST MONTHLY AVERAGE FOR PERIOD 1860 THRU 1975													
LEVEL	572.29	572.53	572.88	573.30	573.25	573.51	572.34	573.01	572.51	572.14	572.17	572.35	572.71
YEAR	1973	1973	1973	1973	1973	1973	1973	1973	1973	1973	1972	1972	1973

LOWEST MONTHLY AVERAGE FOR PERIOD 1860 THRU 1975													
LEVEL	567.62	567.49	567.65	568.20	568.43	568.46	568.46	568.36	568.23	567.95	567.60	567.53	568.05
YEAR	1935	1936	1934	1934	1934	1934	1934	1934	1934	1934	1934	1934	1934

HIGHEST MONTHLY AVERAGE FOR PERIOD 1860 THRU 1975573.51 JUN 1973

LOWEST MONTHLY AVERAGE FOR PERIOD 1860 THRU 1975567.49 FEB 1936

**BENCH MARK DESCRIPTIONS
AND INTERNATIONAL GREAT LAKES
DATUM ELEVATIONS**

Office of Oceanography and Marine Services

Issuance: As requested.

Users: Federal and State agencies; Canadian Government, and construction and engineering firms.

For orders and information, write or call: Ocean Requirements and Data Analysis Division, Office of Oceanography and Marine Services, National Ocean Service, NOAA, 6001 Executive Boulevard, Rockville, Md. 20852 (301-443-8443).

Bench Mark Descriptions and International Great Lakes Datum Elevations describe the locations for approximately 3,000 bench marks in the Great Lakes area, with published elevations on the International Great Lakes Datum (1955).

NEW YORK 906 3028

U.S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL OCEAN SURVEY

WATER LEVEL BENCH MARKS
INTERNATIONAL GREAT LAKES DATUM (1955)

Sturgeon Point (Lake Erie)
Lat. 42°41.5'; 79°02.8'

B.M. STURGEON, (1968), is at Sturgeon Point, Erie County, New York, approximately 1.9 miles west and northwest along Sturgeon Point Road from the intersection of Sturgeon Point Road and Highway No. 5 at Jerusalem Corner, 113.4 feet northerly of northwest corner of a 2 1/2 x 2 1/2 x 6 foot stone gate post on south side of road, 82.9 feet northeast of a 18 inch poplar, 74.8 feet northwest of northeast corner of a 20 x 30 foot cement block building, 73.9 feet northwest of a 30-inch oak, 30.2 feet southeast of northeast corner, 19.4 feet southeast of southwest corner and 13.0 feet southeast of southeast corner of 6 foot square gage house, 1/2 foot below the ground surface, being highest point on top of a stainless steel plug on top of 3/8-inch diameter galvanized steel pipe, 18 feet long. The pipe is encased in a 1-inch diameter steel pipe and the mark is protected by a 6 inch diameter concrete pipe, with cover 1/4 foot below the ground surface.

B.M. SERVAIS, (1973), is at Sturgeon Point, Erie County, New York, approximately 1.7 miles west and northwest along Sturgeon Point Road from the intersection of Sturgeon Point Road and Highway No. 5 at Jerusalem Corners, about 0.5 mile northwest of Y-intersection of Larkin and Sturgeon Point Roads, 87.8 feet northeast of fire plug, 84.2 feet south of most southerly 1/2 x 1/2 x 4 foot high concrete post, 81.1 feet east of northwest corner of Recreation Building, 22 feet east of centerline of Sturgeon Point Road, 1.1 feet southeast of utility pole No. NM 73-NYT 228, 1/4 foot below the ground surface, being highest point on top of a 5/8-inch diameter copper-coated steel rod, 9 feet long.

**NORTHEAST MONITORING PROGRAM
ON THE HEALTH OF THE NORTHEAST
COASTAL WATERS OF THE
UNITED STATES—Annual**
National Marine Fisheries Service

Issuance: Annually.

Users: Federal, State, and local agencies involved in pollution monitoring.

For information, write or call: Ocean Assessments Division, Office of Oceanography and Marine Services, National Ocean Service, NOAA, 6001 Executive Boulevard, Rockville, Md. 20852 (301-443-8951).

The Northeast Monitoring Program on the Health of the Northeast Coastal Waters of the United States—Annual is a report published annually by the National Marine Fisheries Service to synthesize surveys and studies of major individual programs, such as the NOAA pollution monitoring effort in which NOS is a participant, and to assess the health of the U.S. coastal waters during the year. Reported information on the monitoring program includes the goals and objectives, the plans, the sites and marine environments under study, the detailed analysis of survey data and water quality studies, the sediment quality, the biological effects, the contaminants in the resources of fisheries, and the recommendations for actions based on the results of the monitoring effort, together with numerous maps, tabulations, and references. The areas under study include the waters of the Northeast Atlantic, the ocean dumpsites off the east coast, and the New York Bight.

**PHYSICAL OCEANOGRAPHIC AND
SEDIMENT QUALITY DATA
(CRUISE REPORTS)**

Office of Oceanography and Marine Services

Issuance: Quarterly (3 months after a cruise is completed).

Users: Federal, State, and local agencies.

For information, write or call: Ocean Assessments Division, Office of Oceanography and Marine Services, National Ocean Service, NOAA, 6001 Executive Boulevard, Rockville, Md. 20852 (301-443-8951).

Physical Oceanographic and Sediment Quality Data, published in the *Cruise Reports*, are obtained from surveys performed as part of NOAA's pollution monitoring efforts, with NOS as an active participant to assess the health of U.S. coastal waters. Information in the report includes the cruise identification, the objectives, the methods, and the results depicted logically in graphs, maps, and tables; the measured data may include the units and/or degree of salinity, temperature, phytoplankton, chlorophyll, nutrients, dissolved oxygen, STD profiles, CSTD profiles, XBT's meteorological parameters, and sediment quality of the monitored waters. The areas under study include the waters of the northeast Atlantic, the ocean dumpsites off the east coast, and the New York Bight. The brief Cruise Reports prepared after each cruise of an area are incorporated eventually into the *North-east Monitoring Program Report*.

USER'S GUIDE FOR THE ESTABLISHMENT OF TIDAL BENCH MARKS AND LEVELING REQUIREMENTS FOR TIDE STATIONS


Office of Oceanography and Marine Services

Issuance: Presently being updated for a new bound volume edition.

Users: Federal and State agencies and foreign governments.

For orders and information, write or call: Office of Oceanography and Marine Services, National Ocean Service, NOAA, 6001 Executive Boulevard, Rockville, Md. 20852 (301-443-8487).

The *User's Guide for the Establishment of Tidal Bench Marks and Leveling Requirements for Tide Station* describes procedures NOS uses when establishing and maintaining a tide station for leveling purposes while installing a tidal bench mark system to which observed tides will ultimately be referred. It contains quality control procedures, documentation forms, computational methods, and acceptable errors in leveling.



**MANAGEMENT-ORIENTED ANALYSES
AND SYNTHESIS REPORTS (planned)**
Office of Oceanography and Marine Services

Issuance: As required.

Users: Regional and local resource managers, and Federal regulatory agencies.

For information, write or call: Office of Oceanography and Marine Services, National Ocean Service, NOAA, 6001 Executive Boulevard, Rockville, Md. 20852 (301-443-8487).

These reports are typically site-specific or regional reports which address a broad range of problems associated with ocean dumping, coastal use for waste disposal, and other general problems associated with disposal of anthropogenic wastes in the aquatic environment. "Ocean Waste Management Policy and Strategies International Symposium" is a report scheduled for publication.

**REGIONAL AND DISCIPLINARY
SYNTHESIS REPORTS**
Office of Oceanography and Marine Services

Issuance: As necessary.

Users: Regional and local resource managers, Federal regulatory agencies, and the scientific community.

For information, write or call: Office of Oceanography and Marine Services, National Ocean Service, NOAA, 6001 Executive Boulevard, Rockville, Md. 20852 (301-443-8487).

Regional and Disciplinary Synthesis Reports are scientific products that summarize and interpret the body of available scientific information on a regional-specific or disciplinary issue. This information is synthesized from both NOAA funded and all other available sources and serves to document the present state-of-the-art as a basis for future research directions. "Ecological Stress and the New York Bight: Science and Management" (1982) is an example of this type of report.

ENVIRONMENTAL ATLASES AND SUPPORTING DATA BASES

Office of Oceanography and Marine Services

Issuance: Annually, biennially, or as required.

Users: Federal regulatory agencies and NOAA policy offices.

For information, write or call: Office of Oceanography and Marine Services, National Ocean Service, NOAA, 6001 Executive Boulevard, Rockville, Md. 20852 (301-443-8487).

Environmental Atlases and Supporting Data Bases are publications which synthesize scientific data bases in a graphic form. The precise format varies with the discipline or user requirements.

PUBLIC INFORMATION AND EDUCATION PUBLICATIONS

Office of Oceanography and Marine Services

Issuance: As they become available.

Users: Academia, Congress, and the general public.

For information, write or call: Office of Oceanography and Marine Services, National Ocean Service, NOAA, 6001 Executive Boulevard, Rockville, Md. 20852 (301-443-8487).

Public Information and Education Publications are one-time specific publications geared towards the public and academic sectors. They vary from books for the educated layperson to monographs or preceedings geared towards specific issues or disciplines. "Government Puget Sound" and Marine Technology Society Conference Proceedings—Marine Pollution Papers OCEANS '82 are two examples of this type of publication.

**NATIONAL MARINE POLLUTION
PROGRAM PLAN: FEDERAL PLAN FOR
OCEAN POLLUTION RESEARCH,
DEVELOPMENT, AND MONITORING—
FISCAL YEARS 1981-85**
Office of Oceanography and Marine Services

Issuance: Biennially.

Users: Federal and State agencies, private research firms, and academia.

For information, write or call: Office of Oceanography and Marine Services, National Ocean Service, NOAA, 6001 Executive Boulevard, Rockville, Md. 20852 (301-443-8487).

The National Ocean Pollution Research and Development and Monitoring Planning Act of 1978 mandates the *Plan*, which must include a detailed inventory of existing Federal programs, an assessment and ordering of National needs and problems, an analysis of the extent to which existing programs assist in meeting these priorities, recommendations for changes in the overall Federal effort where necessary, and a report on budget coordination efforts.

**NATIONAL MARINE POLLUTION
PROGRAM: AGENCY
PROGRAM SUMMARIES**
Office of Oceanography and Marine Services

Issuance: As necessary.

Users: Federal and State agencies, private research firms, and academia.

For information, write or call: Office of Oceanography and Marine Services, National Ocean Service, NOAA, 6001 Executive Boulevard, Rockville, Md. 20852 (301-443-8487).

The program summaries describe research and monitoring plans of the individual agencies that participate in the overall program. The summaries are published together under one cover in a three-ring binder as Appendix 1 to the National Marine Pollution Program Plan.

**NATIONAL MARINE POLLUTION
PROGRAM: CATALOG OF
FEDERAL PROJECTS**

Office of Oceanography and Marine Services

Issuance: Annually.

Covers: Federal and State agencies, private research
firms, and academia.

For information, write or call: Office of Ocean-
ography and Marine Services, National Ocean Service,
NOAA, 1400 Executive Boulevard, Rockville, Md.
20850-4141-4151.

The catalog summarizes and describes the approx-
imately 1,000 projects and 100 programs funded
by 11 Federal departments and independent agencies
involved in the National Marine Pollution Program.
Projects included in the catalog are limited to those
that focus on pollution problems in the oceans and
Great Lakes. The catalog is published as Appendix
to the National Marine Pollution Program Plan.

OFFICIAL PUBLICATIONS

Office of Oceanography and Marine Services

Issuance: Biennially.

Covers: Federal and State agencies, private research
firms, and academia.

For information, write or call: Office of Ocean-
ography and Marine Services, National Ocean Service,
NOAA, 1400 Executive Boulevard, Rockville, Md.
20850-4141-4151.

The Marine Pollution Program issues one-time re-
ports on various issues pertaining to the National Marine
Pollution Program Plan. Examples include "2nd
Agency Workshop on In-Situ Water Quality Sensor
Biological Sensors," "Marine Oil Pollution: Federal
Program Review," and "Summary of Non-Federal
Funded Water Pollution Research, Development
Monitoring Activities: Great Lake Region" (also,
Mid-Atlantic Region; West Coast Region
South Atlantic Coast and Gulf Region).

MARINE CHARTING SERVICES

Marine Charting Services of the National Ocean Service are primarily available through the NOS Office of Hydrographic and Geodetic Services, Nautical Charting Division. The Division determines requirements for a national program of nautical charting, which includes the construction and maintenance of nautical charts, the *Coast Pilot*, and other marine products. The Division also directs field programs for shore-based hydrographic survey units; conducts photogrammetric surveys for coastal mapping, seaward boundaries, and storm evacuation routes; and conducts technological development and application programs to maintain efficiency in survey data collection and chart production.

The first nautical chart published under NOS' earliest forerunner, the Survey of the Coast, portrayed Newark Bay and was produced with little detail, using a stone engraving. This first chart was a result of the U.S. Act of March 10, 1807, which directed the President of the United States to have surveys made to determine the positions of the islands and shoals and places of anchorage along the coasts of the United States. From this time on, chart construction improved rapidly. A copperplate printing press was acquired in 1842, together with skilled workers who enabled the Survey to publish a chart of New York Bay and Harbor by 1844 with the definition possible from a copperplate engraving. Engravers today inscribe the more extensive chart details on plastic-coated sheets. An additional improvement was color that enhanced the usefulness of the charts, added to the charts by hand and later by color lithographic presses. Now, the Division is designing and developing a computer-assisted system for the data acquisition, processing, and compilation of nautical charts to meet the demands of the maritime world.

Many of the other products and services of the Division, although now highly refined and technically advanced, also began in the early days of the agency. For example, the survey published its first *U.S. Coast Pilot* in 1808 after the Government purchased the copyright and stereotype plates for the commercially produced *Coast Pilot* from the Blunt Company. From the first hydrographic surveys in late 1834 and early 1835 when the agency used schooners to perform surveys, lead lines to measure soundings, and astronomic and dead reckoning to position a survey ship when out of sight of land, NOS has today advanced to the most up-to-date electronic computer systems to guide its diesel-fueled hydrographic vessels, to record depth soundings, and to use the shore-based hydrographic survey units. These systems record soundings in both analog (graphic) and digital forms and have eliminated completely the need to record depths by hand. In addition, plane table methods for topographic work have given way to stadia devices and photogrammetric techniques.


CONVENTIONAL NAUTICAL CHARTS

Office of Charting and Geodetic Services

Issuance: Varies from semiannually to annually (or as required).

Users: U.S. Department of Defense; waterborne commerce; U.S. Coast Guard; boundary enforcement; coastal planning, engineering, and development projects; foreign governments; commercial fisheries; and recreational boat owners.

For orders and information, write or call: Distribution Branch, National Ocean Service, NOAA, Riverdale, Md. 20737 (301-436-6990).



Conventional Nautical Chart No. 11391,
St. Andrew Bay, 14th edition--the
first chart produced by the NOS computer
assisted cartographic compilation system.

Conventional Nautical Charts are printed reductions at a reduced scale of some portion of navigational part of the Earth's surface. These charts show the nature and shape of the coast, depth of water, general configuration and character of bottom, prominent landmarks, port facilities, cultural details, dredged channels, aids to navigation, natural hazards, magnetic variations, and maritime boundaries. Changes brought about by people and nature require that nautical charts be constantly maintained to ensure safe navigation. The NOS area of nautical chart responsibility includes the coastal marine environment of the continental United States, including the Great Lakes and Alaska, together with Hawaii, Puerto Rico, U.S. Virgin Islands, U.S. Trust Territories, and islands in the Atlantic and Pacific Oceans. There are four classifications of nautical charts:

Sailing Charts, published at a scale smaller than 1:600,000, are used for planning and for fixing the vessel's position as the coast is approached from the ocean or for sailing along the coast between distant ports. The shoreline and topography are generalized and only offshore soundings, the principal navigational aids, outer buoys, and landmarks visible at considerable distances are shown.

General Charts of the coast, published at scales from 1:150,000 to 1:600,000, are used for coastal navigation when a course is well offshore but can be fixed by landmarks, lights, buoys, and characteristic soundings.

Coast Charts, published at scales from 1:50,000 to 1:150,000, are used for close navigation inside of reefs and shoals, in entering or leaving bays and harbors of considerable size, and in navigating the inland waterways.

Harbor Charts, published at scales of 1:50,000 or larger, are used for navigating in harbors and inland waterways and for anchorage.

SMALL-CRAFT NAUTICAL CHARTS

Office of Charting and Geodetic Services

Issuance: Varies from 1 to 3 years.

Users: Waterborne commerce, coastal planning, engineering and development projects and recreational boat owners.

For orders and information, write or call: Distribution Branch, National Ocean Service, NOAA, Riverdale, Md. 20737 (301-436-6990).




NAUTICAL CHART 12285

POTOMAC RIVER

WASHINGTON, D.C.
MARYLAND
VIRGINIA

FIGHT POLLUTION!
KEEP YOUR WATERWAYS CLEAN!




U. S. DEPARTMENT OF COMMERCE

NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION

12285

EDITION 25 JANUARY 1983

Small-Craft Nautical Charts are printed nautical chart reproductions at a scale from 1:10,000 to 1:80,000, designed for easy reference and plotting in limited spaces. These charts in some areas are the basic and sole chart coverage for all marine users. They portray regular nautical chart detail and other specific details of interest to small-craft operators, such as enlargements of harbors, tide, current, and weather data, rules-of-the-road information, locations of marine facilities, anchorages, courses, and distances. Types of Small-Craft Nautical Charts include *Folio Charts*, which consist of three or four sheets, printed front and back, and bound in a protective paper jacket; *Area Charts*, which are folded in convenient panels and enclosed in a protective jacket; *Route Charts*, which consist of a single long, narrow sheet, printed front and back, and designed for river and narrow waterway coverage, such as the Intracoastal Waterways; *Recreational Charts*, which are a series of large-scale chart pages for selected Great Lakes areas, published in book form; and *Canoe Charts*, which are a chart series of the Minnesota-Ontario border lakes. Most *Canoe Charts* do not show hydrography.



Seventh edition of the
Canoe Chart No. 14982, North Lake.

INTERNATIONAL NAUTICAL CHARTS
Office of Charting and Geodetic Services

Issuance: Every 2 years.

Users: Waterborne commerce, Federal agencies, and foreign governments.

For orders and information, write or call: Distribution Branch, National Ocean Service, NOAA, Riverdale, Md. 20737 (301-436-6990).

International Nautical Charts is a series of charts covering the north eastern Pacific Ocean and the Bering Sea at a scale of 1:3,500,000 and 1:10,000,000 in international, standardized presentation. The nautical information includes depth curves; soundings; nautical symbols; and related data. Fifty nations participate in this program which has been set up to provide a series of small-scale charts to cover the entire world.

Chart No. Title

50	North Pacific Ocean—Eastern Part
500	North Pacific Ocean—West Coast of North America
501	North America, West Coast Mexican Border to Dixon Entrance
530	San Diego to Aleutian Islands and Hawaiian Islands
531	Gulf of Alaska—Strait of Juan de Fuca to Kodiak Island
540	Hawaiian Islands

NAUTICAL TRAINING (TR) CHARTS


Office of Charting and Geodetic Services

Issuance: As required.

Users: U.S. Power Squadron and U.S. Coast Guard Auxiliary.

For orders and information, write or call: Distribution Branch, National Ocean Service, NOAA, Riverdale, Md. 20737 (301-436-6990).

Nautical Training Charts are out-dated nautical charts used for educational purposes in training classes for small-boat operators. Training charts currently available include: 39 TR, Great Lakes; 116 SC TR, Long Island Sound; 440 TR, Savannah River and Wassaw Sound; 1210 TR, Narragansett Bay; and 6151 TR, Columbia River Entrance. Representational symbols and abbreviations are printed on the reverse side of some of the training charts.



FOR INSTRUCTIONAL PURPOSES ONLY.
NOT TO BE USED FOR NAVIGATION.

Nautical Training Chart, 116-SC Tr, Long Island Sound.

NAUTICAL UPDATING SERVICE
Office of Charting and Geodetic Services

Issuance: As required.

Users: National Ocean Service chart users.

For information, write or call: Marine Chart
Branch, National Ocean Service, NOAA, 6001 Exec-
utive Boulevard, Rockville, Md. 20852 (301-443-8800).

A *Nautical Updating Service* for selected nautical charts was begun in 1975 for certain NOS charts on an 8- and 12-year maintenance cycle and covering areas of little change. The service offers to the chart owner a listing of Notice to Mariners corrections affecting the chart dated subsequent to the print date of the chart. A note that the service is available for a particular chart is printed on the appropriate charts. At present, only certain charts of Alaskan waters are included in this service.

**ALASKAN CHARTS ON 144-MONTH
PRINTING CYCLE FOR WHICH AN
UPDATING SERVICE IS PROVIDED**

16041	16082	16124	16441
16042	16083	16200	16442
16043	16084	16204	16446
16044	16085	16206	16462
16045	16086	16381	16463
16046	16087	*16382	16474
16061	16088	16421	16475
16062	16101	16430	16476
16063	16102	16431	16477
16064	16103	16432	16478
16065	16104	16433	16484
16066	16121	16434	16486
16067	16122	16435	16487
16081	16123	16436	16490

* Indicates updating note has not been printed on chart.

**ALASKAN CHARTS ON 96-MONTH
PRINTING CYCLE FOR WHICH AN
UPDATING SERVICE IS PROVIDED**

16300	16513	16522	16547	17363
16322	16514	16528	16549	
16323	16515	16529	16551	17365
16343	16516	16530	16568	
16363	16517	16531	16599	17404
16501	16518	16532	17301	
16511	16521	16535	17314	17424

An updating note has been printed on all the above charts.

NAUTICAL CHART SYMBOLS AND ABBREVIATIONS (CHART NO. 1)


Office of Charting and Geodetic Services and
the U.S. Defense Mapping Agency

Issuance: As required.

Users: U.S. Department of Defense; waterborne commerce; U.S. Coast Guard; boundary enforcement agencies; coastal planning, engineering, and development projects; foreign governments; commercial fisheries; and recreational boat owners.

For orders and information, write or call: Distribution Branch, National Ocean Service, NOAA, Riverdale, Md. 20737 (301-436-6990).

Chart No. 1 shows examples of and lists most of the symbols and abbreviations shown on NOS-published nautical charts. It also includes many definitions and other data valuable in understanding NOS nautical charts.



B. Coast Features		C. The Land (Natural Features)	
1 G Gulf		1 Contour lines (Contours)	5d Nipa palm
2 B Bay		3 Fd Fjord	5e Filpo
(Bul) B Bayou		1a Contour lines, approximate (Contours)	5f Casuarina
3 Fd Fjord		9 Passage, Pass	5g Evergreen tree (other than coniferous)
4 L Loch, Lough, Lute		10 Thorofores	6 Cultivated fields
5 Cr Creek		10a Channel	6a Grass fields
5a C Cove		10a Narrows	Grass
6 In Inlet		11 Entr Entrance	2a Hachures
7 Str Strait		12 Est Estuary	Rice
8 Sid Sound		13a Delta	7 Paddy (rice) fields
9 Pass Passage, Pass		2a Form lines, no definite interval	7a Park, Garden
10 Thoro Thorofores		2b Shading	8 Bushes
10a Chan Channel		3 Glacier	8a Bushes
10a Narrows		4 Sailboats	9a Woods in general
11 Entr Entrance		5 Isolated trees	9 Deciduous woodland
12 Est Estuary		5a Deciduous or of unknown or unspecified type	10 Coniferous woodland
12a Delta		5b Coniferous	10a Woods in general
13 Mth Mouth		5c Palm tree	
14 Rd Road, Roadstead			
15 Anch Anchorage			
16 Hbr Harbor			
16a Hn Haven			
17 P Port			
(Hb) P Pond			
18 I Island			
19 It Islet			
20 Arch Archipelago			
21 Pen Peninsula			
22 C Cape			
23 Prom Promontory			
24 Hd Head, Headland			
25 Pt Point			
26 Mt Mountain, Mount			
27 Rge Range			
27a Valley			
28 Summit			
29 Pk Peak			
30 Vol Volcano			
31 Hill			
32 Bld Boulder			
33 Ldg, Lndg Landing			
34 Tableland (Plateau)			
35 Rk Rock			
36 Isolated rock			
(Str) Str Stream			
(R) R River			
(Sl) Sl Slough			
(Lg) Lg Lagoon			
(Appr) Appr Approaches			
(Rk) Rk Rocky			
(Is) Is Islands			
(M) Ma Marsh			
(Mg) Mg Mangrove			
(Sw) Sw Swamp			

Coast features abbreviations and land symbols.

Office of Charting and Geodetic Services

Users: The U.S. Department of Defense; waterborne commerce; U.S. Coast Guard; commercial fisheries; planners; engineers; and developmental projects; and foreign governments.

The *Distances Between United States Ports* is a byproduct of the *U.S. Coast Pilots* and assemblies under one cover the distance tables computed for the U.S. Coast Pilots.

GULF OF MAINE DISTANCES

CALAIS, MAINE, TO CAPE COD, MASS.

Figure at intersection of columns opposite ports in question is the nautical mileage between the two. Example: Portland, Maine, is 100 nautical miles from Boston, Mass.

Portland Lighted Horn Buoy P (43°31.6'N., 70°05.5'W.) to Portland, 11.3 miles.
Boston Lighted Horn Buoy B (42°22.7'N., 70°17.0'W.) to Portland, 11.3 miles.

Each distance is by shortest route that safe navigation permits between the two ports concerned. Vessels standing along the coast must make their own adjustments for non-direct routes. For example, the table shows a distance of 214 miles by direct

route from Machiasport to Provincetown; the distance via Matticus Rock and Cape Ann is 235 miles. Distances from Eastport to Machiasport and other ports farther southward are via deep Head Harbor Passage, which is 8 miles farther than via shallow Lubec Channel.

Gulf of Maine Port Distance Table.

U.S. COAST PILOTS
Office of Charting and Geodetic Services

Issuance: Annually (Pilots 1 through 7); biennially (Pilots 8 and 9).

Users: U.S. Department of Defense; waterborne commerce; U.S. Coast Guard; commercial fisheries; planning, engineering, and developmental projects; foreign governments; and recreational boat owners.

For orders and information, write or call: Distribution Branch, National Ocean Service, NOAA, Riverdale, Md. 20737 (301-436-6990).

United States Coast Pilot

3


Atlantic Coast: Sandy Hook to Cape Henry

Twenty-first Edition
July 1983

U.S. Coast Pilots (sailing directions) is a series of books that contain a wide variety of information important to navigators of U.S. coastal, intracoastal, and Great Lakes waters. Nautical charts by themselves do not present all of the information useful to mariners, particularly when cruising in unfamiliar waters. To fill this void, supplemental textual information is provided the navigator through the *Coast Pilot* publications. This information includes general and local navigational regulations; descriptions of prominent natural and cultural shoreline features; channels, anchorages, dangers, tides, and current characteristics; weather conditions peculiar to an area; and listings of port facilities. The nine published volumes are kept current between new editions through announcements in the *Notice to Mariners*. *Coast Pilots* for the Atlantic Coast are No. 1, Eastport to Cape Cod; No. 2, Cape Cod to Sandy Hook; No. 3, Sandy Hook to Cape Henry; No. 4, Cape Henry to Key West; No. 5, Gulf of Mexico, Puerto Rico, and the Virgin Islands; for the entire Great Lakes area is No. 6, Lake Ontario, Erie, Huron, Michigan, Superior, and St. Lawrence River; for the Pacific Coast is No. 7, California, Oregon, Washington, and Hawaii; for Alaska is No. 8, Dixon Entrance to Cape Spencer and No. 9, Cape Spencer to Beaufort Sea.



U.S. DEPARTMENT OF COMMERCE
National Oceanic and Atmospheric Administration
National Ocean Service



Users: U.S. Department of Defense; National Oceanic and Atmospheric Administration; commercial fisheries; local governments; and recreational boat owners.

Local Notice to Mariners, issued by each U.S. Coast Guard District to disseminate important information affecting navigational safety within the District, includes data compiled by NOS. Since temporary changes to published data that are known or expected to be of short duration are not included in the *District Notice to Mariners*, the appropriate *Local Notice to Mariners* may be the only source of such information. Small-craft owners using the intra-coastal waterways, other waterways, and small harbors that are not normally used by ocean-going vessels require the *Local Notice to Mariners* to keep charts and related publications up to date. NOS also prepares for inclusion chartlets (i.e., revised, page-sized, black-and-white portions of nautical charts) when the changes being announced are too extensive or detailed to be described as a text line in the *Notice*.

WELCOME TO MARINERS
COMMENCED, 5151 EAST WARD DISTRICT
TELEPHONE: 398-6225
PARKWAY, KANSAS CITY

TO: DIRECTOR, FBI WASHINGTON

U.S. GOVERNMENT PRINTING OFFICE: 1962-0

CONFIDENTIAL

SECRET
REF ID: A66089

12271, 12272, 12273, 12274, 12275.

FULL-TEXT

[illegible][illegible]

一、二、三、四、五、六、七、八、九、十、十一、十二、十三、十四、十五、十六、十七、十八、十九、二十、二十一、二十二、二十三、二十四、二十五、二十六、二十七、二十八、二十九、三十、三十一、三十二、三十三、三十四、三十五、三十六、三十七、三十八、三十九、四十、四十一、四十二、四十三、四十四、四十五、四十六、四十七、四十八、四十九、五十、五十一、五十二、五十三、五十四、五十五、五十六、五十七、五十八、五十九、六十、六十一、六十二、六十三、六十四、六十五、六十六、六十七、六十八、六十九、七十、七十一、七十二、七十三、七十四、七十五、七十六、七十七、七十八、七十九、八十、八十一、八十二、八十三、八十四、八十五、八十六、八十七、八十八、八十九、九十、九十一、九十二、九十三、九十四、九十五、九十六、九十七、九十八、九十九、一百。

[illegible]

14-00000

1. 1954年10月1日，在《人民日报》发表《关于正确处理人民内部矛盾的问题》一文，提出正确处理人民内部矛盾的总方针。

NOTICE NO. 13

NOTICE TO MARINERS

Defense Mapping Agency Hydrographic/Topographic Center


Issuance: Weekly.

Users: U.S. Department of Defense; NOS; waterborne commerce; U.S. Coast Guard; commercial fisheries; foreign governments; and recreational boat owners.

For orders and information, write or call: Defense Mapping Agency, Office of Distribution Services, Code: IMA, 6500 Brookes Lane, Washington, D.C. 20315 (202-227-3048).


Notice to Mariners, issued by the U.S. Defense Mapping Agency Hydrographic/Topographic Center, is prepared jointly with NOS and the U.S. Coast Guard. The *Notice*, a public information announcement of primary interest to navigators of deep draft vessels, presents important matters affecting navigational safety, changes to channels, navigational aids, and other information specifically useful for updating the latest editions of nautical charts and publications produced by these agencies. NOS also prepares chartlets—revised, page-sized, black-and-white portions of nautical charts—for inclusion in the *Notice* when the changes being announced are too extensive or detailed to be described as a text item.

NOTICE TO MARINERS



PUBLISHED WEEKLY BY THE
DEFENSE MAPPING AGENCY HYDROGRAPHIC/TOPOGRAPHIC CENTER

PREPARED JOINTLY WITH THE
NATIONAL OCEAN SURVEY AND U.S. COAST GUARD



CONTENTS

	PAGE
SEC. I Chart Corrections	1-1.1
Coast Pilots/Sailing Directions/Fleet Guides ...	1-2.1
Catalog Corrections—New Charts and Pubs ..	1-3.1
Chartlets/Depth Tabulations/Notes	1-4.1
SEC. II Light List Corrections	11-1.1
Radio Navigational Aids Corrections	11-2.1
Other Pub. Corrections	11-3.1
SEC. III Broadcast Warnings	111-1.1
Marine Information—Miscellaneous	111-2.1

SECTION I						NM	
CATALOG CORRECTIONS							
Stock No./Chart No.	Title and contents of charts	Scale(s)	No.	Date	Price	DMATTC	Catalog
NEW CHARTS							
OMEGA7726	Omega Plotting Chart Omega Points: AH, AC, DH, CH, AD 66N 90E; 82N 90E 65N 162E; 56 30N 135 00E	2,187,400	1	8/81	\$4.15	1-N-L, 34 1-N-A, 12, 13, 33	
62AC062440	Asia - Persian Gulf - Southwestern Part - Qatar - United Arab Emirates - Ad Dawhah to Halat al Mubarras (DECCA) 24 00 00N 25 23 00E 51 17 00E 53 27 00E	200,000	1	8/81	4.15	1-N-L, 76 6-16, 17, 26	
NEW EDITIONS							
14916	Wisconsin - Lake Winnebago and Lower Fox River	Various	6	7/81	6.60	1-N-L, 43	
14968	Minnesota - Lake Superior - Grand Portage Bay, Minn. to Shesheeb Point, Ont. (LORAN-C)	120,000	25	6/81	4.50	1-N-L, 43	
26229	West Indies - Cuba - South Coast - Guantanamo Bay	25,000	9	8/81	4.15	1-N-L, 58 2-58	
36000	English Channel (OMEGA)	806,500	30	9/81	4.15	1-N-L, 62 3-28	
53160	Mediterranean Sea - Italy - West Coast - Isola Ponzone to Capo Bonifati (LORAN-C) (Loran-C added)	223,590	11	8/81	4.15	1-N-L, 70 5-18, 34	
53220	Mediterranean Sea - Pantelleria to Malta including Southeast Coast of Sicily (LORAN-C)	230,540	4	8/81	4.15	1-N-L, 70 5-34	
54020	Mediterranean - Greece - Turkey - Aegean Sea (LORAN-C)	768,451	7	8/81	4.15	1-N-L, 71 5-34	
CHARTS CANCELED							
OMEGA7503	Chart canceled (Replaced by 7726)					1-N-L, 33 1-N-A, 10, 11, 33	
15XC015700	Chart canceled (Replaced by 38280, 38300, 38320)					1-N-L, 45, 1-34, 35, 68	

An example of catalog corrections included in the Notice to Mariners.

MARINE WEATHER SERVICES CHARTS (MSC)


National Weather Service

Issuance: Annually.

Users: U.S. Department of Defense; waterborne commerce; U.S. Coast Guard; commercial fisheries; coastal planning; and recreational boat owners.

For orders and information, write or call: Distribution Branch, National Ocean Service, NOAA, Haverdale, Md. 20737 (301-436-6990).

Marine Weather Services Charts, a series of 15 charts list the National Weather Service radio stations and their office telephone numbers, the commercial radio stations that broadcast information on the weather and their schedule of weather reports, and the location of visual storm warning display sites. These charts cover the waters of the United States and Puerto Rico.



MSC-1, Eastport, Maine, to
Montauk Point, N.Y., September 1980.

BATHYMETRIC MAPS

Office of Charting and Geodetic Services


Issuance: As required.

Users: Planning, engineering, and development projects; oil and gas companies; and dredging and mining concerns.

For orders, write or call: Distribution Branch, National Ocean Service, NOAA, 6001 Executive Boulevard, Riverdale, Md. 20737 (301-436-6990).

For information, write or call: Marine Chart Branch, National Ocean Service, NOAA, Rockville, Md. 20852 (301-443-8855).

Bathymetric Maps, topographic maps of the sea floor, portray the size, shape, and distribution of underwater features through the use of depth contours and bathymetric data. These maps, which are not used in marine navigation, serve as the basic tools for performing scientific, engineering, marine, and marine environmental studies required in the development of energy and marine resources. Many of the 1:250,000-scale maps may be ordered with an overprint of the Minerals Management Service mineral lease block information.



Bathymetric Map, Russell, NI 81-5 (OCS), 1981.

TOPOGRAPHIC-BATHYMETRIC MAPS
Office of Charting and Geodetic Services and
the U.S. Geological Survey


Issuance: As required.

Users: Planning, engineering, and development projects; oil and gas companies; and dredging and mining concerns.

**For orders write or call: Distribution Branch,
National Ocean Service, NOAA, Riverdale, Md. 20737
(301-436-6990).**

For information, write or call: Marine Chart Division, National Ocean Service, NOAA, Rockville, Md. 20852 (301-443-8855).

Topographic-Bathymetric Maps is a series of maps at 1:24,000-, 1:100,000-, and 1:250,000-scales, which show a graphic presentation of the sea floor and adjacent land areas through the use of land and water contours and multiple tints. These maps, which are not used for marine navigation, assist scientific, engineering, marine, geophysical, and marine environmental studies that are required in the development of energy and marine resources. The 1:250,000-scale maps are overprinted with Minerals Management Service mineral lease block information.



Beeville, Tex., Topographic Bathymetric Map, NH 14-12, rev. 1978.

STORM EVACUATION MAPS


Office of Charting and Geodetic Services

Issuance: As required.

Users: National Weather Service, local emergency agencies, and land use planners.

For information, write or call: Distribution Branch, National Ocean Service, NOAA, Riverdale, Md. 20737 (301-436-6990).

Storm Evacuation Maps presently include 162 maps at a scale of 1:62,500. These maps are prepared in cooperation with the National Weather Service and other Federal agencies and are produced for high density population areas around the U.S. coastline subject to flooding as a result of river runoff, severe storms, and hurricanes. These maps show the main evacuation and feeder routes and the critical elevations along these routes. The critical elevations show the low points that might be engulfed and the high areas which are more likely to remain above flood waters, thus affording some degree of refuge. Both surfaced and unsurfaced evacuation roads are identified, along with Federal, State, and county route designations and the number of lanes for each road. Other features depicted on the map include the shoreline, areas of marsh and mangrove, airports, railroads, military, State, and county boundary lines, and geographic names. Urban populations and normal and summer populations of resort areas are also shown.



Storm Evacuation Map of the Rappahannock River.

OFFSHORE MINERAL LEASING AREA MAPS


Office of Charting and Geodetic Services

Issuance: Annually.

Users: U.S. Department of Defense, waterborne commerce, U.S. Coast Guard, commercial fisheries, planning, engineering, and development projects.

For orders and information, write or call: Distribution Branch, National Ocean Service, NOAA, Bethesda, Md. 20737 (301-436-6990).

Offshore Mineral Leasing Area Maps are small-scale nautical charts overprinted in red with data obtained from the Minerals Management Services (MMS) to show offshore mineral leasing areas and blocks. These maps, not for navigation nor official leasing block information, are extremely useful for planning purposes because they show block leases for extensive areas, whereas, the official MMS diagrams depict only small areas. The *Offshore Mineral Leasing Area Maps* series presently includes: 1113-A, Havana to Tampa Bay; 1114-A, Tampa to Cape San Blas; 1115-A, Cape San George to Mississippi Passes; 1116-A, Mississippi River to Galveston; 1117-A, Galveston to Rio Grande.



ing Area Map 1113A, Havana to Tampa Bay

TERRITORIAL AND CONTIGUOUS ZONE
MAPS
Office of Charting and Geodetic Services


Source: 23 maps in the series.

Users: U.S. Department of Defense; waterborne commerce; U.S. Coast Guard; commercial fisheries; boundary enforcement; and foreign governments.

For orders and information, write or call: Distribution Branch, National Ocean Service, NOAA, Silver Spring, Md. 20737 (301-436-6990).

Territorial and Contiguous Zone Maps portray the 3- and 12-mile limits, respectively, of the U.S. Maps identified with four-digit numbers and are 50 percent reductions of the standard NOS nautical charts. They are only available in black-and-white. These maps are being replaced by the standard size, full-color nautical charts on which the boundary lines are shown.

All remaining black-and-white reductions are scheduled for replacement with regular issue nautical charts by January 1989.




GEOPHYSICAL MAPS
Office of Charting and Geodetic Services

Issuance: Single issue of 23 maps.

Users: U.S. Department of Defense; waterborne commerce; commercial fisheries; and foreign governments.

For orders and information, write or call: Distribution Branch, National Ocean Service, NOAA, Riverdale, Md. 20737 (301-436-6990).

Geophysical Maps consist of three sheets and sometimes four (a base bathymetric map, a magnetic map, and a gravity map, and where practicable, a sediment overprint—NOS 1308N-17S) and portray a graphic description of bathymetry and geophysical data for selected marine areas. The bathymetric map, when combined with the other three maps, serves as a base for making geological and geophysical studies of the crustal structure and composition of the floor of the ocean. Geophysical maps consist of two series: 1:250,000-scale series, which contains the geophysical data for the Continental Shelf and Slope; and the SEAMAP series at a scale of 1:1,000,000, which covers geophysical data gathered in deep sea areas, including on occasion the adjacent Continental Shelf and Slope.



Geophysical Gravity Map 12042-12G, North Pacific Ocean, Series.

SHORELINE MOVEMENT STUDIES


Office of Charting and Geodetic Services

Issuance: As required.

Users: Coastal geologists and researchers, land use planners, and State and local governments.

For information, write or call: Coastal Engineering Research Center, COE, Kingman Building, Ft. Belvoir, Va. 22060, and/or Photogrammetry Branch, National Ocean Service, NOAA, 6001 Executive Boulevard, Rockville, Md. 20852 (301-443-8405). At present, there is only one series: a set of 18 maps of Cape Henry, Va., to Cape Hatteras, N.C., which is obtainable from the Distribution Branch, National Ocean Service, NOAA, Riverdale, Md. 20737 (301-436-6990).

The *Shoreline Movement Studies* is a cooperative program between the Photogrammetry Branch in the National Ocean Service and the Coastal Engineering Research Center in the U.S. Corps of Engineers Waterways Experiment Station to study shoreline position changes over time. The maps, at a scale of 1:24,000, depict the contemporary mean high water (MHW) shoreline and historic survey data contained in NOS archives. Primary emphasis is given to the ocean and bay shorelines of barrier islands. A joint NOS/U.S. Army Corps of Engineers Waterways Experiment Station Report is written to analyze shoreline change rates and suggest possible causes for these changes. Studies are completed for selected geographic areas and will be completed as additional cooperative agreements are arranged. The only set currently available is from Cape Henry, Va., to Cape Hatteras, N.C., with 18 maps.



Shoreline changes in Oregon Inlet, N.C.
from a shoreline movement study.

DATES OF LATEST EDITIONS— NAUTICAL CHARTS Office of Charting and Geodetic Services

Issuance: Quarterly.
Users: National Ocean Service nautical chart users.
For orders and information, write or call: Distribution Branch, National Ocean Service, NOAA, Riverdale, Md. 20737 (301-436-6990).

The *Dates of Latest Editions—Nautical Charts*, lists the dates of the current nautical chart editions. Revisions of nautical charts are made at regular intervals because the environment that the charts portray changes over time, making further use of an out-of-date edition in navigation potentially dangerous. Therefore, a "new edition" reflects changes of such importance to navigation that all previous printings of the chart are obsolete. Revisions may be based on corrections from the *Notice to Mariners* and/or other sources. A "revised print" of a chart indicates a revision that does not supersede a current edition. The number and date of a "new edition" are shown in the lower left corner of the chart.

U.S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL OCEAN SERVICE
ROCKVILLE, MD. 20852

DATES OF LATEST EDITIONS Nautical Charts & Misc. Maps

OCTOBER 1, 1983

(Issued Quarterly)

Charts with edition dates prior to those listed are obsolete for use in navigation

LEGEND

- ① NEW CHART - No prior edition
- ② NEW EDITION - Prior edition is now OBSOLETE
- ③ DISCONTINUED - Chart is cancelled and no longer available
- ④ REVISED PRINTING - Charts with an Edition Date or a Revised Date prior to that listed are cancelled and must be removed from Agents stock.
- ⑤ Includes Loran-A Lines of Position
- ⑥ Includes Loran-C Lines of Position
- ⑦ Includes Loran-A and Loran-C Lines of Position
- SC Small Craft Chart
- M Metric
- / Feet-Fathoms and Metric back to back
- Ω Omega

NEW NUMBERING SYSTEM

Effective July 1, 1974, the National Ocean Service, in cooperation with the Defense Mapping Agency Hydrographic Center, began a new national chart numbering system designed to provide a uniform method of identifying charts. Effective October 1, 1977 charts should be ordered by the new number.

MAIL CHART ORDERS TO:
Distribution Branch N/CG33
National Ocean Service
Riverdale, Md. 20737

Enclosed in U.S. FUNDS remittance payable to NOS, N/CG33, Department of Commerce.

IMPORTANCE OF UP-TO-DATE CHARTS

The date of a chart is of vital importance to the navigator. When charted information becomes obsolete, further use of the chart for navigation may be dangerous. Natural and artificial changes, many of them critical, are occurring constantly, and it is important that navigators use up-to-date charts.

The publisher can be up-dated between printings by referring to the *Notice to Mariners* published by the U.S. Coast Guard District Offices and the Defense Mapping Agency Hydrographic Center.

CHART NUMBER	SCALE	PRICE	EDITION NUMBER	EDITION DATE	LATEST REVISED DATE
12358	40,000	5.50	14	Jul 10 1982	
12359 SC	40,000	5.50	2	Jul 10 1982	
12360	10,000	5.50	14	Apr 8 1979	
① 12361	40,000	5.50	31	Jul 28 1983	
12364 SC	40,000	4.75	22	Nov 13 1982	
12365	20,000	5.50	18	Mar 17 1979	
12366	20,000	5.50	18	Aug 8 1981	Apr 11 1981
12367	20,000	5.50	16	Aug 29 1981	
12368	20,000	5.50	17	Feb 27 1982	
12369	20,000	5.50	14	Aug 28 1982	
12370	20,000	5.50	14	Jul 24 1983	
12371	20,000	5.50	19	Oct 2 1982	
12372 SC	40,000	4.75	21	Sep 18 1982	
12373	20,000	5.50	12	May 23 1981	
12374	20,000	5.50	10	Jul 21 1979	
12375	20,000	5.50	10	May 6 1983	
12377	20,000	5.50	10	Feb 14 1981	
13003	1,200,000	5.50	35	Jun 5 1982	
13006	775,000	5.50	25	Sep 18 1982	
13009	500,000	5.50	21	Sep 18 1982	
13010	400,000	5.50	24	Nov 28 1981	
13204	220,000	5.50	27	Jan 30 1982	
13205	60,000	5.50	16	Apr 30 1983	
13210 SC	40,000	5.50	3	Jun 10 1982	
13211	20,000	5.50	10	Jun 13 1981	
13212	20,000	5.50	29	Jan 1 1983	
13213	10,000	5.50	39	Apr 17 1982	
13214	20,000	5.50	10	Aug 25 1979	
13215	40,000	5.50	10	Mar 12 1983	
13217	15,000	5.50	3	Jun 19 1982	
13218	80,000	5.50	26	Jan 8 1980	
13219	15,000	5.50	6	Mar 30 1982	
① 13221	40,000	5.50	43	May 28 1983	
① 13222 SC	40,000	4.75	18	Jul 10 1982	
13223	20,000	5.50	28	Jan 10 1982	
13224	20,000	5.50	30	Jun 13 1981	
13225	10,000	5.50	10	Jun 7 1980	
13227	10,000	5.50	10	Mar 1 1980	
13228	20,000	5.50	7	Sep 25 1982	
13229 SC	40,000	4.75	19	Feb 26 1983	
13230	40,000	5.50	33	Oct 30 1982	
13231	40,000	5.50	10	Jun 20 1981	
13232	10,000	5.50	31	May 30 1981	
① 13237	20,000	5.50	30	Jun 27 1981	
13238	20,000	5.50	30	Jun 18 1983	
① 13240	40,000	5.50	10	May 18 1981	
① 13242	10,000	5.50	13	Nov 7 1981	
① 13244	40,000	5.50	18	Jun 11 1983	
13245	20,000	5.50	32	Jul 20 1983	
13246	20,000	5.50	32	Jul 27 1982	
13247	20,000	5.50	10	Sep 5 1981	
13248	20,000	5.50	7	Mar 1 1980	
13251	20,000	5.50	13	Apr 11 1981	
13252	20,000	5.50	12	Jun 27 1981	
13253	20,000	5.50	28	Mar 27 1982	
13254	20,000	5.50	28	Oct 17 1981	
13255	20,000	5.50	47	Sep 10 1980	
13256	20,000	5.50	35	Mar 20 1982	
13257	20,000	5.50	35	Mar 20 1982	
13258	20,000	5.50	15	Mar 20 1982	
13259	20,000	5.50	31	May 30 1984	
13260	20,000	5.50	16	May 30 1981	
① 13274 SC	40,000	5.50	19	Jul 4 1981	
13275	20,000	5.50	23	May 5 1983	
① 13276	20,000	5.50	12	May 7 1983	
13281	20,000	5.50	12	May 28 1982	
13282	20,000	5.50	12	Apr 18 1982	
13283	20,000	5.50	12	Apr 10 1982	

Title page and entries from the *Dates of Latest Editions—nautical charts*.

NAUTICAL CHART CATALOGS 1 THROUGH 4 AND MAP AND CHART CATALOG 5
Office of Charting and Geodetic Services

Issuance: Annually.

Users: General public.

For orders and information, write or call: Distribution Branch, National Ocean Service, NOAA, Riverdale, Md. 20737 (301-436-6990).



**NAUTICAL CHART CATALOG 4
UNITED STATES**

GREAT LAKES
and adjacent waterways



NAUTICAL CHART CATALOG 3

UNITED STATES

ALASKA



NAUTICAL CHART CATALOG 2

UNITED STATES

PACIFIC COAST



NAUTICAL CHART CATALOG 1

UNITED STATES

**ATLANTIC AND
GULF COASTS**

Including Puerto Rico and the Virgin Islands




MAP AND CHART CATALOG 5

UNITED STATES

**BATHYMETRIC MAPS and
SPECIAL PURPOSE CHARTS**



NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION



NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL OCEAN SERVICE


OCEAN SURVEY SHEETS (OSS)
Office of Charting and Geodetic Services

Issuance: 30 plotting sheets.

Users: Waterborne commerce and Federal mapping agencies.

For orders and information, write or call: Data Control Station, Hydrographic Survey Branch, National Ocean Service, NOAA, 6001 Executive Boulevard, Rockville, Md. 20852 (301-443-8408).

NOS Ocean Survey Sheets is a series of 30 plotting sheets designed to conform closely to the U.S. Navy Bathymetric Sheets and used primarily for NOS track line surveys. The OSS, published at twice the scale of the U.S. Navy Sheets, are used to span the area from latitude $0^{\circ} 30' S$ to $72^{\circ} 30' N$ and are turned 180° for use in southern latitudes.



LIMITS OF SHEETS

OSS-1	Latitude $0^{\circ} 30' N$ to $0^{\circ} 30' N$
OSS-2	Latitude $0^{\circ} 30' N$ to $0^{\circ} 30' N$
OSS-3	Latitude $0^{\circ} 30' N$ to $0^{\circ} 30' N$
OSS-4	Latitude $0^{\circ} 30' N$ to $0^{\circ} 30' N$
OSS-5	Latitude $0^{\circ} 30' N$ to $0^{\circ} 30' N$
OSS-6	Latitude $0^{\circ} 30' N$ to $0^{\circ} 30' N$
OSS-7	Latitude $0^{\circ} 30' N$ to $0^{\circ} 30' N$
OSS-8	Latitude $0^{\circ} 30' N$ to $0^{\circ} 30' N$
OSS-9	Latitude $0^{\circ} 30' N$ to $0^{\circ} 30' N$
OSS-10	Latitude $0^{\circ} 30' N$ to $0^{\circ} 30' N$
OSS-11	Latitude $0^{\circ} 30' N$ to $0^{\circ} 30' N$
OSS-12	Latitude $0^{\circ} 30' N$ to $0^{\circ} 30' N$
OSS-13	Latitude $0^{\circ} 30' N$ to $0^{\circ} 30' N$
OSS-14	Latitude $0^{\circ} 30' N$ to $0^{\circ} 30' N$
OSS-15	Latitude $0^{\circ} 30' N$ to $0^{\circ} 30' N$
OSS-16	Latitude $0^{\circ} 30' N$ to $0^{\circ} 30' N$
OSS-17	Latitude $0^{\circ} 30' N$ to $0^{\circ} 30' N$
OSS-18	Latitude $0^{\circ} 30' N$ to $0^{\circ} 30' N$
OSS-19	Latitude $0^{\circ} 30' N$ to $0^{\circ} 30' N$
OSS-20	Latitude $0^{\circ} 30' N$ to $0^{\circ} 30' N$
OSS-21	Latitude $0^{\circ} 30' N$ to $0^{\circ} 30' N$
OSS-22	Latitude $0^{\circ} 30' N$ to $0^{\circ} 30' N$
OSS-23	Latitude $0^{\circ} 30' N$ to $0^{\circ} 30' N$
OSS-24	Latitude $0^{\circ} 30' N$ to $0^{\circ} 30' N$
OSS-25	Latitude $0^{\circ} 30' N$ to $0^{\circ} 30' N$
OSS-26	Latitude $0^{\circ} 30' N$ to $0^{\circ} 30' N$
OSS-27	Latitude $0^{\circ} 30' N$ to $0^{\circ} 30' N$
OSS-28	Latitude $0^{\circ} 30' N$ to $0^{\circ} 30' N$
OSS-29	Latitude $0^{\circ} 30' N$ to $0^{\circ} 30' N$
OSS-30	Latitude $0^{\circ} 30' N$ to $0^{\circ} 30' N$
OSS-31	Latitude $0^{\circ} 30' N$ to $0^{\circ} 30' N$
OSS-32	Latitude $0^{\circ} 30' N$ to $0^{\circ} 30' N$
OSS-33	Latitude $0^{\circ} 30' N$ to $0^{\circ} 30' N$
OSS-34	Latitude $0^{\circ} 30' N$ to $0^{\circ} 30' N$
OSS-35	Latitude $0^{\circ} 30' N$ to $0^{\circ} 30' N$

ection of OSS-22 and index.


PLOTTING SHEETS FOR GENERAL BATHYMETRIC CHARTS OF THE OCEANS Office of Charting and Geodetic Services

Issuance: 26 sheets at present.

Users: U.S. Department of Defense; waterborne commerce; U.S. Coast Guard; commercial fisheries; planning, engineering, and development projects; and foreign governments.

For orders and information, write or call: Distribution Branch, National Ocean Service, NOAA, Riverdale, Md. 20737 (301-436-6990).

The *General Bathymetric Charts of the Oceans* is a series of 26 plotting sheets for the Gulf of Alaska, the Beaufort Sea, parts of the North Pacific Ocean above 45° north, and the eastern portion of the Bering Sea. These charts were produced by NOS under the auspices of the International Hydrographic Organization. They contain only numerical bathymetric information, designated as Corrected Sounding Compilation (CSC), Uncorrected Sounding Overlay (USO), and Origin of Sounding Overlay (OSO). A listing of these sheets are shown in the *NOS Map and Chart Catalog 5*.



- + Includes only depth information available only to that date.
- i Incomplete
- * CSC = Corrected sounding compilation available
- * USO = Uncorrected sounding overlay available
- * OSO = Origin of soundings overlay available
- * Ozalid copies available.
- * Stable base plastic positives available at current cost.

AERIAL PHOTOGRAPHS


Office of Charting and Geodetic Services

Issuance: As required.


Users: National Ocean Service, U.S. Department of Defense, U.S. Department of the Interior, and U.S. Department of Energy; engineering, design, and survey projects; academia; and foreign governments.

For orders and information, write or call: Photogrammetry Branch, Office of Charting and Geodetic Services, National Ocean Service, NOAA, 6001 Executive Boulevard, Rockville, Md. 20852 (301-443-8601).

Aerial Photographs, together with hydrographic shoreline surveys, today provide the basic data base for compiling coastal maps. The transition from plane table surveys to aerial photogrammetry in the U.S. Coast and Geodetic Survey (a forerunner of NOS) began in 1927. Furthermore, panchromatic film, which had been used in aerial photogrammetry, has been replaced by regular color emulsions on the standard imagery, with supplemental color infrared and black-and-white infrared photography being used more and more frequently within the last 5 years. NOS produces 60 percent of the photography in support of its nautical charting operations and 40 percent in support of the NOS/FAA Airport Survey Program. The NOS/FAA photographs which NOS compiles ultimately into *Airport Obstruction Charts*, are first compiled into a manuscript for a field survey party to edit. The photography shows the various flight lines and the center point of each frame and is limited to strictly black-and-white panchromatic film. All aerial photographs are shown in indexes: a 1° x 1° index for the coastal areas and an airport index for airport photography. Different indexes are available for color, color infrared, panchromatic, and black-and-white infrared photography. The basic size of each photograph is 9"x9", with enlargements up to four times available for all panchromatic prints. In addition, black-and-white film positives are available.



Index to NOS panchromatic photography.



Aerial Photograph of the vicinity of Atlantic City, New Jersey.

HYDROGRAPHIC SURVEYS

Office of Charting and Geodetic Services

Issuance: As required.

Users: National Ocean Service, oil and gas companies, law firms, engineering and development projects, academia, and private industries.

For orders and information, write or call: Data Control Section, Hydrographic Surveys Branch, National Ocean Service, NOAA, 6001 Executive Boulevard, Rockville, Md. 20852 (302-443-8408).


Hydrographic Surveys (smooth sheets) are detailed survey studies of water areas and provide the least depth on shoals; the controlling depths in natural waterways; and the positions of islands, rocks, reefs and obstructions. Horizontal control for NOS hydrographic surveys has always been based on the geodetic control network. From this basic control, early survey points were established on which horizontal sextant fixes were taken to position the sounding vessel. Out of sight of land, various methods were used for positioning on the early surveys, including precise dead reckoning, until later Radio Acoustic Ranging and still later Shoran and EPI (electronic positioning indicators) were devised. Today, when modern electronic methods are inappropriate, sextant fix methods are still used. Most NOS hydrographic data are now collected by computer supported field systems (Hydroplot/Hydrolog), which output the information in both graphic and digital form. Accurate vertical control of hydrographic surveys is tied to tidal observation; and other pertinent corrections are tied to the raw soundings, according to the type of sounding equipment utilized. Most hydrographic surveys are reduced to true depths below an accepted datum plane (such as mean lower low water). There are four types of hydrographic surveys:

Basic Hydrographic Surveys are performed to standards that assure the survey area has been investigated systematically. This means the depths are acquired at a spacing sufficient to reasonably ensure all underwater hazards to navigation have been found; the configuration of the bottom, including channels, shoals, banks, and reefs, can be detailed correctly on the chart; the least depths over all known dangers to navigation are determined; appropriate landmarks and fixed aids to navigation are properly described and positions adequately determined; bottom samples are obtained at a frequency to define the general physical characteristics of the bottom; observations are obtained to provide necessary calibration of all data acquisition systems used in the survey; and the survey data acquired are adequate to supersede all prior survey data for the area. This type of survey is performed in both the near and offshore areas and comprises the largest number of surveys NOS performs.

Navigable Area Surveys (NAS) are designed to provide detailed contemporary hydrographic survey data in areas of increased marine traffic where little or no contemporary data exists. Retaining the general principles of basic surveys, the coverage required under this survey concept is less comprehensive in that the coverage does not require the development of the hydrography in nearshore areas nor does it require a complete field edit of the survey area. These surveys are designed to acquire chart data in a rapid manner, so that a chart can be updated as quickly as possible.

Chart Evaluation Surveys (CES) are designed to resolve reported chart discrepancies or deficiencies, to evaluate the adequacy or accuracy of the chart, to acquire the data necessary for maintaining the chart in a current data status, and to assist in the determination of need for more extensive surveys.

Wire Drag Surveys are designed to investigate reported underwater obstructions and to assure that depths shallower than those found by basic surveys do not exist, or if they do exist, are located and a least depth determined.




**TOPOGRAPHIC SURVEYS AND
PLANIMETRIC SHORELINE MAPS**
Office of Charting and Geodetic Services

Issuance: As required.

Users: National Ocean Service.

For orders and information, write or call: Data Control Section, National Ocean Service, NOAA, 6001 Executive Boulevard, Rockville, Md. 20852 (301-443-8408).



Topographic Surveys (Shoreline maps, topo sheets or T-sheets) are surveys of the land features of an area and limited in extent dictated by varying nautical chart requirements, generally to a distance of 1- to 10-kilometers inland from the shoreline. Topographic Surveys vary not only in coverage but also in content. Some may show only the shoreline and planimetric features immediately adjacent to the shoreline; others may be complete planimetric maps, covering the limits of the entire map; and still others may show contouring and spot elevations. The body of a Topographic Survey may contain the mean high water line, the sounding datum line, landmarks and aids to navigation, land contours and spot elevations, photobathymetry, onshore and offshore details, roads, railroads, buildings, marsh, swamp, streams, boundary lines, and numerous other planimetric features.

These Topographic Surveys along with Hydrographic Surveys have been used by NOS for the production and maintenance of nautical charts since 1835. Consequently, over 23,000 individual Topographic and Hydrographic Surveys are on file in the NOS archives. These surveys represent a unique and comprehensive record of the coastline and the adjacent waters, showing conditions existing on particular dates for more than a century and providing a detailed record of the changes that have occurred from both natural and artificial causes. Most of the Topographic Survey sheets have been compiled at scales of 1:10,000 or 1:20,000. A number of harbor areas have been completed at 1:5,000 scale.

DESCRIPTIVE REPORTS
Office of Charting and Geodetic Services

Issuance: As required.

Users: National Ocean Service.

For orders and information, write or call: Data Control Section, Hydrographic Surveys Branch, National Ocean Service, 6001 Executive Boulevard, Rockville, Md. 20852 (301-443-8408).

Diagram No. 369-5 & 1215-3

NOAA FORM 76-35A	
U.S. DEPARTMENT OF COMMERCE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION NATIONAL OCEAN SURVEY	
DESCRIPTIVE REPORT	
Type of Survey	HYDROGRAPHIC
Field No.	WH-10-2-79
Office No.	H-9859
LOCALITY	
State	NEW YORK
General Locality	NEW YORK HARBOR
Locality	Lower Bay to the Narrows
1979-50	
CHIEF OF PARTY	
CDR...K...W...KIENINGER & CDR...F.P. ROSSI	
LIBRARY & ARCHIVES	
DATE	Oct. 27, 1981

A *Descriptive Report*, which accompanies most hydrographic and topographic surveys, serves as a narrative document describing the conditions under which the survey work was performed and discusses various factors affecting the adequacy and accuracy of the results. The report directs attention to important results of the survey and supplements the survey sheets and sounding records with additional information that cannot be shown clearly, concisely, or graphically on the sheets or in tabular form. The report also assists NOS cartographers in their functions of compilation and verification which are necessary to produce nautical charts from the data gathered during a survey. The report also serves to reference and index all records and other reports applicable to a survey and to give in concise form required information on certain standard subjects, such as the area surveyed, the control stations, the aids to navigation, and the geographic names list.

There are four deficiencies on the current shoreline manuscripts noted by the present survey which are as follows:

1. The Landfill area in the vicinity of Latitude $40^{\circ}15.58'$, Longitude $74^{\circ}00.02'$.
2. The Landfill area in the vicinity of Latitude $40^{\circ}15.42'$, Longitude $74^{\circ}01.36'$.
3. The pier at Latitude $40^{\circ}16.49'$, Longitude $74^{\circ}02.16'$.
4. The outfall under construction at Latitude $40^{\circ}16.73'$, Longitude $74^{\circ}04.56'$.

All of these deficiencies are discussed in section 7 of this report with the exception of the outfall which is recommended to be charted as defined by the present survey.

3. Hydrography

- a. Depths at crossings are in good agreement.
- b. Depth contours were drawn at the standard intervals. The supplemental 36-foot contour was added for additional delineation of deep water navigational areas. Brown curves were added to portray features not apparent from standard and supplemental contours.
- c. The development of the bottom configuration and investigation of least depths is considered adequate with the following exceptions:
 - 1) The development of Coney Island Creek is not considered sufficient to delineate the bottom configurations.
 - 2) The shoal in the vicinity of Latitude $40^{\circ}16.45'$, Longitude $74^{\circ}02.22'$ with present survey depths of 11 feet is not considered sufficiently developed to verify or disprove a charted 10-foot shoal in the area.
 - 3) A six-foot shoal found by the present survey at Latitude $40^{\circ}16.86'$, Longitude $74^{\circ}03.36'$ is not considered sufficiently developed to ascertain that the least depth was obtained.
 - 4) Shoaling of 7 to 9 feet found by the present survey in the vicinity of Latitude $40^{\circ}16.42'$, Longitude $74^{\circ}02.13'$ is not considered sufficiently developed to verify or disprove a charted 6-foot shoal in the area.

4. Condition of Survey

The soundings records, smooth sheet and accompanying overlays, hydrographic records, and Descriptive Report are adequate and conform to the requirements of the *Hydrographic Manual* with the following exceptions:

- a. Bar checks were not as frequent as prescribed in section 1.5.2 of the *Hydrographic Manual*. Seventeen out of a possible fifty-two bar checks were taken, also only two T.D.C. casts were made.
- b. The Geographic Names List was not complete as prescribed in section 5.1.5 of the *Hydrographic Manual*.

Cover of a Descriptive Report and data entries:


GRAPHIC DEPTH RECORDS (ECHOGRAMS)
Office of Charting and Geodetic Services

Issuance: As required.

Users: National Ocean Service.

For orders and information, write or call:
Hydrographic Surveys Branch, National Ocean Service, NOAA, 6001 Executive Boulevard, Rockville, Md. 20852 (301-443-8231).

Graphic Depth Records, the official field records of soundings for manually recorded surveys, are permanent graphic or analog records of the bottom profile produced by the echo sounders used in NOS hydrographic surveys. NOS has, since World War II, accumulated an enormous volume of continuous depth profiles, representing virtually every sounding line on every survey. A large amount of this collected information is available only in the original graphic form. However, because of the difficulties inherent in making useable copies of these records, it is preferred that interested parties make arrangements well in advance for viewing the originals in Rockville, Md.



Graphic Depth Record for a portion of San Francisco Bay.

SOUNDING VOLUMES

Office of Charting and Geodetic Services

Issuance: As required.

Users: National Ocean Service.

For orders and information, write or call: Hydrographic Surveys Branch, National Ocean Service, NOAA, 6001 Executive Boulevard, Rockville, Md. 20852 (301-443-8408).

Sounding Volumes include raw soundings hand-recorded from hydrographic surveys performed mostly before 1964; necessary correctors to reduce the depth to the sounding datum; and fixed values used to determine the position of the vessel. All data in the volumes are recorded by time, day, and position number and referenced to a hydrographic survey sheet; i.e., position numbers in the *Sounding Volumes* can be identified with position numbers shown on the hydrographic sheet. Sounding Volumes have been supplemented increasingly by flexowriter or teletype printouts since 1964 when automatic data acquisition was initiated in the field and began to replace the former method of hand-recording in bound volumes. Virtually all records of hydrographic data today are in flexowriter or teletype printout form; however, soundings of an automated hydrographic survey can still be related by position number to the raw data printouts.

HYDROGRAPHY

Locality COAST OF MAINE										Reference FRENCHMAN BAY									
Date July 16, 1974										East with Launch 1272 (ANP), 1974									
SOUNDING VOLUME										POLYMER CONTROL DATA									
TIME	WIND	WAVE	SEA	SWELL	WIND	WAVE	SEA	SWELL	WIND	WAVE	SEA	SWELL	WIND	WAVE	SEA	SWELL			
151	16.31	20	0.5	2.5	0.0	15													
20	10					61													
41	15	5.5	0.5	2.5	0.0	45	5												
17	16	0				42													
10	17	5				33	5												
152	17	0				31													
20	17	5				17	5												
18	17	0				13													
20	18	0				18	1												
17	18	0				5	8												
17	18	5				10	7												
13	11	5				11	2												
13	10	5				0	1												
14	0	0				3	0												
20	1	0				2	3												
7	5	0				5	3												
153	10	10				7	6												
16	14	12				11	2												
16	14	0				11	2												
* leading depth																			

Manually recorded survey (NOAA Form 77-44, "Soundings") using visual sextant control and showing the application of rules for entering corrections and remarks

(JULY 4, 1976)

Page from a Sounding Volume.

AUTOMATED WRECK AND OBSTRUCTION INFORMATION SYSTEM

Office of Charting and Geodetic Services

Issuance: As requested.

Users: National Ocean Service survey planners, commercial salvagers, scuba divers, and private researchers.

For information, write or call: Hydrographic Surveys Branch, Office of Charting and Geodetic Services, National Ocean Service, NOAA, 6001 Executive Boulevard, Rockville, Md. 20852 (301-443-8752).

The Automated Wreck and Obstruction Information System is an automated file which contains information relative to wrecks and obstructions in areas subject to NOS hydrographic survey. Items in the file are individually catalogued and are accompanied by historic and descriptive information gathered from field observations and Government and private publications. All items have a position in latitude and longitude, a position accuracy code, a charted symbol code, and a chart number. Each item has also been evaluated for the adequacy of the available information as it relates to future survey and nautical charting activities and may carry a specific recommendation for the type of survey investigation required to improve the quality of known information.

SILVER SPRAY 000000 41 48 2839N 087 35 0125W Y 330098 *1 14900

HISTORY

I2232/64

CES 14926--OPR-Y411-HSB-80, ITEM 3: INVESTIGATED 6/20/80, BOILER EXPOSED 0.7 FT AT LWD, MEASURES 5 X 10 FT., REMAINS OF VESSEL SILVER SPRAY, SUNK 1914, WOODEN HULLED PASS. STMR; MARINE POLICE SAY NEVER OBSERVED BOILER EXPOSED AND CONSIDER IT A DANGEROUS OBSTRUCTION, LOCALLY KNOWN TO BOATERS AND REFERRED TO AS, THE BOILER; A DIVER INVESTIGATION FAILED TO FIND ANY ADDITIONAL REMAINS OF WRECK; POS. DETERMINED BY R/AZ.

DESCRIPTION

26 PASS STEAMER, 109 FT L, 22 FT W, 8.3 FT D; SUNK 1914 ON CHICAGO LAKEFRONT WOOD HULL GONE, BOILER, PROP SHAFT, SMALL TANK REMAIN AS OF REPORT DATE OF 1/62; COE CONSIDERED REMOVAL UNNECESSARY SINCE IN SHALLOW, ROCKY AREA, SUBSEQUENTLY STRUCK BY PRIVATE VESSEL WITH EXTENSIVE DAMAGE, RESULTING IN CIVIL ACTION 62 C 1364 AGAINST USA, REPORTED POSITION WAS LAT. 41-48-28.39N, LONG. 87-35-01.25W.

SURVEY REQUIREMENTS

FULL; STATUS CHECK

Wreck file data for the steamer SILVER SPRAY.

COASTAL MAPPING HANDBOOK 1978
Office of Charting and Geodetic Services

Issuance: Once only.

Users: Engineering and planning agencies and academia.

For orders and information, write or call: Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402 (202-783-3238).

The *Coastal Mapping Handbook, 1978*, was designed to help planners and managers of coastal programs in determining their mapping requirements, selecting the best maps and charts for their particular needs, and communicating effectively with personnel who gather data and prepare maps.

**A HISTORY OF FLYING AND
PHOTOGRAPHY IN THE
PHOTOGRAMMETRY DIVISION OF THE
NATIONAL OCEAN SURVEY, 1919-79.**

Office of Charting and Geodetic Services

Issuance: Once only.

Users: Developers of photogrammetry techniques and historians.

For orders and information, write or call: Photogrammetry Branch, National Ocean Service, NOAA, 6001 Executive Boulevard, Rockville, Md. 20852 (301-443-8744).

A History of Flying and Photography in the Photogrammetry Division of the National Ocean Service, 1919-79 is comprehensive and extensively illustrated. It provides background data for future developments in the field through the detailing of the numerous, and sometimes colorful, successes and failures encountered regularly by the Division's dedicated personnel, who through the years strived to realize the full potential of this technically productive field. This history also describes the many...

{
f
{

AERONAUTICAL CHARTING SERVICES

The National Ocean Service compiles the aeronautical charts required for safe flight in the National Airspace System. Aeronautical charts and related publications are the primary means of providing users of the National Airspace System with a graphic and narrative description of U.S. airways, navigation facilities, airports, arrival and departure procedures, safe operating procedures, air traffic rules and regulations, and services offered by the air traffic control system in the form most suitable for operational use.

Most of the NOS aeronautical publications are prepared by the NOS Office of Charting and Geodetic Services, Aeronautical Charting Division, which also directs the Survey's reproduction facility where nautical, aeronautical, and related publications are printed. This facility engages in and utilizes all processes for making lithographic copy from manuscript, which include negative engraving, type composition, photographic processes, plate making, multi-color press printing, and finishing (bindery) operation.

The Aeronautical Charting Division also plans and directs the distribution of all NOS charts and related publications to other Government agencies, sales agents, and the general public. These charts and publications include nautical and aeronautical products produced by NOS and certain charts printed by the U.S. Defense Mapping Agency Aerospace Center.

The Air Commerce Act of 1926 marked the beginning of a comprehensive and organized effort to regulate air commerce. In the Act, the Secretary of Commerce was authorized to provide accurate charts for air navigation. The Act also defined the relationship between the agency that establishes the air navigation facilities and manages the National Airspace System, the Federal Aviation Administration—FAA, and the agency that produces the required charts and related graphics—NOS. The FAA determines operational requirements for aeronautical charts and publications and identifies coverage, content, and standards of material to be used for operating in the National Airspace System. In turn, NOS supports and assists the FAA in the production aspects of the chart design and program development. NOS compiles, prints, and distributes aeronautical charts and engages in the development of advanced cartographic techniques and design.

The aeronautical charts produced by NOS serve the needs of aviation in the United States and are sold by subscription to users among the more than 800,000 civilian pilots in private and commercial aviation. NOS provides aeronautical charts to the U.S. Defense Mapping Agency Aerospace Center for some domestic military requirements. In addition, special aeronautical charts, chart supplements, and data are provided for the use of FAA air traffic controllers in managing the National Airspace System. NOS and its predecessor agency, the U.S. Coast and Geodetic Survey, have produced these aeronautical products since the birth of civil aviation.

VISUAL FLIGHT RULES/INSTRUMENT FLIGHT RULES (VFR/IFR) WALL PLANNING CHART

Office of Charting and Geodetic Services


Issuance: Every 56 days.

Users: Airport planning staff and pilots.

For orders and information, write or call: Distribution Branch, National Ocean Service, NOAA, Riverdale, Md. 20737 (301-436-6990).

The VFR/IFR Wall Planning Chart, which is in two parts, is assembled to form a composite Wall Planning Chart on one side and an IFR Planning Chart on the other. The chart is at of 1:32 nautical miles and measures 82" x 56" information on the IFR side of the chart includes altitude airways and mileages, navigational facilities, special use airspace areas, time zones, airport training routes, and related data. Information on the VFR side of the chart includes selected places, bodies of water, major drainage relief, navigational facilities, airports, special airspace areas, military routes, isogonic lines, and data. VFR/IFR Wall Planning Charts can be flat or folded.


1R-67 500 AGL TO 6000	VR-704 100 AGL TO 10000	VR-1169 SURFACE TO 1500 AGL
1R-70 500 AGL TO 5000	VR-705 100 AGL TO 9500	VR-1183 100 AGL TO 1500 AGL
1R-74 100 AGL TO 7000	VR-707 100 AGL TO 10000	VR-1194 100 AGL TO 1500 AGL
1R-75 SURFACE TO FL210	VR-709 500 AGL TO 5500	VR-1195 500 AGL TO 1500 AGL
1R-77 5000 TO 6000	VR-724 SURFACE TO 7000	VR-1196 500 AGL TO 1500 AGL
1R-78 5000 TO 6000	VR-725 SURFACE TO 7000	VR-1515 100 AGL TO 1500 AGL
1R-79 7000 TO 10000	VR-840 SURFACE TO 7000	VR-1516 SURFACE TO 1600 AGL
1R-80 8000 TO 10000	VR-841 SURFACE TO 7000	VR-1517 500 AGL TO 1500 AGL
1R-81 9000 TO 10000	VR-842 SURFACE TO 7000	VR-1624 500 AGL TO 1500 AGL
1R-82 9000 TO 10000	VR-1001 250 AGL TO 1500 AGL	VR-1625 500 AGL TO 1500 AGL
1R-83 9000 TO 10000	VR-1002 200 AGL TO 1500 AGL	VR-1626 500 AGL TO 1500 AGL
1R-84 500 AGL TO 7000	VR-1003 200 AGL TO 1500 AGL	VR-1627 SURFACE TO 1500 AGL
1R-85 500 AGL TO 3000	VR-1004 200 AGL TO 1500 AGL	VR-1628 SURFACE TO 1500 AGL
1R-86 500 AGL TO 3000	VR-1005 200 AGL TO 1500 AGL	VR-1629 SURFACE TO 1500 AGL
1R-87 100 AGL TO 11000	VR-1006 200 AGL TO 1500 AGL	VR-1630 300 AGL TO 1500 AGL
1R-90 100 AGL TO 11000	VR-1007 200 AGL TO 1500 AGL	VR-1631 500 AGL TO 1500 AGL
1R-91 SURFACE TO 3000	VR-1008 200 AGL TO 1500 AGL	VR-1632 500 AGL TO 1500 AGL
1R-97 1000 TO 4000	VR-1009 200 AGL TO 1500 AGL	VR-1633 500 AGL TO 1500 AGL
1R-117 SURFACE TO 4500	VR-1010 200 AGL TO 1500 AGL	VR-1634 500 AGL TO 1500 AGL
1R-120 100 AGL TO 9000	VR-1015 500 AGL TO 1500 AGL	VR-1635 100 AGL TO 1500 AGL
1R-121 100 AGL TO 4000	VR-1016 500 AGL TO 1500 AGL	VR-1636 100 AGL TO 1500 AGL
1R-122 300 AGL TO FL190	VR-1020 1000 AGL TO 1500 AGL	VR-1637 500 AGL TO 1500 AGL
1R-127 SURFACE TO 4500	VR-1021 500 AGL TO 1500 AGL	VR-1638 100 AGL TO 1500 AGL
1R-129 100 AGL TO 8000	VR-1022 500 AGL TO 1500 AGL	VR-1640 300 AGL TO 1500 AGL
1R-133 SURFACE TO 4000	VR-1023 500 AGL TO 1500 AGL	VR-1641 300 AGL TO 1500 AGL
1R-140 SURFACE TO 3000	VR-1024 500 AGL TO 1500 AGL	VR-1711 500 AGL TO 1500 AGL
1R-161 SURFACE TO 3000	VR-1030 500 AGL TO 1500 AGL	VR-1712 500 AGL TO 1500 AGL
1R-164 100 AGL TO 4000	VR-1031 500 AGL TO 1500 AGL	VR-1713 100 AGL TO 1500 AGL
1R-174 SURFACE TO 4000	VR-1032 500 AGL TO 1500 AGL	VR-1721 300 AGL TO 1500 AGL
1R-178 SURFACE TO FL240	VR-1033 100 AGL TO 1500 AGL	VR-1751 500 AGL TO 1500 AGL
1R-502 350 AGL TO FL230	VR-1041 200 AGL TO 1500 AGL	VR-1752 500 AGL TO 1500 AGL
1R-517 SURFACE TO 16000	VR-1042 200 AGL TO 1500 AGL	VR-1753 500 AGL TO 1500 AGL
1R-600 SURFACE TO FL210	VR-1043 200 AGL TO 1500 AGL	VR-1754 500 AGL TO 1500 AGL
1R-601 SURFACE TO FL210	VR-1046 200 AGL TO 1500 AGL	VR-1755 500 AGL TO 1500 AGL
1R-603 300 AGL TO 11000	VR-1050 100 AGL TO 1500 AGL	VR-1756 500 AGL TO 1500 AGL
1R-606 200 AGL TO 10000	VR-1051 100 AGL TO 1500 AGL	VR-1757 500 AGL TO 1500 AGL



VFR WALL PLANNING CHART (EAST)

62nd Edition March 18, 1982

IFR WALL PLANNING CHART (WEST)



UNITED STATES GOVERNMENT FLIGHT INFORMATION PUBLICATION IFR WALL PLANNING CHART - LOW ALTITUDE - U.S.

For use up to but not including 18,000' MSL

EFFECTIVE 0001Z 18 MAR 1982

TO 0001Z 13 MAY 1982

Scale 1" = 32 NM

Lambert Conformal Conic Projection Standard Parallels 33° and 43°

FLIGHT CASE PLANNING CHART


Office of Charting and Geodetic Services

Issuance: Every 24 weeks.

Users: Airport planning staffs and pilots.

For orders and information, write or call: Distribution Branch, National Ocean Service, NOAA, Riverdale, Md. 20737 (301-436-6990).

The *Flight Case Planning Chart*, designed for preflight and enroute flight planning for Visual Flight Rules (VFR), contains basically the same information as the *Visual Flight Rules/Instrument Flight Rules (VFR/IFR) Wall Planning Chart*, with the addition of selected Flight Service Stations and Weather Service Offices located at airport sites; parachute jumping areas, a tabulation of special use airspace areas, a mileage table listing distances between 174 major airports, and a city and airport location index. The chart is at a scale of 1" equals 60 nautical miles, measures 30" x 50", and can be ordered flat or folded.




SECTIONAL AERONAUTICAL CHARTS

Office of Charting and Geodetic Services


Issuance: Semiannually.

Users: Pilots.

For orders and information, write or call: Distribution Branch, National Ocean Service, NOAA, Riverdale, Md. 20737 (301-436-6990).





Sectional Aeronautical charts, designed for visual navigation of slow- and medium-speed aircraft, provide complete coverage of the United States. Aeronautical data portrayed on the charts include visual and radio aids to navigation; aerodromes; controlled airspace; restricted areas; obstructions; and related information. The charts indicate topographic information, including relief features, together with a selection of visual check points of Visual Flight Rule (VFR) flight. The latter includes population places, drainage, roads, rivers, and other distinctive landmarks. The charts are produced at a scale of 1:500,000 and can be ordered flat or folded.



For orders and information, write or call: Distribution Branch, National Ocean Service, NOAA, Riverdale, Md. 20737 (301-436-6990).

For orders and information, write or call: Distribution Branch, NOAA, National Ocean Service, NOAA, Riverdale, Md. 20737 (301-436-6990).

World Aeronautical Charts, compiled in a standard series of aeronautical charts, cover the world at a size and scale convenient for navigation of moderate speed aircraft. The information on each chart includes topography, cities and towns, principal roads, railroads, distinctive landmarks, and relief. The relief is shown by spot elevations, contours, and gradient tints. Aeronautical charts also include visual and radio aids to navigation, airports, airways, restricted areas, and obstructions. NOS coverage includes the conterminous United States, Alaska, Mexico, and the Caribbean. Additionally, *Operational Navigation Charts*, issued by the U.S. Defense Mapping Agency Aeronautical Chart Division, are available. The charts are produced at a scale of 1:1,000,000.




**U.S. GULF COAST (VFR) AERONAUTICAL
CHART**
Office of Charting and Geodetic Services

Issuance: Annually (or as needed).

Users: Oil drilling contractors; Federal Aviation Administration's planning staff; and private and commercial helicopter pilots.

For orders and information, write or call: Distribution Branch, National Ocean Service, NOAA, Riverdale, Md. 20737 (301-436-6990).

U.S. Gulf Coast VFR Aeronautical Charts are designed for and used in the U.S. Gulf coastal region because of the area's extensive helicopter traffic. The land coverage includes portions of and many details shown on four of NOS' Sectional Aeronautical Charts: Brownsville, San Antonio, Houston, and New Orleans. The water portion includes the U.S. Bureau of Land Management's mineral leasing area grid blocks, identified by oil rigs, platforms, and number. These charts are produced at a scale of 1:500,000.



U.S. Gulf Coast VFR Aeronautical Chart, 2nd edition.


NAUTICAL CHART SYMBOLS Charting and Geodetic Services

quired.











and commercial pilots.

For information, write or call: Director, National Ocean Service, NOAA, 12737 (301-436-6990).

Visual Aeronautical Chart Symbols, a booklet prepared by NOS, shows the topographic and aeronautical symbols approved for use in compiling World Aeronautical Charts, Sectional Aeronautical Charts, and Visual Flight Rules (VFR) Terminal Area Charts.



TOPOGRAPHICAL INFORMATION

CULTURE	
RAILROADS All gauges	
Single Track	
Double Track	
More Than Two Tracks	
Electric	
RAILROADS IN JUXTA- POSITION Separate rail lines which are closely parallel.	
RAILROAD - NON-OPERAT- ING, ABANDONED, DESTROYED, OR UNDER CONSTRUCTION	
RAILROAD YARDS Limiting Track - To Scale	
Location Only	
RAILROAD STATIONS Label or name required; short symbol is centered or offset to railroad.	
RAILROAD SIDINGS AND SHORT SPURS	

ENROUTE LOW ALTITUDE CHARTS

Office of Charting and Geodetic Services



Issuance: Every 56 days.

Users: Military, commercial, and general aviation pilots.

For orders and information, write or call: Distribution Branch, National Ocean Service, NOAA, Riverdale, Md. 20737 (301-436-6990).

The *Enroute Low Altitude Charts* provide aeronautical information for enroute instrument navigation (Instrument Flight Rules) in the low altitude stratum. Information portrayed includes low and medium frequency and very high frequency airways; limits of controlled airspace; position, identification, and frequencies of radio aids; selected aerodromes; minimum enroute and obstruction clearance altitudes; airway distances; reporting points; special-use airspace areas; military training routes; and related information. The chart scales range from 1" equals 8 nautical miles to 1" equals 20 nautical miles.

L L L L L L
L-27
1"=12 NM
GOVERNMENT
ON PUBLICATION
TUDE - U. S.
8 000' MSL
83
OF COMMERCE



ENROUTE LOW ALTITUDE AREA CHARTS


Office of Charting and Geodetic Services

Issuance: Every 56 days.

Users: Military, commercial, and general aviation pilots.

For orders and information, write or call: Distribution Branch, National Ocean Service, NOAA, Riverdale, Md. 20737 (301-436-6990).

Enroute Low Altitude Area Charts are special *Enroute Low Altitude Charts* with the addition of terminal data at a larger scale in congested areas. Information contained in the chart includes aeronautical data for enroute navigation (Instrument Flight Rules) in the low altitude stratum; low and medium frequency and very high frequency airways; limits of controlled airspace; position, identification, and frequencies of radio aids; selected aerodromes; minimum enroute and obstruction clearance altitudes; airway distances; reporting points; special-use airspace areas; military training routes; and related information. The chart scales range from 1" equals 5 nautical miles to 1" equals 8 nautical miles.



UNITED STATES GOVERNMENT FLIGHT INFORMATION PUBLICATION

AREA CHARTS-U. S.

For use up to but not including 18,000' MSL

EFFECTIVE 0001Z 24 NOV 1983
TO 0001Z 19 JAN 1984

PUBLISHED IN ACCORDANCE WITH INTERAGENCY AIR CARTOGRAPHIC COMMITTEE
SPECIFICATIONS AND AGREEMENTS APPROVED BY
DEPARTMENT OF DEFENSE • FEDERAL AVIATION ADMINISTRATION • DEPARTMENT OF COMMERCE

Consult ENROUTE CHARTS for LEGEND Information

A/O VOICE COMMUNICATION

Airports with terminal A/O communications are listed below, alphabetically by airport name. Airports with proper names are listed by last name. A small dot (•) preceding the ATIS frequency indicates less than continuous or part-time operation. Frequencies transmit and receive unless otherwise noted. An asterisk (*) follows the prefix frequency for use as ATIS for use as ATIS during hours the tower is closed. Radio frequencies are outboard from facility. Chart panel identification letter is shown to right of listing. For additional communications data, refer to Airport Facility Directory and/or DOD FLIP IFR-VER Supplement.

ATLANTA 1" = 8 NM (on chart L-20 & L-14)

ATLANTA	ATIS 121.8	C
ATLANTA	ATIS 121.8	C
ATLANTA	ATIS 121.8	C
ATLANTA	ATIS 121.8	C
ATLANTA	ATIS 121.8	C
ATLANTA	ATIS 121.8	C
ATLANTA	ATIS 121.8	C
ATLANTA	ATIS 121.8	C
ATLANTA	ATIS 121.8	C
ATLANTA	ATIS 121.8	C

CHICAGO/MILWAUKEE 1" = 8 NM (on chart L-23 & L-12)

CHICAGO	ATIS 121.8	C
CHICAGO	ATIS 121.8	C
CHICAGO	ATIS 121.8	C
CHICAGO	ATIS 121.8	C
CHICAGO	ATIS 121.8	C
CHICAGO	ATIS 121.8	C
CHICAGO	ATIS 121.8	C
CHICAGO	ATIS 121.8	C
CHICAGO	ATIS 121.8	C
CHICAGO	ATIS 121.8	C

DETROIT 1" = 8 NM (on chart L-23 & L-12)

DETROIT	ATIS 121.8	C
DETROIT	ATIS 121.8	C
DETROIT	ATIS 121.8	C
DETROIT	ATIS 121.8	C
DETROIT	ATIS 121.8	C
DETROIT	ATIS 121.8	C
DETROIT	ATIS 121.8	C
DETROIT	ATIS 121.8	C
DETROIT	ATIS 121.8	C
DETROIT	ATIS 121.8	C



UNITED STATES

24 NOV 1983

JACKSONVILLE 1" = 8 NM (on chart L-18 & L-10)

JACKSONVILLE	ATIS 121.8	C
JACKSONVILLE	ATIS 121.8	C
JACKSONVILLE	ATIS 121.8	C
JACKSONVILLE	ATIS 121.8	C
JACKSONVILLE	ATIS 121.8	C
JACKSONVILLE	ATIS 121.8	C
JACKSONVILLE	ATIS 121.8	C
JACKSONVILLE	ATIS 121.8	C
JACKSONVILLE	ATIS 121.8	C
JACKSONVILLE	ATIS 121.8	C

MIAMI 1" = 8 NM (on chart L-18)

MIAMI	ATIS 121.8	C
MIAMI	ATIS 121.8	C
MIAMI	ATIS 121.8	C
MIAMI	ATIS 121.8	C
MIAMI	ATIS 121.8	C
MIAMI	ATIS 121.8	C
MIAMI	ATIS 121.8	C
MIAMI	ATIS 121.8	C
MIAMI	ATIS 121.8	C
MIAMI	ATIS 121.8	C

ST LOUIS 1" = 8 NM (on chart L-21)

ST LOUIS	ATIS 121.8	C
ST LOUIS	ATIS 121.8	C
ST LOUIS	ATIS 121.8	C
ST LOUIS	ATIS 121.8	C
ST LOUIS	ATIS 121.8	C
ST LOUIS	ATIS 121.8	C
ST LOUIS	ATIS 121.8	C
ST LOUIS	ATIS 121.8	C
ST LOUIS	ATIS 121.8	C
ST LOUIS	ATIS 121.8	C

WASHINGTON 1" = 8 NM (on chart L-22, L-24, L-27 & L-28)

WASHINGTON	ATIS 121.8	C
WASHINGTON	ATIS 121.8	C
WASHINGTON	ATIS 121.8	C
WASHINGTON	ATIS 121.8	C
WASHINGTON	ATIS 121.8	C
WASHINGTON	ATIS 121.8	C
WASHINGTON	ATIS 121.8	C
WASHINGTON	ATIS 121.8	C
WASHINGTON	ATIS 121.8	C
WASHINGTON	ATIS 121.8	C

For more information, consult IFR.

CORRECTIONS, COMMENTS AND/OR PROCEDURE

FOR: ENROUTE CHARTS, U.S. AIR FORCE, WASHINGTON, D.C. 20330
Procedure (20330) National Ocean Service, Department of Commerce, Riverdale, Md. 20737
MILITARY: ENROUTE CHARTS, U.S. AIR FORCE, WASHINGTON, D.C. 20330



ENROUTE HIGH ALTITUDE CHARTS

Office of Charting and Geodetic Services

Issuance: Every 56 days.

Users: Military, commercial and general aviation pilots.

For orders and information, write or call: Distribution Branch, National Ocean Service, NOAA, Riverdale, Md. 20737 (301-436-6990).

Enroute High Altitude Charts provide aeronautical information for enroute instrument navigation (Instrument Flight Rules) in the high altitude stratum. This information includes the portrayal of jet routes; position, identification, and frequencies of radio aids; selected aerodromes; distances; time zones; special use airspace areas; and related information. These charts are at scales of 1" equals 38.5 nautical miles and 1" equals 45 nautical miles.

H H H H H H H H H H H H H H H


H-3 NORTHEAST H-4

NORTHEAST 1"=38.5 NM SOUTHEAST 1"=38.5 NM

UNITED STATES GOVERNMENT
FLIGHT INFORMATION PUBLICATION
ENROUTE HIGH ALTITUDE - U.S.
For use at and above 18,000' MSL

EFFECTIVE 0901Z **29 SEP 1983**
TO 0801Z **24 NOV 1983**

PUBLISHED IN ACCORDANCE WITH INTERAGENCY AIR CARTOGRAPHIC COMMITTEE
SPECIFICATIONS AND AGREEMENTS APPROVED BY
DEPARTMENT OF DEFENSE • FEDERAL AVIATION ADMINISTRATION • DEPARTMENT OF COMMERCE



INSTRUCTIONS FOR ASSEMBLY OF WALL PLANNING CHART

- Obtain two copies of each chart.
- Assemble charts by matching airplane silhouettes in the following sequence:
H-3, H-1, H-2, H-4.

P-PROHIBITED, R-RESTRICTED, D-DANGER, A-ALERT, W-WARNING AREAS

Information tabulated below when space prohibits placement on the charts

NUMBER	EFFECTIVE ALTITUDE	TIMES USED, GMT			CONTROLLING AGENCY A/O CALL
		DAYS	HOURS	WEATHER	
R-4001A	Unlid	Cont	1200-0500Z	VFR-IFR	ZDC CNTR/FSS
R-4001B	BY NOTAM	INTERMITTENT VFR-IFR BY NOTAM			ZDC CNTR/FSS
R-5314A, B, C, D, E and F	To FL 205	Cont	Cont	VFR-IFR	ZDC CNTR/FSS
R-5502B	To 25000	1300-2200Z: VFR-IFR TUE-THU OTHER TIMES BY NOTAM			ZOB CNTR/FSS
R-6611A	To 40000	Mon-Fri	1300-2200Z	VFR-IFR	ZDC CNTR/FSS
R-6611B	40000 To 60000	BY NOTAM	VFR-IFR		ZDC CNTR/FSS
R-6613A	To 40000	Mon-Fri	1300-2200Z	VFR-IFR	ZDC CNTR/FSS
R-6613B	40000 To 60000	BY NOTAM	VFR-IFR		ZDC CNTR/FSS

CORRECTIONS, COMMENTS AND/OR PROCUREMENT

CIVIL - Forward corrections to FAA, AAT-430, Washington, D.C. 20591

Procure from National Ocean Service, Distribution Br., NCG33, Riverdale, Md. 20737

MILITARY - Refer to Chapter 11, DOD General Planning (GP)

STANDARD INSTRUMENT DEPARTURE (SID) CHARTS

Office of Charting and Geodetic Services

Issuance: Every 56 days.

Users: Military, commercial, and general aviation pilots.

For orders and information, write or call: Distribution Branch, National Ocean Service, NOAA, Riverdale, Md. 20737 (301-436-6990).

The *SID Charts* provide pilots with departure routing clearance in graphic and textual form. These charts are designed to expedite clearance delivery and to facilitate transition between takeoff and enroute operations. They are published at varying scales in bound 5-3/8" x 8-1/4" books which are arranged alphabetically by airport name. There are two volumes: Eastern United States and Western United States.

WEST

UNITED STATES GOVERNMENT



STANDARD INSTRUMENT DEPARTURES

SIDs

FOR CIVIL AERODROMES


WESTERN UNITED STATES
(WEST OF MISSISSIPPI RIVER)

EFFECTIVE 0901Z 18 MAR 1982
TO 0901Z 13 MAY 1982

NOTE
DOD OBSTRUCTION CRITERIA HAVE NOT BEEN APPLIED TO THE SIDS HEREIN. SIDS WHICH PROVIDE DOD OBSTRUCTION CLEARANCE INFORMATION FOR MILITARY AND JOINT CIVIL/MILITARY AERODROMES, IF PUBLISHED, ARE AVAILABLE IN THE BASE OPERATIONS OF THESE AERODROMES. USAF/USN PILOTS WILL USE DOD PRODUCED SIDS WHERE AVAILABLE. U. S. ARMY PILOTS REFER TO AR 93-1.

PUBLISHED BY NATIONAL OCEAN SURVEY
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
FURNISHED IN ACCORDANCE WITH INTERAGENCY AIR CARTOGRAPHIC COMMITTEE
SPECIFICATIONS AND AGREEMENTS APPROVED BY
DEPARTMENT OF DEFENSE * FEDERAL AVIATION ADMINISTRATION * DEPARTMENT OF COMMERCE





Office of Charting and Geodetic Services

Users: Military, commercial, and general aviation pilots.

For orders and information, write or call: Distribution Branch, National Ocean Service, NOAA, Riverdale, Md. 20737 (301-436-6990).

The *STAR Charts*, published in one volume, provide pilots with Instrument Flight Rules (IFR) air traffic control arrival procedures in graphic and textual form. These charts are designed to expedite air traffic control arrival procedures and to facilitate transition between enroute and instrument approach operations. They are published at varying scales, arranged alphabetically by STAR name, and bound in a 5-3/8" x 8-1/4" book. Each STAR procedure is presented as a separate chart which may serve a single airport or more than one airport in a given geographical location. Furthermore, the STAR publication contains the *Profile Descent Procedure Charts*. These charts are basically a graphic portrayal of an uninterrupted descent from cruising altitude to a point shown within the Instrument Approach Procedure Chart. These profile charts are part of a continuing effort to enhance safety and conserve energy and are designed to reduce low-altitude flying time of high performance aircraft.



**ALASKA TERMINAL FLIGHT
INFORMATION PUBLICATION (FLIP)**
Office of Charting and Geodetic Services

Issuance: Every 56 days.

Users: Military, private, and commercial pilots.

For orders and information, write or call: Distribution Branch, National Ocean Service, NOAA, Riverdale, Md. 20737 (301-436-6990).



The *Alaska Terminal Flight Information Publication* contains charts depicting all terminal flight procedures in the State of Alaska for civil and military aviation. This publication is published in a bound 5-3/8" x 8-1/4" book, which is arranged alphabetically by airport name.

UNITED STATES GOVERNMENT
FLIGHT INFORMATION PUBLICATION


ALASKA TERMINAL

STANDARD TERMINAL ARRIVALS
INSTRUMENT APPROACH PROCEDURES
STANDARD INSTRUMENT DEPARTURES
AIRFIELD DIAGRAMS

EFFECTIVE 0801Z 26 NOV 1981
TO 0801 21 JAN 1982

PUBLISHED BY NATIONAL OCEAN SURVEY
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
PUBLISHED IN ACCORDANCE WITH INTER-AGENCY AIR CARTOGRAPHIC COMMITTEE
SPECIFICATIONS AND AGREEMENTS APPROVED BY:
DEPARTMENT OF DEFENSE * FEDERAL AVIATION ADMINISTRATION * DEPARTMENT OF COMMERCE



Cover and chart from Alaska Terminal FLIP.

SUPPLEMENT ALASKA

Office of Charting and Geodetic Services

Issuance: Every 56 days.

Users: Military, commercial, and private pilots.

For orders and information, write or call: Distribution Branch, National Ocean Service, NOAA, Riverdale, Md. 20737 (301-436-6990).

The *Supplement Alaska* is a joint Civil/Military Flight Information Publication (FLIP), prepared by NOS in a 5-3/8" x 8-1/4" bound book and designed for use with the Flight Information Publication Enroute Charts, Alaska Terminal Charts, World Aeronautical Charts, and Sectional Aeronautical Charts. The supplement contains an aerodrome/facility directory of all aerodromes shown on the enroute charts, aerodrome sketches, communications data, navigational facilities, and special notices and procedures applicable to the area of chart coverage.

UNITED STATES GOVERNMENT FLIGHT INFORMATION PUBLICATION

SUPPLEMENT

ALASKA

AK

EFFECTIVE 0901Z 24 NOV 1983
TO 0901Z 19 JAN 1984

Consult NOTAMS for latest information.

TABLE OF CONTENTS	
General Information.....	Inside Front Cover
Section A: Airport/Facility Directory Legend.....	2
Section B: Airport/Facility Directory.....	17
Section C: Notices.....	
Special.....	115
General.....	120
Area.....	124
Regulatory.....	128
Section D: Associated Data.....	
Table of Contents.....	132
Section E: Procedures.....	
Table of Contents.....	155
Section F: Emergency Procedures.....	
Interception Signals ICAO.....	181
Search Procedures Emergency Locator Transmitter (ELT).....	184
Search & Rescue.....	186
Coast Guard Rescue Coordination Centers.....	188
Alaska Air Command Rescue Coordination Centers.....	188
Fuel Jettisoning.....	188
Two-Way Radio Failure VFR.....	189
International Ground/Air Emergency Code.....	195
Section G: Airport Sketches.....	198
Position Reports.....	Back Cover

- SECTION A
- SECTION B
- SECTION C
- SECTION D
- SECTION E
- SECTION F
- SECTION G



**TIME ZONE CHANGE
SEE NOTICES**

Published at Washington, D.C.
U.S. Department of Commerce
National Oceanic and Atmospheric Administration
National Ocean Service

PUBLISHED IN ACCORDANCE WITH INTER-AGENCY AIR CARTOGRAPHIC COMMITTEE
SPECIFICATIONS AND AGREEMENTS APPROVED BY:

DEPARTMENT OF DEFENSE * FEDERAL AVIATION ADMINISTRATION * DEPARTMENT OF COMMERCE




CHART SUPPLEMENT PACIFIC

Office of Charting and Geodetic Services

Issuance: Every 56 days.

Users: Military, private, and commercial pilots.

For orders and information, write or call: Distribution Branch, National Ocean Service, NOAA, Riverdale, Md. 20737 (301-436-6990).

The *Chart Supplement Pacific*, a Civil Flight Information Publication (FLIP), is published and distributed by NOS in a 5-3/8" x 8-1/4" bound book and designed for use with the Flight Information Publication (FLIP) Enroute Charts and with the Sectional Aeronautical Charts that cover the State of Hawaii and that area of the Pacific served by U.S. facilities. This chart supplement contains an aerodrome/facility directory of all aerodromes open to the public, airport sketches, communications data, navigational facilities, and special notices and procedures applicable to the Pacific area. Instrument Approach Procedure Charts for Hawaii and the Pacific Islands are included.

UNITED STATES GOVERNMENT FLIGHT INFORMATION PUBLICATION	
CHART SUPPLEMENT	
PACIFIC	PAC
EFFECTIVE 0901Z 26 NOV 1981	
TO 0901Z 21 JAN 1982	
Consult NOTAMS and Amendment Notice for latest information.	
TABLE OF CONTENTS	
General Information	Inside Front Cover
Section A: Airport/Facility Directory Legend	2
Section B: Airport/Facility Directory	11
Section C: Notices	29
Special	31
General	31
Airs	34
Section D: Associated Data	61
Table of Contents	61
Section E: Procedures	74
Table of Contents	74
Section F: Emergency Procedures	86
Interception Signals-ICAO	86
Search & Rescue	89
Emergency Frequencies/Procedures	89
Emergency Signals	91
Section G: Airport Sketches	92
Section H: Terminal Procedures	102
Table of Contents	102
Position Reports	Back Cover



Published at Washington, D.C.
U.S. Department of Commerce
National Oceanic and Atmospheric Administration
National Ocean Survey



Published in accordance with specifications and agreements approved by
the Federal Aviation Administration and the Department of Commerce

INSTRUMENT APPROACH PROCEDURE CHARTS (IAPC)


Office of Charting and Geodetic Services

Issuance: Volumes are published every 56 days and updated with a Change Notice on the 28th day of a publication cycle.

Users: Military, private, and commercial pilots.

For orders and information, write or call: Distribution Branch, National Ocean Service, NOAA, Riverdale, Md. 20737 (301-436-6990).

The *Instrument Approach Procedure Charts* portray the aeronautical data required for pilots to execute instrument approaches to airports. Each chart, bound in a 5- $\frac{3}{8}$ " x 8- $\frac{1}{2}$ " volume, depicts the instrument approach, all related data, and the airport diagram. The 15-bound volumes provide complete coverage of the conterminous United States, including Puerto Rico and the U.S. Virgin Islands.



Office of Charting and Geodetic Services

For orders and information, write or call: Distribution Branch, National Ocean Service, NOAA, Riverdale, Md. 20737 (301-436-6990).

[illegible]

AIRPORT/FACILITY DIRECTORY

Office of Charting and Geodetic Services

Issuance: Every 56 days.

Users: Military, private, and commercial pilots.

For orders and information, write or call: Distribution Branch, National Ocean Service, NOAA, Riverdale, Md. 20737 (301-436-6990).

The *Airport/Facility Directory*, designed primarily as a pilot's operational manual, depicts airports, seaplane bases, heliports open to the public, and navigational facilities and contains communication data and certain special notices and procedures. The directory, published in seven volumes, covers the conterminous United States, Puerto Rico, and the U.S. Virgin Islands. Each volume is indexed by a State and an airport name.



UNITED STATES GOVERNMENT FLIGHT INFORMATION PUBLICATION

AIRPORT/FACILITY DIRECTORY

EAST CENTRAL U.S. EC

EFFECTIVE 0901Z 29 SEP 1983
TO 0901Z 24 NOV 1983

Consult NOTAMS for latest information

AWOS and HIWAS
SEE NOTICES



Published at Washington, D.C.
U.S. Department of Commerce
National Oceanic and Atmospheric Administration
National Ocean Service
Published in accordance with specifications and agreements approved by
the Federal Aviation Administration and the Department of Commerce

AIRPORT OBSTRUCTION CHARTS


Office of Charting and Geodetic Services

Issuance: Every 2 to 3 years (or as required)

Users: Federal Aviation Administration and commercial airlines.

For orders and information, write or call: Distribution Branch, National Ocean Service, NOAA, Riverdale, Md. 20737 (301-436-6990).

Airport Obstruction Charts present a large scale (1:12,000) plan view of each individual airport. These charts are produced as part of a reimbursable airport survey program between the NOS Photogrammetry Branch and the Federal Aviation Administration. These charts show important geographical features, approaches, aids to navigation, and the location and height of all obstructions located in the general area of the airfield. A plan view and profile view of each approach are portrayed on the reverse side of each chart and show any obstruction located in the approach path. The FAA requires all commercial airlines to possess a copy of an *Airport Obstruction Chart* for each airport they serve. These charts are used as an engineering planning aid by the airlines for determining weight restrictions for landing and takeoff of any plane serving the airport. Some *Obstruction Charts* have an aerial photographic background, such as the example shown below, and are presented in a slightly different format than the conventional charts.



Airport Obstruction Chart for John F. Kennedy International Airport, New York, N.Y., OC 610, September 1978.

DATES OF LATEST EDITIONS Office of Charting and Geodetic Services

Issuance: Monthly; Obstruction Charts, quarterly.
Users: Private and commercial pilots and the general public.
For orders and information, write or call: Distribution Branch, National Ocean Service, NOAA, Riverdale, Md. 20737 (301-436-6990).

Three *Dates of Latest Editions* are prepared for aeronautical charts by NOS. One edition is prepared for all visual charts NOS produces; one for Airport Obstruction Charts NOS publishes; and one for U.S. Department of Defense aeronautical charts NOS distributes. These publication listings include all charts, dates, and highlights of new or revised charts.

JULY 1983

LATEST EDITIONS

AIRPORT OBSTRUCTION CHARTS U. S. DEPARTMENT OF COMMERCE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION NATIONAL OCEAN SERVICE

This notice is revised quarterly,
January, April, July and October

The Airport Obstruction Charts (OC) shows selected planimetry, runways and flight paths for landing and take-off, positions and elevations of objects which may be potential hazards to operations. The charts are used in determining the maximum safe take-off and landing gross weight of civil aircraft, in determining airport instrument approach and landing procedures, and to provide data for engineering plans relative to clearing of obstructions and improvement of airport facilities.

Some OC's have an aerial photographic background (ortho photo) with the airport plan and obstruction data shown by an overprint. The profiles for each runway are shown on the reverse side. These special charts are indicated by t.

Airport Obstruction Charts (OC) Scale 1:12,000 Price \$4.45

◆ New Chart (no previous editions)

◆ New Edition (obsoletes chart of previous edition)

HQW TO ORDER:

Charts listed are available on request. All mail order purchases must be accompanied by check or money order made payable to NOS, Department of Commerce, N/CG33. Order by giving listed information such as, State Name, Airport Name, OC Number and City as it appears in this publication. All chart sales are final unless an error is made by this office in filling the order.

Mail to: Distribution Branch (N/CG33)
National Ocean Service, NOAA
Riverdale, Md. 20737
Phone: 301-436-6990

NOTE: The airport name may change but will not be listed under the new name until a new OC edition is published.

LISTING:

FAA AIRPORT NAME t indicates ortho photo format
CHART NO. (Month & Year of Latest Edition)
Associated CITY

October 17, 1983

DATES OF LATEST EDITIONS

VFR Aeronautical Charts

U. S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL OCEAN SERVICE

Date of next list
November 14, 1983

SECTIONAL AERONAUTICAL CHARTS			WORLD AERONAUTICAL CHARTS			VFR TERMINAL AREA CHARTS		
Chart Number	Latest Edition	Price	Chart Number	Latest Edition	Price	Chart Number	Latest Edition	Price
1-1000	1-1000	\$2.75 each	1-1000	1-1000	\$2.75 each	1-1000	1-1000	\$2.75 each
1-1001	1-1001	\$2.75 each	1-1001	1-1001	\$2.75 each	1-1001	1-1001	\$2.75 each
1-1002	1-1002	\$2.75 each	1-1002	1-1002	\$2.75 each	1-1002	1-1002	\$2.75 each
1-1003	1-1003	\$2.75 each	1-1003	1-1003	\$2.75 each	1-1003	1-1003	\$2.75 each
1-1004	1-1004	\$2.75 each	1-1004	1-1004	\$2.75 each	1-1004	1-1004	\$2.75 each
1-1005	1-1005	\$2.75 each	1-1005	1-1005	\$2.75 each	1-1005	1-1005	\$2.75 each
1-1006	1-1006	\$2.75 each	1-1006	1-1006	\$2.75 each	1-1006	1-1006	\$2.75 each
1-1007	1-1007	\$2.75 each	1-1007	1-1007	\$2.75 each	1-1007	1-1007	\$2.75 each
1-1008	1-1008	\$2.75 each	1-1008	1-1008	\$2.75 each	1-1008	1-1008	\$2.75 each
1-1009	1-1009	\$2.75 each	1-1009	1-1009	\$2.75 each	1-1009	1-1009	\$2.75 each
1-1010	1-1010	\$2.75 each	1-1010	1-1010	\$2.75 each	1-1010	1-1010	\$2.75 each
1-1011	1-1011	\$2.75 each	1-1011	1-1011	\$2.75 each	1-1011	1-1011	\$2.75 each
1-1012	1-1012	\$2.75 each	1-1012	1-1012	\$2.75 each	1-1012	1-1012	\$2.75 each
1-1013	1-1013	\$2.75 each	1-1013	1-1013	\$2.75 each	1-1013	1-1013	\$2.75 each
1-1014	1-1014	\$2.75 each	1-1014	1-1014	\$2.75 each	1-1014	1-1014	\$2.75 each
1-1015	1-1015	\$2.75 each	1-1015	1-1015	\$2.75 each	1-1015	1-1015	\$2.75 each
1-1016	1-1016	\$2.75 each	1-1016	1-1016	\$2.75 each	1-1016	1-1016	\$2.75 each
1-1017	1-1017	\$2.75 each	1-1017	1-1017	\$2.75 each	1-1017	1-1017	\$2.75 each
1-1018	1-1018	\$2.75 each	1-1018	1-1018	\$2.75 each	1-1018	1-1018	\$2.75 each
1-1019	1-1019	\$2.75 each	1-1019	1-1019	\$2.75 each	1-1019	1-1019	\$2.75 each
1-1020	1-1020	\$2.75 each	1-1020	1-1020	\$2.75 each	1-1020	1-1020	\$2.75 each
1-1021	1-1021	\$2.75 each	1-1021	1-1021	\$2.75 each	1-1021	1-1021	\$2.75 each
1-1022	1-1022	\$2.75 each	1-1022	1-1022	\$2.75 each	1-1022	1-1022	\$2.75 each
1-1023	1-1023	\$2.75 each	1-1023	1-1023	\$2.75 each	1-1023	1-1023	\$2.75 each
1-1024	1-1024	\$2.75 each	1-1024	1-1024	\$2.75 each	1-1024	1-1024	\$2.75 each
1-1025	1-1025	\$2.75 each	1-1025	1-1025	\$2.75 each	1-1025	1-1025	\$2.75 each
1-1026	1-1026	\$2.75 each	1-1026	1-1026	\$2.75 each	1-1026	1-1026	\$2.75 each
1-1027	1-1027	\$2.75 each	1-1027	1-1027	\$2.75 each	1-1027	1-1027	\$2.75 each
1-1028	1-1028	\$2.75 each	1-1028	1-1028	\$2.75 each	1-1028	1-1028	\$2.75 each
1-1029	1-1029	\$2.75 each	1-1029	1-1029	\$2.75 each	1-1029	1-1029	\$2.75 each
1-1030	1-1030	\$2.75 each	1-1030	1-1030	\$2.75 each	1-1030	1-1030	\$2.75 each
1-1031	1-1031	\$2.75 each	1-1031	1-1031	\$2.75 each	1-1031	1-1031	\$2.75 each
1-1032	1-1032	\$2.75 each	1-1032	1-1032	\$2.75 each	1-1032	1-1032	\$2.75 each
1-1033	1-1033	\$2.75 each	1-1033	1-1033	\$2.75 each	1-1033	1-1033	\$2.75 each
1-1034	1-1034	\$2.75 each	1-1034	1-1034	\$2.75 each	1-1034	1-1034	\$2.75 each
1-1035	1-1035	\$2.75 each	1-1035	1-1035	\$2.75 each	1-1035	1-1035	\$2.75 each
1-1036	1-1036	\$2.75 each	1-1036	1-1036	\$2.75 each	1-1036	1-1036	\$2.75 each
1-1037	1-1037	\$2.75 each	1-1037	1-1037	\$2.75 each	1-1037	1-1037	\$2.75 each
1-1038	1-1038	\$2.75 each	1-1038	1-1038	\$2.75 each	1-1038	1-1038	\$2.75 each
1-1039	1-1039	\$2.75 each	1-1039	1-1039	\$2.75 each	1-1039	1-1039	\$2.75 each
1-1040	1-1040	\$2.75 each	1-1040	1-1040	\$2.75 each	1-1040	1-1040	\$2.75 each
1-1041	1-1041	\$2.75 each	1-1041	1-1041	\$2.75 each	1-1041	1-1041	\$2.75 each
1-1042	1-1042	\$2.75 each	1-1042	1-1042	\$2.75 each	1-1042	1-1042	\$2.75 each
1-1043	1-1043	\$2.75 each	1-1043	1-1043	\$2.75 each	1-1043	1-1043	\$2.75 each
1-1044	1-1044	\$2.75 each	1-1044	1-1044	\$2.75 each	1-1044	1-1044	\$2.75 each
1-1045	1-1045	\$2.75 each	1-1045	1-1045	\$2.75 each	1-1045	1-1045	\$2.75 each
1-1046	1-1046	\$2.75 each	1-1046	1-1046	\$2.75 each	1-1046	1-1046	\$2.75 each
1-1047	1-1047	\$2.75 each	1-1047	1-1047	\$2.75 each	1-1047	1-1047	\$2.75 each
1-1048	1-1048	\$2.75 each	1-1048	1-1048	\$2.75 each	1-1048	1-1048	\$2.75 each
1-1049	1-1049	\$2.75 each	1-1049	1-1049	\$2.75 each	1-1049	1-1049	\$2.75 each
1-1050	1-1050	\$2.75 each	1-1050	1-1050	\$2.75 each	1-1050	1-1050	\$2.75 each
1-1051	1-1051	\$2.75 each	1-1051	1-1051	\$2.75 each	1-1051	1-1051	\$2.75 each
1-1052	1-1052	\$2.75 each	1-1052	1-1052	\$2.75 each	1-1052	1-1052	\$2.75 each
1-1053	1-1053	\$2.75 each	1-1053	1-1053	\$2.75 each	1-1053	1-1053	\$2.75 each
1-1054	1-1054	\$2.75 each	1-1054	1-1054	\$2.75 each	1-1054	1-1054	\$2.75 each
1-1055	1-1055	\$2.75 each	1-1055	1-1055	\$2.75 each	1-1055	1-1055	\$2.75 each
1-1056	1-1056	\$2.75 each	1-1056	1-1056	\$2.75 each	1-1056	1-1056	\$2.75 each
1-1057	1-1057	\$2.75 each	1-1057	1-1057	\$2.75 each	1-1057	1-1057	\$2.75 each
1-1058	1-1058	\$2.75 each	1-1058	1-1058	\$2.75 each	1-1058	1-1058	\$2.75 each
1-1059	1-1059	\$2.75 each	1-1059	1-1059	\$2.75 each	1-1059	1-1059	\$2.75 each
1-1060	1-1060	\$2.75 each	1-1060	1-1060	\$2.75 each	1-1060	1-1060	\$2.75 each
1-1061	1-1061	\$2.75 each	1-1061	1-1061	\$2.75 each	1-1061	1-1061	\$2.75 each
1-1062	1-1062	\$2.75 each	1-1062	1-1062	\$2.75 each	1-1062	1-1062	\$2.75 each
1-1063	1-1063	\$2.75 each	1-1063	1-1063	\$2.75 each	1-1063	1-1063	\$2.75 each
1-1064	1-1064	\$2.75 each	1-1064	1-1064	\$2.75 each	1-1064	1-1064	\$2.75 each
1-1065	1-1065	\$2.75 each	1-1065	1-1065	\$2.75 each	1-1065	1-1065	\$2.75 each
1-1066	1-1066	\$2.75 each	1-1066	1-1066	\$2.75 each	1-1066	1-1066	\$2.75 each
1-1067	1-1067	\$2.75 each	1-1067	1-1067	\$2.75 each	1-1067	1-1067	\$2.75 each
1-1068	1-1068	\$2.75 each	1-1068	1-1068	\$2.75 each	1-1068	1-1068	\$2.75 each
1-1069	1-1069	\$2.75 each	1-1069	1-1069	\$2.75 each	1-1069	1-1069	\$2.75 each
1-1070	1-1070	\$2.75 each	1-1070	1-1070	\$2.75 each	1-1070	1-1070	\$2.75 each
1-1071	1-1071	\$2.75 each	1-1071	1-1071	\$2.75 each	1-1071	1-1071	\$2.75 each
1-1072	1-1072	\$2.75 each	1-1072	1-1072	\$2.75 each	1-1072	1-1072	\$2.75 each
1-1073	1-1073	\$2.75 each	1-1073	1-1073	\$2.75 each	1-1073	1-1073	\$2.75 each
1-1074	1-1074	\$2.75 each	1-1074	1-1074	\$2.75 each	1-1074	1-1074	\$2.75 each
1-1075	1-1075	\$2.75 each	1-1075	1-1075	\$2.75 each	1-1075	1-1075	\$2.75 each
1-1076	1-1076	\$2.75 each	1-1076	1-1076	\$2.75 each	1-1076	1-1076	\$2.75 each
1-1077	1-1077	\$2.75 each	1-1077	1-1077	\$2.75 each	1-1077	1-1077	\$2.75 each
1-1078	1-1078	\$2.75 each	1-1078	1-1078	\$2.75 each	1-1078	1-1078	\$2.75 each
1-1079	1-1079	\$2.75 each	1-1079	1-1079	\$2.75 each	1-1079	1-1079	\$2.75 each
1-1080	1-1080	\$2.75 each	1-1080	1-1080	\$2.75 each	1-1080	1-1080	\$2.75 each
1-1081	1-1081	\$2.75 each	1-1081	1-1081	\$2.75 each	1-1081	1-1081	\$2.75 each
1-1082	1-1082	\$2.75 each	1-1082	1-1082	\$2.75 each	1-1082	1-1082	\$2.75 each
1-1083	1-1083	\$2.75 each	1-1083	1-1083	\$2.75 each	1-1083	1-1083	\$2.75 each
1-1084	1-1084	\$2.75 each	1-1084	1-1084	\$2.75 each	1-1084	1-1084	\$2.75 each
1-1085	1-1085	\$2.75 each	1-1085	1-1085	\$2.75 each	1-1085	1-1085	\$2.75 each
1-1086	1-1086	\$2.75 each	1-1086	1-1086	\$2.75 each	1-1086	1-1086	\$2.75 each
1-1087	1-1087	\$2.75 each	1-1087	1-1087	\$2.75 each	1-1087	1-1087	\$2.75 each
1-1088	1-1088	\$2.75 each	1-1088	1-1088	\$2.75 each	1-1088	1-1088	\$2.75 each
1-1089	1-1089	\$2.75 each	1-1089	1-1089	\$2.75 each	1-1089	1-1089	\$2.75 each
1-1090	1-1090	\$2.75 each	1-1090	1-1090	\$2.75 each	1-1090	1-1090	\$2.75 each
1-1091	1-1091	\$2.75 each	1-1091	1-1091	\$2.75 each	1-1091	1-1091	\$2.75 each
1-1092	1-1092	\$2.75 each	1-1092	1-1092	\$2.75 each	1-1092	1-1092	\$2.75 each
1-1093	1-1093	\$2.75 each	1-1093	1-1093	\$2.75 each	1-1093	1-1093	\$2.75 each
1-1094	1-1094	\$2.75 each	1-1094	1-1094	\$2.75 each	1-1094	1-1094	\$2.75 each
1-1095	1-1095	\$2.75 each	1-1095	1-1095	\$2.75 each	1-1095	1-1095	\$2.75 each
1-1096	1-1096	\$2.75 each	1-1096	1-1096	\$2.75 each	1-1096	1-1096	\$2.75 each
1-1097	1-1097	\$2.75 each	1-1097	1-1097	\$2.75 each	1-1097	1-1097	\$2.75 each
1-1098	1-1098	\$2.75 each	1-1098	1-1098	\$2.75 each	1-1098	1-1098	\$2.75 each
1-1099	1-1099	\$2.75 each	1-1099	1-1099	\$2.75 each	1-1099	1-1099	\$2.75 each
1-1100	1-1100	\$2.75 each	1-1100	1-1100	\$2.75 each	1-1100	1-1100	\$2.75 each

**CATALOG OF AERONAUTICAL CHARTS
AND RELATED PUBLICATIONS**
Office of Charting and Geodetic Services


Issuance: Annually.

Users: Pilots and general public.

For orders and information, write or call: Distribution Branch, National Ocean Service, NOAA, Riverdale, Md. 20737 (301-436-6990).

The *Catalog of Aeronautical Charts and Related Publications*, produced and maintained by NOS, contains a brief description of each aeronautical publication NOS produces, the publication's price, other pertinent information needed in selecting and ordering an aeronautical product, and a list of authorized sales agents. The catalog also contains a selected list of FAA publications and lists the charts available at NOS facilities, but published by the U.S. Defense Mapping Agency Aerospace Center (DMAAC). The catalog is supplemented by brochures used in subscription orders of the Visual Aeronautical and Instrument Navigation Charts covering the United States and U.S. territories.

CATALOG OF



OCTOBER 1983-84



U.S. DEPARTMENT OF COMMERCE
National Oceanic and Atmospheric Administration
National Ocean Service

PRINTED OCTOBER 1983

NATIONAL OCEAN SERVICE

list of

**AUTHORIZED
AERONAUTICAL
CHART AGENTS**

For the Sale of National Ocean Service
Aeronautical Charts



UNITED STATES DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL OCEAN SERVICE

RADAR VIDEO MAPS


Office of Charting and Geodetic Services

Issuance: As required.

Users: Federal Aviation Administration, airport control towers, and flight control facilities.

For information, write or call: Aeronautical Charting Division, National Ocean Service, NOAA, 6001 Executive Boulevard, Rockville, Md. 20852 (301-443-8071).

The *Radar Video Maps* are $\frac{1}{8}$ "-thick plates of varying sizes made specifically for and at the request of the Federal Aviation Administration. These plates are projected onto a radar scope so that the image of the moving aircraft, represented as blips on the scope, is superimposed over the mapped features shown on the plate. One type is for the traffic control routes between airports and a second type is for airports' air traffic control towers. Both types of plates depict the important airways, reporting points, and control points.



A photo-positive portion of the Ft. Wayne Municipal Airport Radar Video Map.


CONTROLLER CHARTS Office of Charting and Geodetic Services

Issuance: Every 56 days.

Users: Federal Aviation Administration

For orders and information, write or call: Distribution Branch, National Ocean Service, NOAA, Riverdale, Md. 20737 (301-436-6990).

Controller Charts are published at the request of the Federal Aviation Administration and used by FAA controllers. These charts show all necessary information to control aircraft in the major air corridors of the United States. These charts are used by civil airport controllers and others involved in airspace control.



Controller Chart 19

CONTROLLER CHART SUPPLEMENT
Office of Charting and Geodetic Services

Issuance: Every 160 days.


Users: Federal Aviation Administration

For orders and information, write or call: Distribution Branch, National Ocean Service, NOAA, Riverdale, Md. 20737 (301-436-6990).

The *Controller Chart Supplement*, maintained and published at the request of the Federal Aviation Administration, provides information that is not readily available to air traffic control facility personnel in a usable and convenient format. The supplement contains geodetic definitions of airways and includes such information as the points for navigation facilities, air route traffic control center boundaries, reporting points, airway crossings, and airway intersections. The supplement has eight sections: Section 1, High Altitude Airways Conterminous United States; Section 2, Low Altitude Airways Conterminous United States; Section 4, Military Training Routes; Section 5, Alaska, Hawaii, and Puerto Rico Airways, and Bahama and Selected Oceanic Routes; Section 6, STAR's (Standard Terminal Arrivals and Profile Descent Procedures); Section 7, SID's (Standard Instrument Departures); Section 8, Preferred IFR (Instrument Flight Rules) Routes; and Section 9, Air Route and Airport Surveillance Radar Facilities. The first seven sections of the supplement are maintained and printed every 160 days, utilizing automatic data processing procedures; the last section is maintained and printed on request. Section 3 has been discontinued.

**Controller
Chart
Supplement**

Effective October 1981



DEPARTMENT OF TRANSPORTATION
FEDERAL AVIATION ADMINISTRATION
Air Traffic Service

SECTION

9

**AIR ROUTE AND AIRPORT
SURVEILLANCE RADAR FACILITIES**

NORTH ATLANTIC ROUTE CHART


Office of Charting and Geodetic Services

Issuance: Every 168 days.

Users: Federal Aviation Administration.

For orders and information, write or call: Distribution Branch, National Ocean Service, NOAA, Riverdale, Md. 20737 (301-436-6990).

The *North Atlantic Route Chart* is published at the request of the Federal Aviation Administration and is used by air traffic controllers. The chart shows selected air routes and airports necessary for coordinating air traffic control in the North Atlantic area. The chart is published in two sizes.



MINIMUM SAFE ALTITUDE WARNING (MSAW) SYSTEM Office of Charting and Geodetic Services

Issuance: As required.

Users: Federal Aviation Administration.

For orders and information, write or call: Aeronautical Charting Division, National Ocean Service, NOAA, 6001 Executive Boulevard, Rockville, Md. 20852 (301-443-8071).

The Minimum Safe Altitude Warning (MSAW) System is a program carried out by NOS at the request of the Federal Aviation Administration to obtain horizontal and vertical positional information in support of FAA's automated program. NOS personnel accomplish this mission by taking a grid and placing it over the chart of the area to be studied. Then, they locate, both horizontally and vertically, within the grid the highest point of each object determined to be an obstacle.




Photo positive portion of the St. Louis SAW Overlay


**AIR TRAFFIC CONTROL SYSTEMS
COMMAND CENTER (ATCSCC) CHARTS**
Office of Charting and Geodetic Services

Issuance: As required.

Users: Personnel of the Federal Aviation Administration.

For orders and information, write or call: Aeronautical Charting Division, National Ocean Service, NOAA, 6001 Executive Boulevard, Rockville, Md. 20852 (301-443-8071).

The *ATCSCC Charts*, maintained and published for the Federal Aviation Administration's use, designate the various airspaces reserved for VIP, civil, and military aircrafts. Details depicted on the five *ATCSCC* charts include high altitude routes, facilities, restricted airspace, and some reporting points. The areas covered by these charts are the entire United States, the Atlantic Ocean, the Pacific Ocean, and the Caribbean and Gulf of Mexico.



ATCSCC Pacific Ocean Area Chart, 21st edition.

SEARCH AND RESCUE (SAR) CHARTS


Office of Charting and Geodetic Services

Issuance: Single issue of two charts.

Users: Local fire and rescue departments and the Federal Aviation Administration.

For information, write or call: Aeronautical Charting Division, National Ocean Service, NOAA, 6001 Executive Boulevard, Rockville, Md. 20852 (301-443-8071).

Search and Rescue (SAR) Charts are produced for both Washington National and Dulles International Airports to provide local fire and rescue departments with the locations and most expedient routes to hospitals. The maps are printed on a topographic base compiled from State and county maps and overprinted with grids divided into four quadrants (A, B, C, D) with number coordinates depicted around the neat (border) lines. There are two sizes of each.



Washington National Airport SAR Chart, 1st edition.


**GULF OF MEXICO AND CARIBBEAN
PLANNING CHART**
Office of Charting and Geodetic Services

Issuance: Annually.

Users: Airport planning staff and pilots.

For orders and information, write or call: Distribution Branch, National Ocean Service, NOAA, Silverdale, Md. 20737 (301-436-6990).

The *Gulf of Mexico and Caribbean Planning Chart* has the same information as the Visual Flight Rules (VFR) planning chart and provides on its reverse side the *Puerto Rico-Virgin Islands Terminal Area Chart*. Other aeronautical information includes visual and radio aids to navigation; airports; restricted areas; and related data.



Gulf of Mexico and Caribbean Planning Chart

COASTAL ZONE MANAGEMENT

Many of the coastal zone management activities of the National Ocean Service are administered through the Office of Ocean and Coastal Resource Management. Additional coastal information is provided by the Coastal Waves Program, a function of the NOS Office of the Chief Scientist. The Office of Ocean and Coastal Resource Management administers the Coastal Zone Management Act of 1972 and assists the coastal States in developing and carrying out comprehensive programs for managing their coastal zones, protecting coastal resources, such as wetlands and beaches, and increasing access for recreation. The Office is also engaged in Ocean Thermal Energy Conversion and deepsea bed mining. NOAA is responsible for the licensing of U.S. industries for the mining of the deepsea bed for manganese nodules.

Twenty-eight of the 35 coastal States have federally approved coastal zone management programs. In addition, six national marine sanctuaries have been designated to protect ocean areas that are of value to the Nation. All coastal States have participated in the NOS Coastal Program which provided incentives for States to develop and operate Coastal Zone Management programs. The Program now provides technical assistance to the States to become self-supporting. NOS assists coastal communities in developing regional plans for alleviating the threat of coastal hazards. These plans are designed to minimize the potentially catastrophic effects of hurricanes, severe storms, tornadoes, and flooding in the coastal regions of the United States. Marine Sanctuaries preserve and restore areas of U.S. coastal waters for their conservation, recreational, ecological, and aesthetic values. For example, the Monitor Sanctuary protects the wreck of the U.S.S. Monitor deep in the waters of Cape Hatteras, North Carolina. Estuarine sanctuaries provide field laboratories for studying the natural and other processes that affect estuaries so that stresses on these highly biologically productive areas can be minimized.

The Coastal Waves Program serves as the focal point for coastal waves research and for the collection and dissemination of wave data for scientific research and engineering. The primary goals of the Coastal Waves Program are to establish field measurements of coastal waves, develop and improve measuring systems and techniques, and develop, improve, and verify wave models.

BIENNIAL REPORT
Office of Ocean and Coastal Resource
Management

Issuance: As required by Section 316 of the Coastal Zone Management Act of 1972, as amended.

Users: The statute requires that the Report be sent to the President, the President of the Senate, and the Speaker of the House of Representatives. Other recipients are: appropriate Congressional offices, federal agencies, state agencies, academia, environmentalists, industry representatives, and interested public citizens.

For information, write or call: Coastal Zone Information Center, Office of Ocean and Coastal Resource Management, National Ocean Service, NOAA, 3300 Whitehaven St., N.W. Washington, D.C. 20235 (202-634-4255)

The *Biennial Report* for Fiscal Years 1980 and 1981 is organized into two sections. Part I presents discussions of State and Federal coastal zone management activities organized by selected issue areas. Part I also presents overviews of the Estuarine Sanctuary, Marine Sanctuary, and Ocean Resources Coordination Assessment programs. Part II presents detailed information on individual State Coastal Zone Management Programs and Coastal Energy Impact Programs. In accordance with legislative requirements, research and education programs conducted by the CZM-related programs are listed, as well as program regulations promulgated or in force during the period covered by the Report.



**COASTAL ZONE MANAGEMENT: AN
ANNOTATED BIBLIOGRAPHY**
Office of Ocean and Coastal Resource
Management

Issuance: March 1983

Users: State agencies, academia, and interested public
citizens.

For information, write or call: Coastal Zone Infor-
mation Center, Office of Ocean and Coastal Resource
Management, National Ocean Service, NOAA, 3300
Whitehaven St., N.W., Washington, D.C. 20235 (202-
634-4255)

The *Annotated Bibliography* is a compilation of State, territory, and Federal work products produced in full or in part with funds from the Coastal Zone Management Act. The Bibliography was first produced in 1976 and updated in April 1980. Since that time, the output of State/territory CZM programs has increased tremendously. In addition, Coastal Energy Impact Program (CEIP) projects were not included in previous Bibliographies. The updated Bibliography will be a valuable comprehensive addition to coastal zone literature.

**Annotated Bibliography
of Coastal Zone Management
Work Products**

A compilation of State, Territory, and Federal work products produced with
funding from the Coastal Zone Management Act of 1972, as amended.

Office of Ocean and Coastal Resource Management
National Oceanic and Atmospheric Administration

March 1983

U. S. DEPARTMENT OF COMMERCE: Malcolm Baldrige, Secretary
National Oceanic and Atmospheric Administration: John V. Byrne, Administrator
Office of Ocean and Coastal Resource Management: Peter L. Tweed, Acting Director

CZM INFORMATION EXCHANGE
Office of Ocean and Coastal Resource
Management

Issuance: Every 2-3 months.

Users: Capitol Hill, State agencies, Federal agencies, industry representatives, environmentalists, academia, and interested public citizens.

For information, write or call: Coastal Zone Information Center, Office of Ocean and Coastal Resource Management, National Ocean Service, NOAA, 3300 Whitehaven St., N.W., Washington, D.C. 20235 (202-634-4255)

The *Information Exchange* summarizes current activities in each State and provides the latest news at the Federal level. Additionally, there are discussion pieces on prominent coastal issues.

August 3, 1987

CZM INFORMATION EXCHANGE*



COASTAL ZONE MANAGEMENT

A FEDERAL-STATE PARTNERSHIP IN THE MANAGEMENT
OF COASTAL AND MARINE RESOURCES

Contents: CZM Highlights (p. 1); Legislative Update (pp. 2-5); Federal Consistency Assistance (pp. 6-21); Coastal Hazards (p. 22); Status of the States: North Atlantic (pp. 14-19); South Atlantic (pp. 34-43); Gulf (pp. 43-51); Great Lakes (pp. 48-53); Pacific (pp. 62-73); Marine Sanctuaries Update (pp. 74-77); Publications (pp. 78-82); Upcoming Conferences/Meetings (pp. 81-88)

*DELORES CLARK, COORDINATOR (CCRM - 202/634-4250)

OFFICE OF OCEAN AND COASTAL RESOURCE MANAGEMENT, NOS
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
U.S. DEPARTMENT OF COMMERCE
3300 WHITEHAVEN ST., N.W.
WASHINGTON, D.C. 20235

STATE BROCHURES

Office of Ocean and Coastal Resource Management

Issuance: Varies. Brochures are presently available for California, Florida, North Carolina, Rhode Island, and South Carolina. Other are planned for publication during 1983 and 1984.


Users: State agencies, Capitol Hill, and interested public citizens.

For information, write or call: Coastal Zone Information Center, Office of Ocean and Coastal Resource Management, National Ocean Service, NOAA, 3300 Whitehaven St., N.W., Washington, D.C. 20235 (202-634-4255)

The *State Brochure* describes in detail (about 15 pages) a State's coastal zone management program and emphasizes projects funded under CZM. It also describes other NOAA activities in that State.

South Carolina's Coast:


A State-Federal Partnership
in the Management of
Coastal and Marine Resources



JUNE 1983

California's Coast:

A State-Federal Partnership in the
Management of Coastal and Marine Resources



JUNE 1983



California Coastal Commission



GENERAL INFORMATION BROCHURES
National Coastal Zone Management Program
Office of Ocean and Coastal Resource
Management

Issuance: Varies.

Users: Congressional offices, Federal and State agencies, academia, public interest groups, and private citizens, as requested.

For information, write or call: Coastal Zone Information Center, Office of Ocean and Coastal Resource Management, National Ocean Service, NOAA, 3300 Whitehaven St., N.W., Washington, D.C. 20235 (202-634-4255)

Brochures are available on the National Coastal Zone Management Program, regulations, and specific related topics such as urban waterfront redevelopment, federal consistency, public participation, coastal recreation, energy facility siting, and classroom educational materials.

MANAGEMENT PLANS


National Estuarine Sanctuary Program
Office of Ocean and Coastal Resource
Management

Issuance: Varies.

Users: Congressional offices, Federal and State agencies, industry and public interest groups, academia, and the public.

For information, write or call: Sanctuary Programs Division, Office of Ocean and Coastal Resource Management, National Ocean Service, NOAA, 3300 Whitehaven St., N.W., Washington, D.C. 20235 (202-634-4255)

Site-specific *management plans* have been prepared for 5 of 15 national estuarine sanctuaries: Old Woman Creek, OH; Narragansett Bay, RI; Rookery Bay, FL; Jobos Bay, PR; and Carrott Island/Zeke's Island, NC. The other plans will be available at various times during FY 1984. These plans describe the goals and objectives of each site, research and educational activities planned, the facilities where programs take place, significant natural resources present and the management actions necessary to implement the plan. The plan is designed to inform the sanctuary users and the general public about the sanctuary and various activities planned over time. These plans are revised every 5 years.




GENERAL INFORMATION BROCHURES
National Estuarine Sanctuary Program
Office of Ocean and Coastal Resource
Management

Issuance: Varies.

Users: Congressional offices, Federal and State agencies, industry and public interest groups, academia, and the public.

For information, write or call: Sanctuary Programs Division, Office of Ocean and Coastal Resource Management, National Ocean Service, NOAA, 3300 Whitehaven St., N.W., Washington, D.C. 20235 (202-634-4236)

Individual brochures are in the process of being prepared by States with designated national estuarine sanctuaries. Presently, brochures are available for the following estuarine sanctuaries: Narragansett Bay, RI, Rookery Bay, FL, and Apalachicola River Bay, FL. Others are planned for FY 1984. These brochures describe the location and significance of the site, research and educational activities conducted, and how the site is managed.



BIENNIAL REPORT


National Marine Sanctuary Program
Office of Ocean and Coastal Resource
Management

Issuance: As required by Section 302(d) of Title III of the Marine Protection, Research and Sanctuaries Act of 1972, as amended.

Users: President of the Senate, Speaker of the House of Representatives, appropriate Congressional offices, Federal agencies, academia, industry representatives, public interest groups, and the public.

For information, write or call: Sanctuary Programs Division, Office of Ocean and Coastal Resource Management, National Ocean Service, NOAA, 3300 Whitehaven St., N.W., Washington, D.C. 20235 (202-634-4236)

The *Biennial Report* sets forth a comprehensive review of the actions of the National Marine Sanctuary Program during the two previous fiscal years, together with appropriate legislation considered necessary for the designation and protection of national marine sanctuaries.




PROGRAM DEVELOPMENT PLAN
National Marine Sanctuary Program
Office of Ocean and Coastal Resource
Management

Issuance: January 1982.

Users: Congressional offices, Federal and State agencies, industry and public interest groups, academia, and the public.

For information, write or call: Sanctuary Programs Division, Office of Ocean and Coastal Resource Management, National Ocean Service, NOAA, 3300 Whitehaven St., N.W., Washington, D.C. 20235 (202-634-4236).

The *Program Development Plan* (PDP) describes the policy and administrative framework for continued implementation of the National Marine Sanctuary Program. The PDP provides a description of the Program's mission, goals, and operational criteria and site evaluation process; the nomination and designation process; and the elements and purposes of site specific management plans.



MANAGEMENT PLANS

National Marine Sanctuary Program
Office of Ocean and Coastal Resource
Management

Issuance: Required under Section 922.31 of the National Marine Sanctuary Program Regulations, 15 CFR Part 922.

Users: Congressional offices, Federal and State agencies, industry and public interest groups, academia, and the public.

For information, write or call: Sanctuary Programs Division, Office of Ocean and Coastal Resource Management, National Ocean Service, NOAA, 3300 Whitehaven St., N.W., Washington, D.C. 20235 (202-634-4236).

Site specific *Management Plans* have been prepared on the six designated national marine sanctuaries—U.S.S. MONITOR, Key Largo, Gray's Reef, Looe Key, Pt. Reyes-Farallon Islands, and Channel Islands. These plans describe the degree of resource protection that is necessary for each site, the types of research and interpretive (and in some cases, recreational) activities that are anticipated, the facilities where programs take place, and the kind of management necessary to implement the plan. The plan is designed to inform the sanctuary users and the general public about the sanctuary and various activities that are planned over time. These plans are revised every 5 years.

U.S.S. Monitor National Marine Sanctuary

Management Plan



U.S. DEPARTMENT OF COMMERCE
National Oceanic and Atmospheric Administration
Office of Ocean and Coastal Resource Management
Washington, D.C.



North Carolina
Department of Cultural Resources
Raleigh, N.C.

GENERAL INFORMATION BROCHURES
National Marine Sanctuary Program
Office of Ocean and Coastal Resource
Management

Issuance: Varies, revised as necessary.

Users: Congressional offices, Federal and State agencies, industry and public interest groups, academia, and the public.

For information, write or call: Sanctuary Programs Division, Office of Ocean and Coastal Resource Management, National Ocean Service, NOAA, 3300 Whitehaven St., N.W., Washington, D.C. 20235 (202-634-4236).

Individual brochures for each marine sanctuary have been prepared summarizing the activities prohibited and permitted within the sanctuary, enforcement, and description of the significant material or cultural resources.




**LOOE KEY
NATIONAL
MARINE
SANCTUARY**



U.S. DEPARTMENT OF COMMERCE
National Oceanic and Atmospheric Administration
Office of Coastal Zone Management



**GRAY'S REEF
NATIONAL
MARINE
SANCTUARY**



U.S. Department of Commerce
National Oceanic and Atmospheric Administration
Office of Coastal Zone Management


BIENNIAL REPORT

Deep Seabed Mining

Users: The statute requires that the Report be sent to the President, the President of the Senate, and the Speaker of the House of Representatives. Other recipients are: appropriate Congressional offices, Federal agencies, State agencies, academia, environmentalists, industry representatives, and interested public citizens.

For information, write or call: Ocean Minerals and Energy Division, Office of Ocean and Coastal Resource Management, National Ocean Service, NOAA, 3300 Whitehaven St., N.W., Washington, D.C. 20235 (202-653-7695).

The *Biennial Report* describes NOAA's progress in implementing the Act, and its continued development of the deep seabed mining program in a legally sound and environmentally sensitive manner. The report includes NOAA's efforts in the negotiations of agreements with foreign Nations to facilitate reciprocating State agreements.



ANNUAL REPORT


Ocean Thermal Energy Conversion Office of Ocean and Coastal Resource Management

Issuance: As required by Section 405 of the Ocean Thermal Energy Conversion Act. The current report for FY 1982 was issued in March 1983.

Users: The statute requires that the Report be sent to the President, the President of the Senate, and the Speaker of the House of Representatives. Other recipients are appropriate Congressional offices, Federal agencies, State agencies, academia, environmentalists, industry representatives, and interested public citizens.

For information, write or call: Ocean Minerals and Energy Division, Office of Ocean and Coastal Resource Management, National Ocean Service, NOAA, 3300 Whitehaven St., N.W., Washington, D.C. 20235 (202-653-7695).

The *Annual Report* describes NOAA's progress in implementing the Ocean Thermal Energy Conversion Act. Its background section discusses industry status and international competition. There are also chapters on OTEC engineering and technology, the legal regime, and environmental aspects.



Artists Rendition of an OTEC commercial operating plant.

WAVE DATA AND STATISTICS


Office of the Chief Scientist

Issuance: On request at present, with periodic publications in the near future.

Users: Federal, State and local agencies, and private organizations involved in coastal or offshore engineering and construction, coastal erosion studies, wave energy studies, coastal hazards mitigation and assessments, environmental assessments, ship design, scientific research, and weather and oceanographic forecasting that supports coastal and offshore operations.

For information, write or call: Coastal Waves Program, Office of the Chief Scientist, National Ocean Service, NOAA, 6001 Executive Boulevard, Rockville, Md. 20852 (301-443-8474).

Wave Data and Statistics, a wave information program, provides field data and statistics from measurement stations in the U.S. coastal waters of the mid-Atlantic region. As this new program matures and is extended regionally, data for all coastal waters will be available for dissemination. The data included in this program are time series of wave elevation and spectra and statistics on wave heights, periods, extremes, persistence, and other similar wave characteristics.



MARINE OPERATIONS

The NOS Office of Marine Operations operates a fleet of major oceanographic and hydrographic survey vessels for use by NOAA, other Federal agencies, and academic institutions. It also provides ship support services to marine programs in nautical charting, marine assessment baseline studies, ocean dumping, oceanographic research, and living marine resources assessment and development to achieve a better understanding of the physical, chemical, and biological characteristics and behavior of the oceans and the seafloor, and the ocean atmosphere interface.

Ships of the NOAA fleet are identified by color scheme, by letter-number designator, and by the display of the NOAA logo on the superstructure. The vessels' hull and superstructures are painted white; masts and stacks, buff; and boot top and trim, black. Letter-number designators appear on both sides of the bow above the letters "NOAA." The designator is a three-digit number preceded by the identification number "R" for research vessels or "S" for survey vessels. The first number of the three-digit identification is the class grouping for NOAA vessels, determined from a combination of the vessel's gross tonnage and its main propulsion plant's rated horsepower. The remaining digits are the vessel's hull number.

An example of each of the six classes of NOAA ships is shown on the following pages, together with some basic information about each ship shown.

DISCOVERER
Class I

The NOAA Ship DISCOVERER conducts worldwide oceanographic research. The ship normally operates in the Pacific Ocean and the Alaskan waters.

Commissioned: April 1967

Designer: Maritime Administration

Builder: Aerojet-General Shipyards, Jacksonville, Fla.

Home port: Seattle, Wash.

Complement:

Commissioned officers: 13

Licensed officers: 6

Crew: 60

Scientists: 24

Hull: Welded steel/ice strengthened

Displacement: 4,033 tons

Gross tonnage: 3,701

Net tonnage: 1,095

Length (LOA): 303 ft (92.4 m)

Breadth (moulded): 52.0 ft (15.8 m)

Draft, Maximum: 19.8 ft (6.0 m)


Cruising Speed: 15 kn

Range: 12,250 nmi

Power: 5,000 SHP

Class I Vessels

DISCOVERER
RESEARCHER
SURVEYOR



FAIRWEATHER

Class II

The NOAA Ship FAIRWEATHER is designed and outfitted for hydrographic surveys involving nautical charting. Scientific equipment normally on board is limited to equipment that supports and relates to these survey operations. The ship normally operates off the U.S. Pacific Coast, in Alaskan coastal waters, and off the Hawaiian Islands.

Commissioned: October 1968

Designer: Maritime Administration

Builder: Aerojet-General Shipyards, Jacksonville, Fla.

Home port: Seattle, Wash.

Complement:

Commissioned officers: 12

Licensed officers: 5

Crew: 52

Scientists: 4

Hull: Welded steel/ice strengthened

Displacement: 1,800 tons

Gross tonnage: 1,591

Net tonnage: 578

Length (LOA): 231 ft (70.4 m)

Breadth (moulded): 42 ft (12.8 m)

Draft, Maximum: 14.3 ft (4.2 m)

Cruising Speed: 13 kn

Range: 7,000 nmi

Power: 2,400 SHP


Class II Vessels

FAIRWEATHER

MILLER FREEMAN

MT. MITCHELL

RAINIER



DAVIDSON
Class III

The NOAA Ship DAVIDSON is designed and outfitted for hydrographic surveys involving nautical charting. Scientific equipment normally on board is limited to equipment that supports and relates to these survey operations. The ship normally operates off the U.S. Pacific Coast and in Alaskan coastal waters.

Commissioned: March 1967

Designer: Maritime Administration

Builder: Norfolk Shipbuilding and Drydock,
Norfolk, Va.

Home port: Seattle, Wash.

Complement:

Commissioned officers: 8

Licensed officers: 3

Crew: 29

Hull: Welded steel/ice strengthened

Displacement: 995 tons

Gross tonnage: 854

Net tonnage: 207

Length (LOA): 175 ft (53.3 m)

Breadth (moulded): 38 ft (11.6 m)

Draft, Maximum: 13.3 ft (4.1 m)


Cruising Speed: 12 kn

Range: 6,000 nmi

Power: 1,600 SHP

Class III Vessels

PEIRCE
ALBATROSS IV
DAVIDSON
McARTHUR
OREGON II
WHITING



FERREL
Class IV


The FERREL conducts coastal and estuarine circulatory studies. The Ship normally operates off the U.S. Atlantic Coast and in the Gulf of Mexico.

Commissioned: June 1968
Designer: Zigler Shipyards, Inc.
Builder: Zigler Shipyards, Inc., Jennings, La.
Home port: Norfolk, Va.
Complement:
 Commissioned officers: 5
 Licensed officers: 2
 Crew: 12

Class IV Vessels

FERREL
TOWNSEND CROMWELL
DELAWARE II
DAVID STAR JORDAN
CHAPMAN

Hull: Welded steel
Displacement: 360 tons
Gross tonnage: 349
Net tonnage: 86
Length (LOA): 133 ft (40.5 m)
Breadth (moulded): 32 ft (9.8 m)
Draft, Maximum: 8 ft (2.5 m)
Cruising Speed: 10 kn
Range: 2,200 nmi
Power: 750 SHP



RUDE
Class V

The NOAA Ship RUDE operates with her sister ship, the NOAA Ship HECK, in making wire drag surveys and was built and outfitted for such operations. The vessels normally operate off the U.S. Atlantic and Gulf Coasts.

Commissioned: March 1967

Designer: Maritime Administration

Builder: Jakobson Shipyard, Oyster Bay, N.Y.

Home port: Norfolk, Va.

Complement:

Commissioned officers: 3

Licensed officers: 1

Crew: 7

Hull: Welded steel

Displacement: 220 tons

Gross tonnage: 150

Net tonnage: 42

Length (LOA): 90 ft (27.4 m)

Breadth (moulded): 22 ft (6.7 m)

Draft, Maximum: 7.2 ft (2.2 m)

Cruising Speed: 10 kn


Range: 800 nmi

Power: 800 SHP

Class V Vessels

JOHN N. COBB

RUDE and HECK




MURRE II
Class VI

The NOAA Ship MURRE II conducts fishery research and cargo shipment operations in Southeast Alaskan waters.

Launched: 1943
Designer: Converted from U.S. Army
Builder: Powered barge by Maritime Shipyards, Seattle, Wash.
Home port: Juneau, Alaska
Complement:
 Licensed officers: 2
 Crew: 1
 Scientists: 5
Hull: Wood
Displacement: 295 tons
Gross tonnage: 189
Net tonnage: 95
Length (LOA): 86 ft (26.1 m)
Breadth (moulded): 26.8 ft (8.2 m)
Draft, Maximum: 7.5 ft (2.3 m)
Cruising speed: 8 kn
Range: 1500 nmi
Power: 208 SHP

Class VI Vessels

MURRE II



**OCEANOGRAPHIC RESEARCH, SHIP
SUPPORT**
Office of Marine Operations

Issuance: As required.

Users: Federal agencies.


For information, write or call: Office of Marine Operations, National Ocean Service, NOAA, 6001 Executive Boulevard, Rockville, Md. 20852 (301-443-8321).

Ship Support for oceanographic projects requiring a considerable amount of ship time, conducted aboard any of NOAA's fleet of 22 ships, is offered to other government agencies and academia on a reimbursable program and, occasionally, to private industry. In general, NOAA ships are heavily committed to NOAA missions, with only very limited amount of unused capacity available.

The NOS Atlantic Marine Center, Norfolk, Va., directs the activities of 10 of NOAA ships, and the NOS Pacific Marine Center, Seattle, Wash., directs the activities of the other 12 NOAA ships. The Centers support operations, logistics, ship maintenance, and administration, as well as process data from all facets of field operations.



Atlantic Marine Center



Pacific Marine Center

NOAA DIVING OFFICE
Office of Marine Operations

Issuance: Not applicable.

Users: Federal and State agencies, universities, and the commercial diving industry, together with physicians.

For information, write or call: Office of Marine Operations, National Ocean Service, NOAA, 6001 Executive Boulevard, Rockville, Md. 20852 (301-443-8007).

The *NOAA Diving Office* provides basic operational and specialized (polluted water and recompression chamber operation) diver training to State and other Federal agency personnel and to NOAA supported university and contract personnel. The Office also provides an equivalent certification for this training. In addition, it trains physicians in diving and hyperbaric medicine for support of governmentwide, commercial, and recreational diving activities and provides data on testing and evaluating polluted water diving equipment and procedures to other Federal agencies, academia, and the commercial diving industry.



ACRONYMS AND ABBREVIATIONS

ASM	American Congress on Surveying and Mapping
D	Airport Facility Directory
ATCSCC	Air Traffic Control Systems Command Chart
BS	Basic Hydrographic Survey
GS	Charting and Geodetic Services
IP	Coastal Energy Impact Program
RC	Coastal Engineering Research Center
S	Chart Evaluation Survey
.....	Change Notice
E	Corps of Engineers
CTD	Conductivity-Salinity-Temperature-Density
P	Coastal Waves Program
M	Coastal Zone Management
A	Defense Mapping Agency
AAC	Defense Mapping Agency Aerospace Center
AH/TC	Defense Mapping Agency Hydrographic/Topographic Center
M	Electronic Distance Measuring
A	Environmental Protection Agency
.....	Electronic Positioning Indicator
A	Federal Aviation Administration
F	Fisheries Conservation Zone
FGCC	Federal Geodetic Control Committee
P	Flight Information Publication
FSS	Flight Service Station
GBCH	General Bathymetric Charts of the Ocean
GPO	Government Printing Office
GPS	Global Positioning System
ICAPC	Instrument Approach Procedure Chart
.....	Interstate Commerce Commission
.....	Instrument Flight Rules
IPMS	International Polar Motion Service
IW	Intracoastal Waterway
.....	Lake Survey
MHW	Mean High Water
MO	Management by Objective
MIT	Massachusetts Institute of Technology
MMMS	Minerals Management Service
.....	Marine Pollution
MSAW	Minimum Safe Altitude Warning
MWSC	Marine Weather Services Chart
ND	North American Datum
NAS	Navigable Area Survey

ACRONYMS AND ABBREVIATIONS—Continued

NGIC	National Geodetic Information Center
NGS	National Geodetic Service
NM	Nautical Mile
NOAA	National Oceanic and Atmospheric Administration
NOS	National Ocean Service
NWS	National Weather Service
OC	Obstruction Chart
OCRM	Office of Ocean and Coastal Resources Management
OCS	Outer Continental Shelf
OMS	Office of Oceanography and Marine Services
OSS	Ocean Survey Sheet
OTEC	Ocean Thermal Energy Conversion
PDP	Program Development Plan
POLARIS	Polar Motion Analysis by Radio Interferometric Surveying
SAR	Search and Rescue
SC	Small-Craft
SID	Standard Instrument Departure
STAR	Standard Terminal Arrival Route
STD	Salinity-Temperature-Density
TR	Training Chart
USN	United States Navy
UTI	Universal Time
UTM	Universal Traverse Mercator
VFR	Visual Flight Rules
VHF	Very High Frequency
VLBI	Very Long Baseline Interferometry
WDS	Wire Drag Survey
WGS	World Geodetic System
WSO	Weather Service Office
XBT	Expendable Bathythermograph

PRICE LIST

PRODUCT

SINGLE COPY

ANNUAL SUBSCRIPTION

Aerial Photographs	\$ 5 paper 10 12 25 paper 30 paper 35 paper	9" x 9" Contact Print \$15 ciba 9" x 9" Film Positive 25 9" x 9" Film Negative 15 B&W 18" x 18" Print 35 Ciba 27" x 27" Print 50 Ciba 36" x 36" Print N/A	
Airport/Facility Directory		\$4.00 first/\$2.50 additional book	Full set (7 books) \$75.00 First Regional book \$18.00 Each additional Regional book \$9.50
Airport Obstruction Charts		\$4.45	
Airport Diagrams		see Instrument Approach Procedure Charts	
Air Traffic Control Systems Command Center Charts		not applicable	
Alaska Terminal Publication		\$3.25	\$17.00
Annual NE Monitoring Program on the Health of the NE Coastal Waters of the U.S.		not applicable	
Astronomic Information		quoted on request	
Automated Wreck and Obstruction Information System		quoted on request	
Bathymetric maps		\$3.25	
Calibration Base Line Data		quoted on request (\$2.00-\$28.00)	
Catalog of Aeronautical Charts and Related Publications		free	

<u>PRODUCT</u>	<u>SINGLE COPY</u>	<u>ANNUAL SUBSCRIPTION</u>
Chart Supplement Pacific	\$7.50	\$40.00
Circulatory Survey Data		
Coastal Mapping Handbook	\$6.00	
Computer Programs for Geodetic Applications	quoted on request (\$10-\$6)	
Controller Chart Supplement	not applicable	magnetic tape \$468.00
Controller Charts	not applicable	
Conventional Nautical Charts	\$5.50	
Daily Mean Water Levels, Great Lakes	free	
Dates of Latest Editions--Aeronautical Charts	free	
Dates of Latest Editions--Nautical Charts	free	
Descriptive Reports	\$1.00 per page reproduction fee	
Distances Between U.S. Ports	\$2.75	
Enroute High Altitude Charts	Individual \$2.50	Individual \$9.00
Enroute Low Altitude Area Charts	Individual \$2.50	\$8.50
Enroute Low Altitude Charts	Full set \$15.25 East set \$9.25 West set \$9.25 Individual \$2.50 Alaska \$2.50	U.S. \$65.00 East set \$44.00 West set \$44.00 Individual \$8.50 Alaska \$16.00

PRODUCTSINGLE COPYANNUAL SUBSCRIPTION

Estuarine and Coastal Circulation Data	quoted on request	
Flight Case Planning Chart	\$3.60	\$15.00 (2 years subscription)
Frequency and Duration Analysis of Tidal Waters	\$65.00 per station	
Geodetic Control Diagrams	\$5.00	
Geodetic Products and Services	quoted on request	
Echograms	quoted on request	
Gravimetric and Vertical Deflection Data	quoted on request	
Great Lakes Data: Monthly Means Elevations and Monthly Mean Discharge	free	
Great Lakes 7-Day Water Levels	free	
Great Lakes Water Levels-Annual Summary	\$2.50	
Great Lakes Water Levels (1860-1980) Summary	\$2.50	
Gulf of Mexico and Caribbean Planning Chart	\$2.75	\$5.50
A History of Flying and Photography in the Photogrammetry Division of NOS (1919-1979)	quoted on request	
Horizontal Control Data	\$2-28.00 per quad.	

PRODUCT

SINGLE COPY

ANNUAL SUBSCRIPTION

Horizontal and Vertical Control Crustal
Movement Data

quoted on request

Hourly water Levels, Great Lakes

free

Hydrograph of Monthly Mean Levels of
the Great Lakes

free

Hydrographic Surveys

\$2.50 reproduction fee

Input Formats and Specifications

quoted on request

Instrument Approach Procedure Charts

U.S. set \$30.00
First book \$5.00
Additional book \$2.50

U.S. set with one change
notice \$160.00
Individual regions: First:
\$37.50; Additional: \$10.00.

International Nautical Charts

\$4.50

Local Notice to Mariners

free

Marine Weather Services Charts

\$1.25

Minimum Safe Altitude Warning System

not applicable

Monthly Mean Flow Diversions

free

Monthly Precipitation Summary, Great Lakes
Basin

free

National Geodetic Survey Extension Service

quoted on request

PRODUCTSINGLE COPYANNUAL SUBSCRIPTION

NOAA Diving Office	not applicable
Nautical Chart Catalogs 1-4 and Map and Chart Catalog 5	free
Nautical Chart Symbols and Abbreviations (Chart No. 1)	\$2.00
Nautical Training Charts	\$1.00
Nautical Updating Service	free
Near Real-time and Real-Tide Heights	quoted on request
North Atlantic Route Chart	not applicable
Notice to Mariners	free
Oceanographic Expert Consultation and Tide Special Services	quoted on request- Historical tide record search (\$20.00)
Oceanographic Research, Ship Support	quoted on request
Ocean Survey Sheets (OSS)	\$1.00
Offshore Mineral Leasing Area Map	\$6.50
Physical Oceanographic and Sediment Quality Data	quoted on request
Plotting Sheets for GEBCO charts	\$4.30
Polar Motion Information	quoted on request
Program Handbooks	free
Radar Video Maps	not applicable

<u>PRODUCT</u>	<u>SINGLE COPY</u>	<u>ANNUAL SUBSCRIPTION</u>
Satellite Radio Surveying Data	quoted on request	
Search and Rescue Charts	not applicable	
Sectional Aeronautical Charts	\$2.75	
Shoreline Movement Studies	\$10.00/set	
Small-craft Nautical Charts	\$3.50-\$5.50	
Sounding Volumes	quoted on request	
Special Cartographic Services	quoted on request	
Special Purpose Geodetic Surveys	quoted on request	
Standard Instrument Departure Charts	Eastern U.S. \$2.00 Western U.S. \$2.50 U.S. Set \$4.00	Eastern U.S. \$12.50 Western U.S. \$15.50 U.S. set \$21.00
Standard Terminal Arrival Charts	\$2.00	\$10.50
Storm Evacuation Maps	\$3.50	
The Strategic Role of Perigean Spring Tides	\$12.00	
Supplement Alaska	\$3.00	\$16.00
Supplement Tidal Predictions	\$3.50	
Telemetered Water Level Data-- Great Lakes	free	
Territorial Sea and Contiguous Zone Maps		\$2.15

PRODUCT

SINGLE COPY

ANNUAL SUBSCRIPTION

Tidal Bench Mark Sheets

Bench mark sheets (published) \$2.00
per station (unpublished \$13.00
per station.

Tidal Current Charts

\$4.00

Tidal Current Diagrams

\$2.75

Tidal Current Tables

\$5.50

Tidal Zoning (Area Prediction Factors)

quoted on request

Tide, Hourly Heights

Magnetic tape: Univac - (Tape
costs \$14.00 additional)
\$58.50 per station-month, \$61.50
per station-year, \$121.50 ten
stations, \$6.66 each additional
year.

Interdata 7/32-

\$28.64 per station-month, \$28.64 per
station-year, \$5.34 each addition-
al year.

Xerographic-

\$15.00 per station-year, \$1.30 per
station-month

microfiche-

\$32.00 per station-year, \$2.50 per
station-month

Tide Observation Station List

quoted on request

PRODUCT

SINGLE COPY

ANNUAL SUBSCRIPTION

Tide 6-Minute Heights

magnetic tape--
\$45.52 per station-month, \$78.14
per station-year
\$99.35 three stations-year, \$26.43
each additional year after three
years.

Tide Station Indexes

free

Tide Station Ocean Temperature and Density

\$18.00 per station-year; \$2.50 per
category.

Tide Tables

\$6.75

Tides, Monthly Mean Summaries

\$38.00 per station summary
\$1.30 per chart

Tides, Time and Height of High and Low
Water

\$13.00 per station-year
\$1.30 per station-month
Tide and Height of High and Low
Waters and Hourly Heights
combined--\$20.00 per station year,
\$2.50 per station-month.
Microfiche copy--\$32.00 per
station-year, \$2.50 per station-
month.

Topographic/Bathymetric Maps

\$2.50-3.25

Topographic Surveys and Planimetric
Shoreline Maps

reproduction fee \$21.50

U.S. Coast Pilots

\$8.00

PRODUCT

U.S. Gulf Coast Visual Flight Rules
(VFR) Aeronautical Charts

Vertical Control Data

Visual Aeronautical Chart Symbols Book

Visual Flight Rules Helicopter Chart

Visual Flight Rules/Instrument Flight
Rules (VFR/IFR) Planning Chart

Visual Flight Rules Terminal Area Charts

Wave Data and Statistics

World Aeronautical Charts

SINGLE COPY

\$3.35

\$2.00-\$28.00 per quad

\$2.00

\$2.25

\$6.00

\$2.75

quoted on request

\$2.75

ANNUAL SUBSCRIPTION

\$84.00 (2 year Subscription)

\$11.00 (2 year Subscription)

\$6.00 (2 year Subscription)

\$5.00

INDEX

Aerial Photographs	3-24
Airport/Facility Directory	4-20
Airport Obstruction Charts	4-21
Airport Diagrams	4-19
Air Traffic Control Systems Command Center Charts.....	4-29
Alaska Supplement	4-16
Alaska Terminal Flight Information Publication	4-15
Annual Northeast Monitoring Program on the Health of the Northeast Coastal Waters of the United States.....	2-32
Annual Report—Ocean Thermal Energy	5-14
Area Prediction Factors—Tidal Zoning.....	2-10
Astronomic Information	1-6
Automated Wreck and Obstruction Information System.....	3-32
Bathymetric Maps	3-13
Bench Mark Descriptions and International Great Lakes Datum Elevations	2-31
Biennial Report—(OCRM)	5-2
Biennial Report—Deep Seabed Mining	5-13
Biennial Report—Marine Sanctuary Program	5-9
Calibration Standards for Distance Measuring Instruments	1-8
Catalog of Aeronautical Charts and Related Publications	4-23
Chart Supplement Pacific.....	4-17
Circulatory Survey Data	2-13
Coastal Mapping Handbook	3-33
Coast Pilots	3-9
Coastal Zone Management: An Annotated Bibliography	5-3
Computer Program for Geodetic Applications.....	1-9
Control Data Indexes—Horizontal and Vertical	1-4
Controller Charts	4-25
Controller Chart Supplement	4-26
Conventional Nautical Charts	3-2
Cruise Reports.....	2-33
Crustal Movement Information	1-11
CZM Information Exchange.....	5-4
Daily Mean Water Levels, Great Lakes	2-22
Dates of Latest Editions—Aeronautical Charts	4-22
Dates of Latest Editions—Nautical Charts.....	3-20
Descriptive Reports	3-29
Distances Between United States Ports	3-8
Diving Office	6-9
Enroute High Altitude Charts	4-12
Enroute Low Altitude Area Charts	4-11
Enroute Low Altitude Charts.....	4-10
Estuarine and Coastal Circulation Data Analysis	2-14
Environmental Atlases and Supporting Data Bases	2-36
Expert Consultation—Oceanographic	2-12
Echograms	3-30
Federal Geodetic Specifications	1-10
Flight Case Planning Chart	4-3
Frequency and Duration Analysis of Tidal Waters	2-9
GEBCO Plotting Sheets	3-23
General Information Brochures—Estuarine	5-8
General Information Brochures—OCRM	5-6
General Information Brochures—Marine Sanctuary.....	5-12
Geodetic Network Diagrams	1-4
Geodetic Extension Service	1-15

INDEX—Continued

Geodetic Input Formats and Specifications	1-10
Geodetic Literature and Records Archival Services	1-13
Geodetic Products and Services Information	1-14
Geodetic Surveys—Special Purpose	1-16
Geophysical Maps	3-18
Graphic Depth Records (Echograms)	3-30
Gravimetric Information	1-5
Great Lakes Annual Maximum and Minimum Levels	2-29
Great Lakes Basin—Monthly Precipitation Summary	2-26
Great Lakes—Daily Mean Telemetry Water Level Data	2-20
Great Lakes—Daily Mean Water Levels	2-22
Great Lakes Data: Monthly Mean Elevations and Monthly Mean Discharge	2-25
Great Lakes—Hourly Water Levels	2-21
Great Lakes—Hydrograph of Monthly Mean Levels	2-24
Great Lakes—7-Day Water Levels	2-23
Great Lakes Water Levels—Annual Summary	2-28
Great Lakes Water Levels—1860-1980	2-30
Gulf Coast VFR Aeronautical Chart	4-7
Gulf of Mexico and Caribbean Planning Chart	4-31
Helicopter Chart	4-8
History of Flying and Photography in the Photogrammetry Division of the NOS 1919-79	3-33
Horizontal Geodetic Information	1-2
Hourly Water Levels—Great Lakes	2-21
Hydrographic Surveys	3-26
Hydrograph of Monthly Mean Levels of the Great Lakes	2-24
Indexes to Horizontal and Vertical Geodetic Control Information	1-4
Instrument Approach Procedure Charts	4-18
International Nautical Charts	3-4
Local Notice to Mariners	3-10
Management-Oriented Analysis and Synthesis Reports	2-35
Management Plans—Estuarine	5-7
Management Plans—Marine Sanctuary	5-11
Marine Weather Services Charts	3-12
Minimum Safe Altitude Warning System	4-28
Monthly Mean Flow Diversions	2-27
Monthly Precipitation Summary—Great Lakes Basin	2-26
National Geodetic Survey Extension Service—Technology Transfer and Consultation	1-15
National Marine Pollution Plan: Federal Plan	2-37
National Marine Pollution Program: Catalog	2-38
National Marine Program: Agency Program	2-37
National Oceanic & Atmospheric Administration Diving Office	6-9
Nautical Chart Catalogs 1-4 and Map and Chart Catalog 5	3-21
Nautical Charts—Conventional	3-2
Nautical Charts—Small-Craft	3-3
Nautical Chart Symbols and Abbreviations	3-7
Nautical Training Charts	3-5
Nautical Updating Service	3-6
Near Real-Time and Real-Time Tide Heights	2-6
North Atlantic Route Charts	4-27
Northeast Annual Monitoring Program	2-32
Notice to Mariners	3-11
Obstruction Charts	4-21
Oceanographic Consultation and Tidal Special Services	2-12
Oceanographic Research, Ship Support	6-8
Ocean Survey Sheets	3-22
Offshore Mineral Leasing Area Maps	3-16
Pacific Chart Supplement	4-17
Photogrammetry Division—A History of Flying and Photography in NOS	3-33

INDEX—Continued

Physical Oceanographic and Sediment Quality Data	2-33
Planimetric Shoreline Maps	3-28
Plotting Sheets for General Bathymetric Charts of the Oceans	3-23
Products and Services Information—Geodetic	1-14
Program Development Plan—Marine Sanctuary	5-10
Public Information and Education Publications	2-36
Radar Video Maps	4-24
Regional and Disciplinary Synthesis Reports	2-35
Satellite Radio Surveying Information	1-7
Search and Rescue Charts	4-30
Sectional Aeronautical Charts	4-4
Ship Support—Oceanographic Research	6-8
Shoreline Movement Studies	3-19
Small-Craft Nautical Charts	3-3
Sounding Volumes	3-31
Special Publications—Marine Pollution	2-38
Special Purpose Geodetic Surveys	1-16
Standard Instrument Departure Charts	4-13
Standard Terminal Arrival Charts	4-14
State Brochures—OCRM	5-5
Storm Evacuation Maps	3-15
Supplement Alaska	4-16
Supplemental Tidal Predictions—Anchorage, Nikishka, Seldovia, and Valdez, Alaska	2-19
Symbols and Abbreviations—Nautical	3-7
Symbols Book—Visual Aeronautical Charts	4-9
Telemetered Water Level Data—Great Lakes	2-20
Terminal Area Charts	4-5
Territorial and Contiguous Zone Maps	3-17
Tidal Bench Mark Sheets with Tidal Datums	2-8
Tidal Bench Marks and Leveling Requirements for Tide Stations—User's Guide	2-34
Tidal Current Charts	2-16
Tidal Current Diagrams	2-15
Tidal Current Tables	2-17
Tidal Inundations—Frequency and Duration Analysis	2-9
Tidal Zoning (Area Prediction Factors)	2-10
Tide Monthly Mean Summaries	2-7
Tide Observation Station Lists	2-2
Tide 6-Minute Heights	2-3
Tide Special Services	2-12
Tide Station Datums and Bench Mark Data	2-8
Tide Station Ocean Temperature and Density	2-11
Tide Tables	2-18
Tides, Hourly Heights	2-4
Tides, Time and Heights of High and Low Water	2-5
Topographic/Bathymetric Maps	3-14
Topographic Surveys and Planimetric Shoreline Maps	3-28
Training Charts—Nautical	3-5
U.S. Coast Pilots	3-9
U.S. Gulf Coast Visual Flight Rules Aeronautical Chart	4-7
Visual Aeronautical Chart Symbols Book	3-6
Visual Flight Rules Helicopter Chart	2-34
Visual Flight Rules/Instrument Flight Rules Wall Planning Chart	1-3
Visual Flight Rules Terminal Area Charts	4-24
Visual Planning Chart	4-9
	4-8
	4-2
	4-5

INDEX—Continued

ive Data and Statistics	5-15
ld Aeronautical Charts.....	4-6
ck and Obstruction Information System	3-32

